मध्यपुर थिमि नगरपालिका

नगर कार्यपालिकाको कार्यालय, थिमि, भक्तपुर

बाग्मती प्रदेश, नेपाल

ज्याला, ढुवानी तथा Bio Engineering हरुको दर(रेट)

आ.ब.०८०/०८१

श्रमिकको ज्यालादर सम्बन्धी

सि.नं.	श्रमिकहरुको विबरण	एकाई	ज्याला दर प्रतिदिन			कैफियत
			आ.ब.			
			०७८।०७९	०७९।०८०	०८०।०८१	
१	अदक्ष श्रमिक (ज्यामी)	जवान	९००.००	९००.००	९००.००	
२	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुट्टा काट्ने साधारण मूर्तिकार ,चित्रकार, आर्टिस्ट आदी)	,,	१,२००.००	१,२००.००	१,२००.००	
३	अर्धदक्ष (डकर्मी, सिकर्मी , नकर्मी) चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाईजर, नदी निरीक्षक आदी)	,,	१,०००.००	१,०००.००	१,०००.००	
४	इन्जिनियर सुपरभाइजर	,,	१,५००.००	१,५००.००	१,५००.००	
५	सब इन्जिनियर, (ड्राफ्ट मेन, अमिन, इलेक्ट्रीसियन , सर्भेयर आदी)		१,२००.००	१,२००.००	१,२००.००	
६	सिनियर टाईपिष्ट/कम्प्युटर अपरेटर, अवाल आदी)	,,	१,१००.००	१,१००.००	१,१००.००	
७	ल्याव टेक्निसियन, जुनियर टाईपिष्ट/कम्प्युटर अपरेटर, सिनियर सुपरभाईजर, ढल सफा गर्ने कामदार आदी)	,,	१,०००.००	१,०००.००	१,०००.००	
८	असिष्टेण्ट सब इन्जिनियर, ड्राफ्टमेन, अमिन आदि	,,	१,०००.००	१,०००.००	१,०००.००	
९	हेभी इक्युप्मेन्ट डोजर, एक्सक्याभेटर, रोलर, ग्रेडर अप्रेटर आदि	,,	१,३००.००	१,३००.००	१,३००.००	
१०	मेकानिक्स, हेभी भेहिकल ड्राइभर, ट्रक ड्राइभर, साधारण मेसिन अपरेटर ल्याव असिस्टेन्ट आदि	,,	१,३००.००	१,३००.००	१,३००.००	
११	भरिया (४० के.जी. तौल सम्म)	,,	९००.००	९००.००	९००.००	
१२	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार) आदी	,,	९००.००	९००.००	९००.००	
१३	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, व्लास्टर, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.एल.सी उत्तीर्ण वा सो सरह) आदी	,,	९००.००	९००.००	९००.००	
१४	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेरालु, चौकिदार आदी	,,	८००.००	८००.००	८००.००	
१५	काठ ढुंगा झिंगति लगायत परम्परागत कार्य गर्ने कलिगद मिस्त्री	,,	१,८००.००	-	१,८००.००	
१६	जोखिम जन्य क्षेत्रमा कार्य गर्नु पर्ने लेबर (ढल सफा गर्ने)	,,	१,५००.००	-	१,५००.००	

सि.नं.	श्रमिकहरुको विबरण	एकाई	ज्याला दर प्रतिदिन			कैफियत
			आ.ब.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	सडकको कामको लागि					
१६	पिच स्प्रेयर, पिच ब्वायलर	,,	९००.००	९००.००	९००.००	
१७	प्याच वर्कर (दिउँसो को समयमा काम गर्ने)	,,	९००.००	९००.००	९००.००	
१८	प्याच वर्कर (दिउँसो को समयमा काम गर्ने) सुपरभाइजर सरह	,,	९००.००	९००.००	९००.००	
१९	प्याच वर्कर (रात्री समयमा काम गर्ने)	,,	१,२००.००	१,२००.००	१,२००.००	
२०	प्याच वर्कर (रात्री समयमा काम गर्ने) सुपरभाइजर सरह	,,	१,२००.००	१,२००.००	१,२००.००	
	Description of Craftsman	,,				
1	Tradotional Carving Head Craftsman	,,	१,८००.००	१,८००.००	१,८००.००	
2	Traditional Carving Craffsman	,,	१,७००.००	१,७००.००	१,७००.००	
3	Traditional Head Craftsman	,,	१,७००.००	१,७००.००	१,७००.००	
4	Traditional Craftsman	,,	१,२००.००	१,२००.००	१,२००.००	
5	Awale Head	,,	२,०००.००	२,०००.००	२,०००.००	
6	Awale	,,	१,७००.००	१,७००.००	१,७००.००	

नोट :-

सिनियर- : T.S.L.C वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविणता प्रमाणतह उतिर्ण ।

जुनियर :- T.S.L.C वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा

सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।

ढुवानी सम्बन्धी :

सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
१.०	**सजिलो सामान** (जस्तै: सिमेन्ट, वालुवा, रोडा, दाउरा, रासायनिक मल, खाद्यान्न, आदि)					
१.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३३.६०	३३.६०	३३.६०	
१.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	४६.८३	४६.८३	४६.८३	
१.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	३७.४९	३७.४९	३७.४९	
१.४	ट्याक्टर/मिनी ट्कबाट कच्ची बाटोमा ढुवानी गर्ने ।	टन/कि.मी.	५०.७२	५०.७२	५०.७२	
१.५	ट्रकबाट/मिनी ट्कबाट पीच बाटोमा ढुवानी गर्ने । (२० कि.मी भन्दा बढी)	टन/कि.मी.	१८.२७	१८.२७	१८.२७	
१.६	भरिया बाट (पैदल) सामान ढुवानी ।	प्रतिके.जी. /प्रति कि.मी.	३.०५	३.०५	३.०५	
२	**असजिलो सामान** (जस्तै: फलामे सामान, जस्तापाता, बुनेको ग्याविन जाली, एच् डि पी पाइप, इन्सुलेटर, औषधी, काठ, कृषिजन्य, फलफूलको विरुवा, आदि)					
२.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	४७.९३	४७.९३	४७.९३	
२.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.३	ट्याक्टर / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	५५.१३	५५.१३	५५.१३	
२.४	ट्याक्टर / मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	६०.०६	६०.०६	६०.०६	
२.५	ट्रकबाट / मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	२७.४६	२७.४६	२७.४६	
२.६	भरिया बाट (पैदल) सामान ढुवानी	के.जी./कि.मी.	४.०४	४.०४	४.०४	
३	**अति असजिलो सामान** **जस्तै:** (जी. आई. पाईप, काँडेतार, फलामे छड, ईलेक्ट्रोमेकानिकल सामान, ३.८ मिटर सम्म लामो स्टील पोल, विजुलीको पोल, टेलिफोनको पोल, पि. एस. सी. पोल, आदि)					
३.१	ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	६७.२५	६७.२५	६७.२५	
३.२	ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	८१.०१	८१.०१	८१.०१	

सि. नं.	ढुवानी सम्बन्धि विवरण	एकाई	ढुवानी दर (रु)			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
३.३	ट्याक्टर/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने	टन/कि.मी.	७४.२९	७४.२९	७४.२९	
३.४	ट्याक्टर/मिनी ट्रकबाट कच्ची बाटोमा ढुवानी गर्ने	टन/कि.मी.	८८.२०	८८.२०	८८.२०	
३.५	ट्रकबाट/मिनी ट्रकबाट पिच बाटोमा ढुवानी गर्ने (२० कि.मी. भन्दा बढी)	टन/कि.मी.	३९.५९	३९.५९	३९.५९	
४	**लोड (चढाउने)**					
४.१	सजिलो सामान	प्रति क्वी.	१०.६१	१०.६१	१०.६१	
४.२	असजिलो सामान	प्रति क्वी.	१३.२३	१३.२३	१३.२३	
४.३	अति-असजिलो सामान	प्रति क्वी.	१५.९१	१५.९१	१५.९१	
५	**अनलोड (उतार्ने)**	प्रति क्वी.				
५.१	सजिलो सामान	प्रति क्वी.	१०.६१	१०.६१	१०.६१	
५.२	असजिलो सामान	प्रति क्वी.	१३.२३	१३.२३	१३.२३	
५.३	अति-असजिलो सामान	प्रति क्वी.	१५.९१	१५.९१	१५.९१	
६	**ह्युम पाईपको ढुवानी भाडादर सम्बधि** (पाइप मूल्यको आधारमा)					
६.१	पहिलो दश कि.मी. सम्म	पाईपको मुल्यको प्रतिशत	८.००	८.००	८.००	
६.२	१० (दश) कि.मी. देखि माथि २०(बीस) कि.मी सम्म	पाईपको मुल्यको प्रतिशत	१३.००	१३.००	१३.००	
६.३	२० (बीस) कि.मी देखि माथि	पाईपको मुल्यको प्रतिशत	१८.००	१८.००	१८.००	

नोटः माथि निर्णय मा उल्लेख नभएको ढुवानी दरको हकमा सेवा दिने/लिने संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ढुवानी दर तय गर्न सकिनेछ ।

यस मध्यपुर थिमि नगरपालिकाबाट सम्पादन हुने परामर्श सेवा सम्बन्धि कार्यहरुको विज्ञहरुको पारिश्रमिक

Madhyapur Thimi Municipality, Madhyapur Thimi Bhaktapur

Bagmati Pradesh

Remuneration of experts for consulting services / 2080-081

	Description	Basic salary / m	Grade / year	nos of Grade	Total grade	total amount	Social cost @ 40%	Overhead cost @60%	Total / Month	Total / Day
1	Team Leader equivalet to Gazeted 2nd class, Planner, Senior engineer holding Masters degree with min. five years experience)	48,737.00	1,624.57	5.00	8,122.83	56,859.83	19,494.80	29,242.20	105,596.83	3,519.89
2	Planner, Senior engineer, sociologist or equivqlent to 2nd class holding Masters degree with min. 3 to 5 years experience)	43,689.00	1,456.30	5.00	7,281.50	50,970.50	17,475.60	26,213.40	94,659.50	3,155.32
3	Architect, engineer, or expert with bachelor degree euivalent to GOV 3rd class with min 3 years experience)	43,689.00	1,456.30	3.00	4,368.90	48,057.90	17,475.60	26,213.40	91,746.90	3,058.23
4	Surveyor, CAD operator, oversior, office manager equvqlet to non gazated 1st class of GoV	34,730.00	1,157.67	3.00	3,473.00	38,203.00	13,892.00	20,838.00	72,933.00	2,431.10
5	Computer Operator, Store kepper pr equivqlent to Non Gazared 2nd class of GoV	32,902.00	1,096.73	3.00	3,290.20	36,192.20	13,160.80	19,741.20	69,094.20	2,303.14
6	Helper , Office assistant	27,612.00	920.40		-	27,612.00	11,044.80	16,567.20	55,224.00	1,840.80

यसमा उल्लेखित पारिश्रमिक नेपाल सरकारको चालु आ. व. को आधारभूत तलबमान र नेपाल सरकार भवन विकास तथा शहरी विकास बिभागबाट बिभिन्न समयमा परामर्श सेवाका लागि स्वीकृत दररेटको आधार मानी तयार गरिएको छ/

वायो-ईन्जिनियरिङ्ग एवं सो संग सम्बन्धित अन्य मालसामान सम्बन्धि दर

सि.नं.	सामग्री र प्रजातीको नाम	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर रेट			कैफीयत
			आ.ब.			
			०७८।०७९	०७९।०८०	०८०।०८१	
1	**भु-संरक्षण सम्वन्धी कार्य**					
1.01	**Grass Seeds**					
1.02	जई	Kg	९०.००	९०.००	९०.००	
1.03	भेच	,,	१८०.००	१८०.००	१८०.००	
1.04	नेपीयर	set	४.००	४.००	४.००	
1.05	वर्सिम	Kg	२१०.००	२१०.००	२१०.००	
1.06	घाँसको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा	,,	१.००	१.००	१.००	
1.07	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	,,	१.००	१.००	१.००	
1.08	२०० गेजको बिरुवा उमार्ने कालो चार प्वाल भएको विभिन्न साईज भएको पोलीथैला	"	३२५.००	३२५.००	३२५.००	
1.09	माटो भर्ने खाली बोरा	गोटा	१४.००	१४.००	१४.००	
1.10	बाँस काटेको सिङ्गो घना	घना	४२०.००	४२०.००	४२०.००	
1.11	बाँसको कटिङ्ग स्टम्प विरुवा (१५ महिने नर्शरी राखेको) १फिट ६ ईञ्ज देखि २ फिट लामो	प्रति कटिङ्ग	६६.००	६६.००	६६.००	
2	**Vegetation/Shrubs Cuttings/Slip/Plants/etc.**					
2.01	अम्रिसो	set	८.००	८.००	८.००	
2.02	अलैंची गानो	,,	१३.००	१३.००	१३.००	
2.03	अलैंची बिरुवा	,,	१०.००	१०.००	१०.००	
2.04	हार्डउड कटिङ्गस् (बैंस) पेन्सिल साइज	,,	६.००	६.००	६.००	
2.05	नेपियर कटिङ्गस्	,,	२.००	२.००	२.००	
2.06	NB_{21} घाँस	Slip	२.००	२.००	२.००	
2.07	निगालो राईजोम	set	५०.००	५०.००	५०.००	
2.08	बासको बेर्ना (कटीग राईजोमं)	,,	३००.००	३००.००	३००.००	
2.09	बाबियो ताइवानी दुबो	,,	३.००	३.००	३.००	
2.10	सिजनल फुल ८ इन्च पोली	गोटा	२५.००	२५.००	२५.००	
2.11	गुलाफ फुल ८ इन्च पोली	,,	१५०.००	१५०.००	१५०.००	
2.12	हेज ८ इन्च पोली	,,	६६.००	६६.००	६६.००	
2.13	कार्पेट दुबो	व.फी.	४०.००	४०.००	४०.००	
2.14	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	,,	२६.००	२६.००	२६.००	
2.15	निगालो (जरा सहीत)	गोटा	१४.००	१४.००	१४.००	
2.16	स्थानीय स्तरमा उत्पादीत बिरवा फलफुल बाहेक	,,	७.००	७.००	७.००	
2.17	गोठे मल तयारी	के.जी.	५.००	५.००	५.००	
2.18	डाले घासको बिरवा	गोटा	१४.००	१४.००	१४.००	
2.19	मोलाटो बिरवा	,,	२.००	२.००	२.००	
2.20	नरीवल डोरी	के.जी.	१५८.००	१५८.००	१५८.००	
2.21	नाइलन डोरी	,,	३३०.००	३३०.००	३३०.००	
2.22	लौठ सल्ला (नेपाली)	गोटा	९२.००	९२.००	९२.००	
2.23	लौठ सल्ला (अमेरिकन)	गोटा	१५८.००	१५८.००	१५८.००	

सि.नं.	सामग्री र प्रजातीको नाम	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर रेट			कैफीयत
			आ.ब.			
			०७८।०७९	०७९।०८०	०८०।०८१	
3	**बन कार्यालयबाट सम्पादन गरिने कार्यहरु (काठ लोड अनलोड तथा ढुवानीआदि)**					
3.01	पोलिथिन ट्युब ४ प्वाल भयको २०० गेजको विभिन्न साईज	के.जी.	४२०.००	४२०.००	४२०.००	
3.02	ठुला विरुवा रोपन (४ फीट सम्म)	प्रती विरुवा	१६८.००	१६८.००	१६८.००	
3.03	ठुला विरुवा रोपन (४ देखि ६ फीट सम्म)	प्रती विरुवा	१८६.००	१८६.००	१८६.००	
3.04	अग्ला विरुवा रोपन (६ देखि ८ फीट)	प्रती विरुवा	२८८.००	२८८.००	२८८.००	
3.05	गोलिया काठ लोड	क्यु फि	३६.००	३६.००	३६.००	
3.06	गोलिया काठ अनलोड	क्यु फि	२४.००	२४.००	२४.००	
4	**विरुवा खरिद**					
4.01	४ फिट सम्मको उचाई भएको विरुवा	प्रती विरुवा	१,०५६.००	१,०५६.००	१,०५६.००	
4.02	५ फिट सम्मको उचाई भएको विरुवा	प्रती विरुवा	१,५००.००	१,५००.००	१,५००.००	
4.03	६ फिट सम्मको उचाई भएको विरुवा	प्रती विरुवा	१,८४८.००	१,८४८.००	१,८४८.००	
4.04	६ फिट भन्दा अग्लो विरुवा	प्रती विरुवा	२,२४४.००	२,२४४.००	२,२४४.००	
	४ फिट सम्मको बिरुवाको मूल्य					
4.05	कपुर,बेंस	प्रती विरुवा	९२४.००	९२४.००	९२४.००	
4.06	रुद्रक्ष	प्रती विरुवा	१,१४०.००	१,१४०.००	१,१४०.००	
4.07	कल्की बोटल	प्रती विरुवा	७९२.००	७९२.००	७९२.००	
4.08	ज्यकोरंदा गोल्डमोहोर	प्रती विरुवा	७९२.००	७९२.००	७९२.००	
4.09	असारे	प्रती विरुवा	७९२.००	७९२.००	७९२.००	
4.10	पैयु	प्रती विरुवा	५२८.००	५२८.००	५२८.००	
4.11	लप्सी	प्रती विरुवा	५२८.००	५२८.००	५२८.००	
4.12	धुपी, टिमुर, पारिजात	प्रती विरुवा	५९४.००	५९४.००	५९४.००	
4.13	बग्मबेली	प्रती विरुवा	७९२.००	७९२.००	७९२.००	
4.14	काइयो	प्रती विरुवा	७९२.००	७९२.००	७९२.००	
4.15	रक्तकमल	प्रती विरुवा	१,५८४.००	१,५८४.००	१,५८४.००	
4.16	टापी	प्रती विरुवा	१,३२०.००	१,३२०.००	१,३२०.००	
4.17	वर	प्रती विरुवा	१,५८४.००	१,५८४.००	१,५८४.००	
4.18	पिपल	प्रती विरुवा	१,५८४.००	१,५८४.००	१,५८४.००	
4.19	५ फिट सम्मको करबिर बिरुवा	प्रती विरुवा	१,४४०.००	१,४४०.००	१,४४०.००	
4.20	५ फिट सम्मको तिकोगा बिरुवा	प्रती विरुवा	१,४४०.००	१,४४०.००	१,४४०.००	
4.21	५ फिट सम्मको चापको बिरुवा	प्रती विरुवा	१,५६०.००	१,५६०.००	१,५६०.००	
5	**बृक्षारोपणका लागि बिभिन्न जातका बोट बिरुवाहरुको दर सम्बन्धमा**					
5.01	५ फिट सम्मको करबिरको बिरुवा	प्रती बोट	१,४४०.००	१,४४०.००	१,४४०.००	
5.02	५ फिट सम्मको समीको बिरुवा	प्रती बोट	१,५००.००	१,५००.००	१,५००.००	
5.03	५ फिट सम्मको तिकोमाको बिरुवा	प्रती बोट	१,४४०.००	१,४४०.००	१,४४०.००	
5.04	५ फिट सम्मको गोल्डेन धुपीको बिरुवा	प्रती बोट	१,५००.००	१,५००.००	१,५००.००	
5.05	५ फिट सम्मको बैस, कपुरको बिरुवा	प्रती बोट	१,२००.००	१,२००.००	१,२००.००	
5.06	५ फिट सम्मको चापको बिरुवा	प्रती बोट	१,५६०.००	१,५६०.००	१,५६०.००	

मध्यपुर थिमि नगरपालिका

नगर कार्यपालिकाको कार्यालय,थिमि,भक्तपुर

बाग्मती प्रदेश, नेपाल

निर्माण सामग्रीहरुको दर(रेट)

आ.ब.०८०/०८१

आ.ब. २०८०/८१ को लागि अरनिको लोकमार्गको दायाँबायाँ ३ कि.मि. सम्मको लागि निर्माण सामग्रीहरुको दर (रेट)

सिभिल कार्यहरु (Civil works)

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
1	विभिन्न किसिमको ईंटा					
	क)चाइनिज प्रिमियम	हजार	२४,०००.००	२४,०००.००	२४,०००.००	
	ख) मेशिनबाट उत्पादित ईंटा (छानेको)	,,	२१,०००.००	२१,०००.००	२१,०००.००	
	ग) मेशिनबाट उत्पादित ईंटा (१-नं.)	,,	१७,५००.००	१७,५००.००	१७,५००.००	
	घ) मेशिनबाट उत्पादित ईंटा (२-नं.)	,,	१५,०००.००	१५,०००.००	१५,०००.००	
	ङ) मेशिनबाट उत्पादित ईंटा कालो	,,	१२,०००.००	१२,०००.००	१२,०००.००	
	च) चिम्नी भट्टाको ईंटा	,,	१३,५००.००	१४,५००.००	१४,५००.००	
	छ) तराई को १ नं.ईटा	,,	१७,१००.००	१७,१००.००	१७,१००.००	
	ज) सिमेन्ट को ईटा					
	BK108N	,,	१५,४५०.००	१५,४५०.००	१५,४५०.००	
	BK118AS	,,	१६,२७४.००	१६,२७४.००	१६,२७४.००	
	झ) टुक्रा ईटा	घ.मि	३,५००.००	३,५००.००	३,५००.००	
	ञ) Concrete block					
	size (40*15*20) cm	गोटा	४२.००	४२.००	४२.००	
	size (40*10*20) cm	,,	३६.७५	३६.७५	३६.७५	
	size (39*14*19) cm(Ocm or equivalent)	,,				
	Cellular light weight concrete(CLC) block					
	Size 24"*8"*4"	गोटा	१६२.००	१७४.००	१७४.००	
	Size 24"*8"*6"	,,	२३६.००	३२२.००	३२२.००	
	ट) AAC light block					
	100x200x600	,,	१५४.८७	१५४.८७	१५४.८७	
	150x200x600	,,	२३०.०९	२३०.०९	२३०.०९	
	200x200x600	,,	२९६.४६	२९६.४६	२९६.४६	
a	**CONCRETE KERB-STONES**					
	1. Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३५३.१०	३५३.१०	३५३.१०	
	2. Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	,,	३८०.५३	३८०.५३	३८०.५३	
	3. Half Battered Kerb Stone with Compressive Strength M25. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	,,	३९८.२३	३९८.२३	३९८.२३	
	4. Bull Nose Kerb Stone with Compressive Strength M15. 200mm thickness-Grey color Dimension: 300mmx200mmx350mm	,,	३८०.५३	३८०.५३	३८०.५३	
b	**CONCRETE ENGINEERED BRICKS AND HOLLOW**					
	1. 8 Inch Hollow Blocks Grey Color Dimension: 390mmx200mmx190mm	,,	१४३.३६	१४३.३६	१४३.३६	
	2. 6 Inch Hollow Blocks Grey Color Dimension: 390mmx150mmx190mm	,,	१२२.१२	१२२.१२	१२२.१२	
	3. 4 Inch Hollow Blocks Grey Color Dimension: 390mmx100mmx190mm	,,	१०७.०८	१०७.०८	१०७.०८	
c	**Asian Concreto**					
	CONCRETE ENGINEERED BRICKS AND HOLLOW- BLOCKS					
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२०.००	२०.००	
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	,,		२२.००	२२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	,,		१८.००	१८.००	
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	,,		१९.००	१९.००	
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	,,		१५२.००	१५२.००	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	,,		१८०.००	१८०.००	
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	,,		१०९.००	१०९.००	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	,,		१२५.००	१२५.००	
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	,,		९२.००	९२.००	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	,,		१०४.००	१०४.००	
	CONCRETE PAVING BLOCKS					
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	व.मी.		१,३३६.३९	१,३३६.३९	
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	,,		१,६०३.६७	१,६०३.६७	
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	,,		१,६९२.७६	१,६९२.७६	
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	,,		१,३२४.००	१,३२४.००	
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	,,		१,४९०.००	१,४९०.००	
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	,,		१,५७२.००	१,५७२.००	
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	,,		१,९३०.३४	१,९३०.३४	
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	,,		२,१३८.२३	२,१३८.२३	
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	,,		२,२२७.३२	२,२२७.३२	
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	,,		१,८४८.००	१,८४८.००	
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	,,		२,०१४.००	२,०१४.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	,,		२,०९७.००	२,०९७.००	
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	,,		१,७८४.००	१,७८४.००	
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	,,		२,२७५.००	२,२७५.००	
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	,,		२,८१४.००	२,८१४.००	
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	,,		३,९२१.००	३,९२१.००	
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	,,		४,२९७.००	४,२९७.००	
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	,,		४,६१८.००	४,६१८.००	
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	,,		१,६५६.४५	१,६५६.४५	
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	,,		१,९८७.७४	१,९८७.७४	
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	,,		२,०९८.१७	२,०९८.१७	
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	,,		२,०८०.००	२,०८०.००	
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	,,		२,३२५.००	२,३२५.००	
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	,,		२,४२८.००	२,४२८.००	
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	,,		१,४८०.००	१,४८०.००	
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	,,		१,७०६.००	१,७०६.००	
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	,,		१,८०२.००	१,८०२.००	
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	,,		२,०५५.००	२,०५५.००	
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	,,		२,३४९.००	२,३४९.००	
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	,,		२,४५९.००	२,४५९.००	
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	,,		३,७६६.००	३,७६६.००	
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	,,		४,०५१.००	४,०५१.००	
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	,,		४,३३२.००	४,३३२.००	
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	,,		५,६४८.४९	५,६४८.४९	
	Zigzag Interlock Pavers Single Color with compressive strength M55or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	,,		६,०४३.४९	६,०४३.४९	
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	,,		६,४७७.९९	६,४७७.९९	
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	,,		१,६१८.००	१,६१८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
18	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	,,		१,७५२.००	१,७५२.००	
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	,,		१,८३७.००	१,८३७.००	
19	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	,,		१,७७४.६८	१,७७४.६८	
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	,,		२,२४९.५९	२,२४९.५९	
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	,,		२,७९९.४९	२,७९९.४९	
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,७४९.००	१,७४९.००	
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		२,०६०.००	२,०६०.००	
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		२,३३२.००	२,३३२.००	
21	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	,,		१,७१०.००	१,७१०.००	
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	,,		२,०२२.००	२,०२२.००	
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	,,		२,३३३.००	२,३३३.००	
22	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,६१०.००	१,६१०.००	
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,७८३.००	१,७८३.००	
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,८५८.००	१,८५८.००	
23	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,५७९.००	१,५७९.००	
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,७४१.००	१,७४१.००	
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	,,		१,८३४.००	१,८३४.००	
	Concrete Paving Tiles					
24	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		१,३६१.००	१,३६१.००	
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		१,५०७.००	१,५०७.००	
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		१,७०१.००	१,७०१.००	
25	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		२,६२५.००	२,६२५.००	
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		२,९३८.२३	२,९३८.२३	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		३,२८२.०७	३,२८२.०७	
26	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		१,४८१.००	१,४८१.००	
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		१,६१८.००	१,६१८.००	
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	,,		१,८०३.००	१,८०३.००	
27	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	,,		२,५०१.००	२,५०१.००	
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	,,		२,७६९.००	२,७६९.००	
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	,,		२,८५८.००	२,८५८.००	
	Grass Interlock Pavers Grey					
28	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	ब.मी.		१,७४१.००	१,७४१.००	
	Concrete Kerb-STONES					
29	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	र.फि.		३६३.००	३६३.००	
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	,,		४०१.००	४०१.००	
30	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	,,		२९७.००	२९७.००	
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	,,		३३०.००	३३०.००	
31	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	,,		४६५.००	४६५.००	
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	,,		५१३.००	५१३.००	
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	,,		४४७.००	४४७.००	
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	,,		४७७.००	४७७.००	
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मि.		१,७७५.००	१,७७५.००	
2	**क्ले टायलहरु**					
2.1	**छानामा छाउने**					
	क) मेशिनबाट उत्पादित टायल	गोटा	२१.००	२१.००	२१.००	
	ख) चिम्नी भट्टाको टायल	,,	१८.९०	१८.९०	१८.९०	
	ग) मेशिनबाट उत्पादित धुरी	,,	३६.७५	३६.७५	३६.७५	
	घ) चिम्नी भट्टाको धुरी	,,	२९.४०	२९.४०	२९.४०	
2.2	**भुईमा/ कौसीमा छाप्ने टायलः**					
	क) मेशिनबाट उत्पादित क्ले टायल	गोटा	१२.६०	१२.६०	१२.६०	
	ख) चिम्नी भट्टाको क्ले टायल	,,	१२.६०	१२.६०	१२.६०	
3	**ढुंगाको काम (Stone work)**					
3.1	**Rubble Stone**					
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७९.३१	७९.३१	७९.३१	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७९.३१	७९.३१	७९.३१	
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	७२.१०	७२.१०	७२.१०	
	(घ) कोसी खोला (चेहेरे) को एकनासे गोलो ढुङ्गा (River round Pavel)	"	११३.३०	११३.३०	११३.३०	
	ङ) Cube Stone(10cm*10cm*10cm)	गोटा	११०.००	११०.००	११०.००	
3.2	**छाप्ने ढुङ्गा (Flag stone)**					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	८५.००	८५.००	८५.००	
	ख) १$^{१}/_{२}$" सम्म बाक्लो ,, ,,	,,	१००.००	१००.००	१००.००	
	ग)२" सम्म बाक्लो ढुङ्गा ,, ,,	,,	११७.००	११७.००	११७.००	
	घ) २$^{१}/_{२}$" सम्म बाक्लो ढुङ्गा ,, ,,		१२७.००	१२७.००	१२७.००	
	ङ) २$^{१}/_{२}$" - ३" सम्म बाक्लो ढुङ्गा मेसिनले काटिएको सर्फेस ड्रेस गरेको छाप्ने ढुंगा	,,	१५५.००	१५५.००	१५५.००	
	च) ३$^{१}/_{२}$" सम्म बाक्लो ढुङ्गा मेसिनले काटिएको सर्फेस ड्रेस गरेको छाप्ने ढुंगा	,,	३२०.००	३२०.००	३२०.००	
	छ)४" सम्म बाक्लो ढुङ्गा मेसिनले काटिएको सर्फेस ड्रेस गरेको छाप्ने ढुंगा	,,		४००.००	४००.००	
4	**विभिन्न प्रकारको बालुवा**					
	(क) बालुवा (Washing plant)	घ.फि.	९०.६४	९०.६४	९०.६४	
	(ख) खानीकोबालुवा (Quarry sand)	घ.फि.	८५.४९	८८.००	८८.००	
	(ग) खोला/नदीको बालुवा (River sand)	घ.फि.	८८.५८	८८.५८	८८.५८	
	(घ) भवनको भूँई कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	घ.फि.	६९.०१	६९.०१	६९.०१	
5	**क्रसरबाट उत्पादित रोडा**					
	(क) ६-१० मी. मी. साइजका	घ.फि.	९७.५२	९७.५२	९७.५२	
	(ख) १०-२० मी. मी. साइजका	घ.फि.	१०४.९४	१०४.९४	१०४.९४	
	(ग) २०-४० मी. मी. साइजको	घ.फि.	१०१.७६	१०१.७६	१०१.७६	
	(घ) ६३ मि.मि. down	घ.फि.	८९.०४	८९.०४	८९.०४	
6	**फुटालेको ढुङ्गाको गिट्टी**					
	क) सबै साइजको गिट्टी	,,	९५.४०	९५.४०	९५.४०	
7	**सडकको Sub-base/base course का लागि प्रयोग गरिने निर्माण सामाग्री**					
	क) महादेव वेसीको खोलाको ग्राभेल	घ.फि.	७२.०८	७२.०८	७२.०८	
	ख) मेलम्ची खोलाको ग्राभेल	"	६६.७८	६६.७८	६६.७८	
	ग) टिकाभैरव को ग्राभेल	"	६७.८४	६७.८४	६७.८४	
	घ) भकुन्डेवेसी, रोशी खोलाको ग्राभेल	"	७५.२६	७५.२६	७५.२६	
	(ङ) खोला/खानीको स्थानीय ग्राभेल	"	५७.२४	५७.२४	५७.२४	
	(च) Granular sub base material (Crusher run material size 63mm down) ग्राभेल	"	७५.२६	७९.४५	७९.४५	
	(छ) Base-course को लागि मिक्स सोलिङ्ग (WBM) गर्ने कार्य ।	घ.फि.	८७.९८	८७.९८	८७.९८	
	(ज) ढुगांको धुलो (Stone dust)	घ.फि.	४३.४६	४३.४६	४३.४६	
8	**विभिन्न साइजका खोलाको Screening गरेको River pebbles**					
	क) ४०- ८० मी.मी	घ.फि	१०५.००	१०५.००	१०५.००	
	ख) २०- ४० मी.मी	,,	१०५.००	१०५.००	१०५.००	
	ग) १०- २० मी.मी	,,	१०५.००	१०५.००	१०५.००	
	घ) ५- १० मी.मी	,,	१०५.००	१०५.००	१०५.००	
9	**फिल्टर सामग्री**					
	४०% गिट्टी ६०% बालुवा मिश्रणको फिल्टर प्रयोजन	घ.फि.				
10	**सडक कालो पत्रे गर्ने कामको सामग्रीहरु**					
	i) ८०/१०० ग्रेडको विटुमीन	के.जी	७८.८०	११५.००	११५.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	VG-10	के.जी	७८.८०	११५.००	११५.००	
	VG-30	के.जी	८१.५०	११६.००	११९.००	
	ii) CRMB-DIGO 55 Bitumen	,,	८१.००	८९.००	८९.००	
	iii) Packed bitumen emulsion को काम					
	छिटो जम्ने (RS 60%)	,,	७०.६०	८४.००	८६.५०	
	छिटो जम्ने (RS 65%)	,,	७५.६०	८९.००	९१.६०	
	छिटो जम्ने (RS 70%)	,,	७९.६०	९४.००	९६.८०	
	मध्यम जम्ने (MS 60%)	,,	७२.४०	८५.००	८७.५०	
	मध्यम जम्ने (MS 65%)	,,	७४.००	८९.००	९१.६०	
	ढीलो जम्ने (SS60%)	,,	७२.७०	८६.००	९५.७०	
	Slurry Seal with 60% bitumen	,,	६८.७५	९३.००	९५.७०	
	Hi - seal Redymix	,,	९७.००	११२.००	११२.००	
	Polymer Bitumen	,,	१०९.००	१२५.००	१२५.००	
	iv) सडक कालोपत्रे गर्दा विटुमीन नउप्कीनको लागी प्रयोग गर्ने सामान Anti stripping agent	,,	३२०.००	३७०.००	३७०.००	
	v) कालोपत्रेमा विटुमीन कम प्रयोग गर्नको लागी राखिने Rubber Asphalt Modifier	,,				
	vi) कालेपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामाग्री	,,	३०.००	३५.००	३५.००	
	vii) कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामाग्री					
	a) B.S. Grade	के.जि	१७३.००	१८६.००	१९८.००	
	b) Most Grade	”	१९०.००	२०६.००	२१९.००	
	c) Glass beads	”	१५५.००	१६९.००	१८०.००	
11	**विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरु**					
11.1	नेपालबाट उत्पादित बिभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	७५०.००	७००.००	७००.००	
11.2	भारतबाट उत्पादित बिभिन्न Brand ओ.पि.सि. सिमेन्ट (प्रति बोरा ५० के.जी.)	"	८३०.००	७८०.००	७८०.००	
11.3	नेपालबाट उत्पादित बिभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	”	६५०.००	६००.००	६००.००	
11.4	सेतो सिमेन्ट (40kg/bag)	”	१,२८३.००	१,२३०.००	१,२३०.००	
11.5	लोड अनलोड चार्ज	”	१३.००	१३.००	१३.००	
12	**Ready made Premix Concrete (**Supplying laying all complete work**)**					
12.1	Panchakanya , MAW or equivalent					
	1. M10	घ. मि	१२,५००.००	१३,६५०.००	१३,६५०.००	
	2. M 15	,,	१३,०००.००	१४,७००.००	१४,७००.००	
	3. M 20	,,	१४,०००.००	१५,५२५.००	१५,५२५.००	
	4. M 25	,,	१५,०००.००	१६,२७५.००	१६,२७५.००	
	5. M 30	,,	१७,०००.००	१७,११५.००	१७,११५.००	
	6. M 35	,,	१८,३००.००	१८,३८२.००	१८,३८२.००	
	7. M 40	,,	१८,९००.००	१९,९५०.००	१९,९५०.००	
	8. M 45	,,		२१,४५०.००	२१,४५०.००	
13	**फलामको डण्डीहरु :**					
	(क) विभिन्न साइजका TMT Bar					
	a) 8 mm dia	के.जी	७८.७०	९९.००	१००.००	
	b) 10-20 mm dia	,,	७६.००	९८.००	९९.००	
	c) 25-32 mm dia	,,	७८.७५	९९.००	१००.००	
	(ख) विभिन्न साइजको TOR Steel					
	a) 8 mm dia	,,	७५.६०	९४.००	९४.००	
	b) 10-20 mm dia	,,	७३.६०	९१.००	९१.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	c) 25-32 mm dia	,,	७५.६०	९१.००	९१.००	
	d) 32 mm dia	,,	७६.६०	९४.००	९४.००	
	(ग) विभिन्न साइजका **TOR Steel**					
	a) 4.75, 7 mm dia	,,	७७.६०	९९.००	१०१.००	
	(घ) **Binding Wire** (डण्डी बाँध्नेतार)	,,	९१.००	१०६.००	१०६.००	
14	**विभिन्न किसिमका काठहरु**					
14.1	**काठ**					
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	६,०३४.७५	६,०९०.००	६,०९०.००	
	(ख) ८' देखि १२' सम्मको सालकाठ	,,	६,३१२.५०	६,५६२.००	६,५६२.००	
	(ग) १२ फिट देखि माथिको साल काठ	,,	६,६६६.००	६,९३०.००	६,९३०.००	
	(घ) साज काठ	,,	३,३८३.५०	३,५१८.८४	३,५१८.८४	
	(ङ) जामुन काठ	,,	२,१७१.५०	२,२५८.३६	२,२५८.३६	
	(च) सल्लाको काठ	,,	१,५६५.५०	१,६२८.१२	१,६२८.१२	
	(छ) सिसौं काठ	,,	३,५३५.००	३,६७६.४०	३,६७६.४०	
	(ज) जंगली सिसौं काठ ,,	,,	५,३२२.७०	५,५३५.६१	५,५३५.६१	
	झ) उतीस को काठ	,,	६३१.२५	६५६.५०	६५६.५०	
	(ञ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	१,२९५.००	१,३४६.८०	१,३४६.८०	
	(ट) काठ दाउरा	के.जी	१८.१८	१९.००	१९.००	
14.2	**कुदिएको काठको काम तयारी**					
	i) भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१,०९०.८०	१,०९०.८०	१,०९०.८०	
	ii) भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	,,	१,२७२.६०	१,३२३.५०	१,३२३.५०	
	iii) भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८६.८०	७१४.२७	७१४.२७	
	iv) भऱ्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२,२७२.५०	२,३६३.४०	२,३६३.४०	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	,,	१३,६३५.००	१३,६३५.००	१३,६३५.००	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	,,	२२,७२५.००	२२,७२५.००	२२,७२५.००	
	vii) विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको झ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३,१८१.५०	३,१८१.५०	३,१८१.५०	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७,३५२.८०	७,३५२.८०	७,३५२.८०	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी	व.फि.	१,३६३.५०	१,३६३.५०	१,३६३.५०	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी	,,	१,६३६.२०	१,६३६.२०	१,६३६.२०	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक सहीत	,,	२,२७२.५०	२,२७२.५०	२,२७२.५०	
	विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक नभएको	,,	१,९९९.८०	१,९९९.८०	१,९९९.८०	
	xii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६३.६०	३६३.६०	३६३.६०	
	xiii) कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	,,	१,६३६.२०	१,६३६.२०	१,६३६.२०	
	xiv) ४"x ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	,,	१,७२७.१०	१,७२७.१०	१,७२७.१०	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
15	**Wooden Parquet Flooring**					
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	,,	५६०.००	५९९.००	५९९.००	
16	**विभिन्न मोटाईको प्लाइउडहरु**					
16.1	**Commercial**					
	(क) ३ मी.मी	व.फि	३६.००	३६.००	३६.००	
	(ख) ३.५ मी.मी.	,,	२६.००	२६.००	२६.००	
	(ग) ४ मी.मी	,,	२६.००	२६.००	२६.००	
	(घ) ६ मी.मी	,,	५३.००	५३.००	५३.००	
	(ङ) ८ मी.मी	,,	५७.००	५७.००	५७.००	
	(च) १२ मी.मी	,,	८०.००	८०.००	८०.००	
	(छ) १९ मी.मी B/B	,,	१०७.००	१००.००	१००.००	
	घ) १८ मी.मी PLY	,,	११०.००	११०.००	११०.००	
16.2	**P/F. Water Proof**					
	क) ४ मी.मी	व.फि	५२.००	५२.००	५२.००	
	ख) ६ मी.मी	व.फि	६७.००	६५.००	६५.००	
	ग) ८ मी.मी.	,,	६३.००	६७.००	६७.००	
	घ) ९ मी.मी.	,,	८९.००	८९.००	८९.००	
	(ङ) १२ मी.मी	,,	९९.००	९९.००	९९.००	
	च) १९ मी.मी PLY	,,	११३.००	११३.००	११३.००	
	छ) १९ मी.मी B/B	,,	१३९.००	१३९.००	१३९.००	
16.3	**Natural Teak Plywood**					
	One side lamination					
	(क) ३ मी .मी	व.फि	५०.४०	५१.००	५१.००	
	(ख) ४ मी. मी (Group Match of in 5 pcs)	,,	७२.४५	७४.००	७४.००	
	४ मी. मी (Regular)	,,	६३.००	६४.००	६४.००	
	४ मी. मी (Crown)	,,	४५.१५	४६.००	४६.००	
	४ मी. मी (Beri)	,,	५१.४५	५२.००	५२.००	
	४ मी. मी (Whitest line)	,,	४०.९५	४२.००	४२.००	
	४ मी. मी (Beach)	,,	४८.३०	४९.००	४९.००	
	४ मी. मी (Recon 18 No.)	,,	३८.८५	३९.००	३९.००	
16.4	**DECORATIVE (THICKER)**					
	6 OST	व.फि	१२६.००	१३५.००	१३५.००	
	6 BST	,,	१६०.००	१७२.००	१७२.००	
	9 OST	,,	१४०.००	१५०.००	१५०.००	
	9 BST	,,	१७३.००	१८६.००	१८६.००	
	12 OST	,,	१५३.००	१६४.००	१६४.००	
	12 BST	,,	१८७.००	२०१.००	२०१.००	
	19 B/B OST	,,	१६५.००	१७७.००	१७७.००	
	19 B/B BST	,,	२००.००	२१५.००	२१५.००	
	18 OST	,,	१८७.००	२०१.००	२०१.००	
	18 BST	व.फि	२२१.००	२३८.००	२३८.००	
17	**Ready made Door**		-	-	-	
17.1	**38 mm th. Readymade solid core door shutter**		-	-	-	
	Plain	व.फि	२३३.००	२४४.००	२४४.००	
	One side teak	,,	२६२.००	२७५.००	२७५.००	
	Both side teak	,,	२९४.००	३०८.००	३०८.००	
	One side teak waterProof	,,	२८६.००	३००.००	३००.००	
	Both side teak waterProof	,,	३१७.००	३३२.००	३३२.००	
17.2	**30 to 32 mm th. Readymade solid core door shutter**		-	-	-	
	Plain	व.फि	१९०.००	१९९.००	१९९.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	One side teak	,,	२१३.००	२२३.००	२२३.००	
	Both side teak	,,	२३९.००	२५०.००	२५०.००	
	One side teak waterProof	,,	२३३.००	२४४.००	२४४.००	
	Both side teak waterProof	,,	२५८.००	२७०.००	२७०.००	
17.3	**Ready made Teak wood Doors (Seasoned and Poisoned treated)** (excluding the cost of fitting, transportation, Painting)		-	-	-	
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१८३.००	१९०.००	१९०.००	
	Readymade door shutter Recon, Special (1 side teak)	,,	२४८.००	२५७.००	२५७.००	
	Readymade door shutter Recon, ordinary (1 side teak)	,,	२०९.००	२१७.००	२१७.००	
	Readymade door shutter Recon, Special (1 side teak)	,,	२८१.००	२९२.००	२९२.००	
17.4	**Wooden Listy**		-	-	-	
	1/2" wide	र.फि.	१४.००	१५.००	१५.००	
	3/4" wide	,,	१८.००	१८.००	१८.००	
	1.5" wide	,,	२९.००	२९.००	२९.००	
	Decorative	,,	४०.००	४०.००	४०.००	
17.5	**Infill Material Thai Gypsum, Shera or equivalent**		-	-	-	
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४३१.००	४३१.००	४३१.००	
	Frame U - Studs(0.55mm*0.75mm*3m)	,,	४३१.००	४३१.००	४३१.००	
	Board 9 mm	,,	२,५२४.००	२,५२४.००	२,५२४.००	
	Roofing Board 6mm (1.5mX.6m)	,,	६९५.००	६९५.००	६९५.००	
	Fiber mess tape (for 90mm/roll)	,,	३४०.००	३४०.००	३४०.००	
	PU sasuage rod	,,	२,०३९.००	२,०३९.००	२,०३९.००	
18	**Prelaminated Particle Board**		-	-	-	
18.1	**Plain Particle Board (Exteriors Grade)**		-	-	-	
	(क) ९ मी .मी	व.फि	३८.००	३८.००	३९.००	
	(ख) १२ मी. मीं.	,,	४३.००	४३.००	४४.००	
	(ग) १८ मी.मीं.	,,	५५.००	५५.००	५६.००	
	(घ) २५ मी.मी	,,	७४.००	७४.००	७६.००	
18.2	**One side lamination Melamined faced (Exteriors Grade)**		-	-	-	
	(क) ९ मी .मी	व.फि	७७.००	७७.००	८०.००	
	(ख) १२ मी. मीं.	,,	८६.००	८६.००	८८.००	
	(ग) १८ मी.मीं.	,,	१०२.००	१०२.००	१०४.००	
	(घ) २५ मी.मी	,,	१३२.००	१३२.००	१४०.००	
18.3	**Both side lamination Melamined faced (Exteriors Grade)**		-	-	-	
	(क) ९ मी .मी	व.फि	८६.००	८६.००	८८.००	
	(ख) १२ मी. मीं.	,,	९९.००	९९.००	१०२.००	
	(ग) १८ मी.मीं.	,,	११४.००	११४.००	११६.००	
	(घ) २५ मी.मी	,,	१४५.००	१४५.००	१५०.००	
18.4	**Plain Particle Board (Interiors Grade)**		-	-	-	
	(क) ९ मी .मी	व.फि	२८.००	२८.००	२९.००	
	(ख) १२ मी. मीं.	,,	३२.००	३२.००	३३.००	
	(ग) १८ मी.मीं.	,,	४८.००	४८.००	४९.००	
	(घ) २५ मी.मी	,,	६१.००	६१.००	६३.००	
18.5	**One side lamination Melamined faced (Interiors Grade)**		-	-	-	
	(क) ३ मी .मी	व.फि	४२.००	४२.००	४३.००	
	(ख) ६ मी .मी	,,	५९.००	५९.००	६०.००	
	(ग) ९ मी .मी	,,	६८.००	६८.००	७०.००	
	(घ) १२ मी. मीं.	,,	७७.००	७७.००	७८.००	
	(ङ) १८ मी.मीं.	,,	८९.००	८९.००	९१.००	
	(च) २५ मी.मी	,,	१११.००	१११.००	११४.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
18.6	**Both side lamination Melamined faced (Interiors Grade)**		-	-	-	
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ६ मी .मी	,,	६४.००	६४.००	६४.००	
	(ग) ९ मी .मी	,,	७७.००	७७.००	७७.००	
18.7	**One side lamination Melamined faced (Interiors Grade)MDF**		-	-	-	
	(क) ३ मी .मी	व.फि	४८.००	४८.००	४८.००	
	(ख) ४ मी .मी	,,	५५.००	५५.००	५५.००	
	(ग) ६ मी .मी	,,	६८.००	६८.००	६८.००	
	(घ) ९ मी .मी	,,	८८.००	८८.००	८८.००	
	(ङ.) १२ मी .मी	,,	९९.००	९९.००	९९.००	
	(च) १८ मी .मी	,,	१२७.००	१२७.००	१२७.००	
	(छ)२५ मी .मी	,,	१७६.००	१७६.००	१७६.००	
18.8	**Both side lamination Melamined faced (Interiors Grade)MDF Century & equivailent**		-	-	-	
	(क) ३ मी .मी	व.फि	५५.००	५५.००	५५.००	
	(ख) ४ मी .मी	,,	६२.००	६२.००	६२.००	
	(ग) ६ मी .मी	,,	७६.००	७६.००	७६.००	
	(घ) ९ मी .मी	,,	९५.००	९५.००	९५.००	
	(ङ.) १२ मी .मी	,,	१०५.००	१०५.००	१०५.००	
	(च) १८ मी .मी	,,	१३३.००	१३३.००	१३३.००	
	(छ)२५ मी .मी	,,	१८०.००	१८०.००	१८०.००	
18.9	**Alstone Hybrid Board (WPC Board) Century & equivailent**		-	-	-	
	(क) ६ मी .मी (१२२० x २४४०)	व.फि	१७५.००	१७५.००	१७५.००	
	(ख) १२ मी .मी	,,	२८०.००	२८०.००	२८०.००	
	(ग) १८ मी .मी	,,	४२३.००	४२३.००	४२३.००	
19	**Other HardBoard/ Sunmica & Formaica)**		-	-	-	
19.1	(क) सनमाईका (4' x 8')	पाता	५००.००	५००.००	५००.००	
	(ख) फोरमाईका	व.फि	८०.००	८०.००	८०.००	
	(ग) हार्डवोर्ड (Hard board) 12 mm thick	"	४८.००	४८.००	४८.००	
19.2	Alstone Hybrid Board		-	-	-	
	(क) ६ मी .मी size (1220*2440) mm	व.फि	१७०.००	१७०.००	१७०.००	
	(ख) १२ मी .मी size (1221*2440) mm	"	३१५.००	३१५.००	३१५.००	
	(ग)१८ मी .मी size (1222*2440) mm	"	४३५.००	४३५.००	४३५.००	
20	**Iron Square Pipe/Black Pipe/Channel/ Angle/I-Beam/Black Sheet/MS Plate**		-	-	-	
	i) Iron Square Pipe	के.जी	८०.२१	८०.२१	८०.२१	
	ii) विभिन्न साइजको MS Angle	,,	८६.१६	९२.००	९२.००	
	iii) विभिन्न साइजको Black Pipe	,,	८०.२१	८६.००	८६.००	
	iv) विभिन्न साइजको Channel	,,	८७.१५	९४.००	९४.००	
	v) विभिन्न साइजको I-Beam	,,	८९.१३	९६.००	९६.००	
	vi) विभिन्न साइजको MS plate	,,	८५.१७	९१.००	९१.००	
	vii) विभिन्न साइजको MS Square solid bar up to 16mm	के.जी	८६.१६	८८.००	८८.००	
	viii) विभिन्न मोटाइको Black sheet	,,	८१.२०	८६.००	८६.००	
21	**G.I. Wire**		-	-	-	
	i) 8 gauge		-	-	-	
	a) light class	के.जी	९३.००	१०२.००	१०२.००	
	b) medium class	,,	१०१.००	१११.००	१११.००	
	c) heavy duty	,,	१०२.००	११२.००	११२.००	
	d)Comercial wire	,,	९३.००	१०२.००	१०२.००	
	ii) 10 gauge		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	a) light class	के.जी	९३.००	१०२.००	१०२.००	
	b) medium class	,,	९६.००	१०५.००	१०५.००	
	c) heavy duty	,,	१०२.००	११२.००	११२.००	
	d)Comercial wire	,,	९३.००	१०२.००	१०२.००	
	iii) 12 gauge		-	-	-	
	a) light class	के.जी	९४.००	१०२.००	१०२.००	
	b) medium class	,,	९८.००	१०५.००	१०५.००	
	c) heavy duty	,,	१०४.००	११४.००	११४.००	
	d)Comercial wire	,,	९४.००	१०३.००	१०३.००	
22	**मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को गेवियन वाकस तयारी**		-	-	-	
	क) MBG/10x12/3.0/3.9/2.4/ZN (MBG=Maccaferi Box Gabion)		-	-	-	
	१.५×१×०.५/०	गोटा	१,६३९.००	१,६३९.००	१,६३९.००	
	२×१×0.५/०	,,	२,२३५.००	२,२३५.००	२,२३५.००	
	३×१×०.५/०	,,	३,२७८.००	३,२७८.००	३,२७८.००	
	४×१×.५/०	,,	४,३२१.००	४,३२१.००	४,३२१.००	
	१.५×१×१/०	,,	२,३८४.००	२,३८४.००	२,३८४.००	
	२×१×१/१	,,	३,२७८.००	३,२७८.००	३,२७८.००	
	३×१×१/२	,,	४,७६८.००	४,७६८.००	४,७६८.००	
	४×१×१/३	,,	६,२५८.००	६,२५८.००	६,२५८.००	
	ख) MBG/10x12/2.7/3.4/2.2/ZN		-	-	-	
	१.५×१×०.५०	गोटा	१,३८१.००	१,३८१.००	१,३८१.००	
	२×१×०.५०	,,	१,८८३.००	१,८८३.००	१,८८३.००	
	३×१×०.५०	,,	२,७६१.००	२,७६१.००	२,७६१.००	
	४×१×.५०	,,	३,६४०.००	३,६४०.००	३,६४०.००	
	१.५×१×१	,,	२,००८.००	२,००८.००	२,००८.००	
	२×१×१	,,	२,७६१.००	२,७६१.००	२,७६१.००	
	३×१×१	,,	४,०१६.००	४,०१६.००	४,०१६.००	
	४×१×१	,,	५,२७१.००	५,२७१.००	५,२७१.००	
	ग) MJG/10x12/3.0/3.9/2.4/ZN		-	-	-	
	३×२×०.५०	गोटा	५,६६२.००	५,६६२.००	५,६६२.००	
	४×२×०.५०	,,	७,४५०.००	७,४५०.००	७,४५०.००	
	५×२×०.५०	,,	९,२३८.००	९,२३८.००	९,२३८.००	
	६×२×.५०	,,	११,०२६.००	११,०२६.००	११,०२६.००	
	३×२×१	,,	७,७४८.००	७,७४८.००	७,७४८.००	
	४×२×१	,,	१०,१३२.००	१०,१३२.००	१०,१३२.००	
	५×२×१	,,	१२,५१६.००	१२,५१६.००	१२,५१६.००	
	६×२×१	,,	१४,९००.००	१४,९००.००	१४,९००.००	
	घ) MJG/10x12/2.7/3.4/2.2/ZN		-	-	-	
	३×२×०.५०	गोटा	४,७६९.००	४,७६९.००	४,७६९.००	
	४×२×०.५०	,,	६,२७५.००	६,२७५.००	६,२७५.००	
	५×२×०.५०	,,	७,७८१.००	७,७८१.००	७,७८१.००	
	६×२×.५०	,,	९,२८७.००	९,२८७.००	९,२८७.००	
	३×२×१	,,	६,५२६.००	६,५२६.००	६,५२६.००	
	४×२×१	,,	८,५३४.००	८,५३४.००	८,५३४.००	
	५×२×१	,,	१०,५४२.००	१०,५४२.००	१०,५४२.००	
	६×२×१	,,	१२,५५०.००	१२,५५०.००	१२,५५०.००	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN		-	-	-	
	३×२×०.१७	गोटा	४,०१२.००	४,०१२.००	४,०१२.००	
	४×२×०.१७	,,	५,१९८.००	५,१९८.००	५,१९८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	५×२×०.१७	,,	६,३६२.००	६,३६२.००	६,३६२.००	
	६×२×०.१७	,,	७,५६८.००	७,५६८.००	७,५६८.००	
	३×२×०.२३	,,	४,३६६.००	४,३६६.००	४,३६६.००	
	४×२×०.२३	,,	५,६५५.००	५,६५५.००	५,६५५.००	
	५×२×०.२३	,,	६,९८६.००	६,९८६.००	६,९८६.००	
	६×२×०.२३	,,	८,२१२.००	८,२१२.००	८,२१२.००	
	३×२×०.३०	,,	४,७४१.००	४,७४१.००	४,७४१.००	
	४×२×०.३०	,,	६,११२.००	६,११२.००	६,११२.००	
	५×२×०.३०	,,	७,५४६.००	७,५४६.००	७,५४६.००	
	६×२×०.३०	,,	८,९४०.००	८,९४०.००	८,९४०.००	
	Note:		-	-	-	
	BG= Box Gabion		-	-	-	
	JG= Jumbo Gabion		-	-	-	
	RM= Reno Mattress		-	-	-	
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating		-	-	-	
	ZN = Heavy galvanized		-	-	-	
	PVC = PVC coated		-	-	-	
23	**Barbed Wire (काँढेतार)**		-	-	-	
	12 guage commercial,Medium duty	के.जी	९७.३५	१००.००	१००.००	
	U-hook for barbed wire fencing	गोटा	०.७५	०.८२	०.८२	
	Fabrication of chain link mesh of size		-	-	-	
	1"x1" 12 guage	व.मी.	६९७.००	८११.००	८११.००	
	1.5"x1.5" 12 guage	,,	६५२.००	७५९.००	७५९.००	
	2"x2" 10 guage	,,	५१७.००	६०२.००	६०२.००	
	3"x3" 10 guage	,,	४२३.००	४९२.००	४९२.००	
	4"x4" 10 guage	,,	३३७.००	३९१.००	३९१.००	
24	**सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)**		-	-	-	
	(क) सेतो सादा जस्तापाता (G P Sheet)		-	-	-	
	0.2 mm (30 guage light)	बण्डल	४,६९०.००	४,७८१.००	४,७८१.००	
	0.22 mm (30 guage Medium)	,,	५,१३३.००	५,१३३.००	५,१३३.००	
	0.24 mm (30 guage Heavy)	,,	५,५२२.००	५,५९२.००	५,५९२.००	
	0.26 mm (28 guage light)	,,	५,८४१.००	५,८९०.००	५,८९०.००	
	0.28 mm (28 guage Medium)	,,	६,१५९.००	६,२७७.००	६,२७७.००	
	0.31 mm (28 guage Heavy)	,,	६,७७९.००	६,८६०.००	६,८६०.००	
	0.35 mm (26 guage light)	,,	७,५२२.००	७,६०३.००	७,६०३.००	
	0.38 mm (26 guage Medium)	,,	७,८८५.००	७,९७९.००	७,९७९.००	
	0.41 mm (26 guage Heavy)	,,	८,७०८.००	८,७४३.००	८,७४३.००	
	0.45 mm (24 guage light)	,,	९,४६०.००	९,४८५.००	९,४८५.००	
	0.50 mm (24 guage Medium)	,,	१०,४६९.००	१०,४६९.००	१०,४६९.००	
	0.52 mm (24 guage Heavy)	,,	१०,८४१.००	१०,८४१.००	१०,८४१.००	
	0.75 mm	,,	१५,५१३.००	१५,५१३.००	१५,५१३.००	
	(ख) रंगिन जस्तापाता		-	-	-	
	0.2 mm (30 guage light)	बण्डल	५,७९६.००	६,०८५.००	६,०८५.००	
	0.22 mm (30 guage Medium)	,,	६,१९५.००	६,५०४.००	६,५०४.००	
	0.24 mm (30 guage Heavy)	,,	६,५८४.००	६,९१३.००	६,९१३.००	
	0.26 mm (28 guage light)	,,	६,९७३.००	७,३२१.००	७,३२१.००	
	0.28 mm (28 guage Medium)	,,	७,३३६.००	७,७०२.००	७,७०२.००	
	0.31 mm (28 guage Heavy)		७,९५६.००	८,३५३.००	८,३५३.००	
	0.35 mm (26 guage light)	,,	८,८२३.००	९,२६४.००	९,२६४.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	0.38 mm (26 guage Medium)	,,	९,२६५.००	९,७२८.००	९,७२८.००	
	0.41 mm (26 guage Heavy)	,,	१०,१३३.००	१०,६५१.००	१०,६५१.००	
	0.45 mm (24 guage light)	,,	१०,९१२.००	११,४२७.००	११,४२७.००	
	0.50 mm (24 guage Medium)	,,	११,९२०.००	१२,४२१.००	१२,४२१.००	
	0.52 mm (24 guage Heavy)	,,	१२,३५४.००	१२,८३४.००	१२,८३४.००	
	0.55 mm (24 guage Medium)		१२,९४७.००	१३,८२२.००	१३,८२२.००	
	0.75 mm	,,	१७,३८९.००	१८,०२६.००	१८,०२६.००	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता **(CGI Sheet)**		-	-	-	
	0.2 mm (30 guage light)	बण्डल	४,६९०.००	४,७८१.००	४,७८१.००	
	0.22 mm (30 guage Medium)	,,	५,०८८.००	५,१८१.००	५,१८१.००	
	0.24 mm (30 guage Heavy)	,,	५,४८७.००	५,५३६.००	५,५३६.००	
	0.26 mm (28 guage light)	,,	५,७९६.००	५,८२१.००	५,८२१.००	
	0.28 mm (28 guage Medium)	,,	६,११५.००	६,२०९.००	६,२०९.००	
	0.31 mm (28 guage Heavy)	,,	६,७२६.००	६,७९२.००	६,७९२.००	
	0.35 mm (26 guage light)	,,	७,४७८.००	७,५४५.००	७,५४५.००	
	0.38 mm (26 guage Medium)	,,	७,८४१.००	७,९२१.००	७,९२१.००	
	0.41 mm (26 guage Heavy)	,,	८,६५५.००	८,६७५.००	८,६७५.००	
	0.45 mm (24 guage light)	,,	९,४१६.००	९,४१७.००	९,४१७.००	
	0.50 mm (24 guage Medium)	,,	१०,४१६.००	१०,४१६.००	१०,४१६.००	
	0.52 mm (24 guage Heavy)	,,	१०,७८८.००	१०,७३१.००	१०,७३१.००	
	0.75 mm	,,	१५,५१३.००	१५,५०२.००	१५,५०२.००	
	घ)जस्ता पाता को धुरी (Ridge Cover) Specified thickness are thickness of base metal.		-	-	-	
	0.20 mm	बण्डल	१,६०२.००	१,६३२.००	१,६३२.००	
	0.22 mm	,,	१,७३५.००	१,७७९.००	१,७७९.००	
	0.24 mm	,,	१,८६७.००	१,८९३.००	१,८९३.००	
	0.26 mm	,,	१,९७३.००	१,९८५.००	१,९८५.००	
	0.28 mm	,,	२,०८०.००	२,१२२.००	२,१२२.००	
	0.31 mm	,,	२,२८३.००	२,३०५.००	२,३०५.००	
	0.35 mm	,,	२,५३१.००	२,५५६.००	२,५५६.००	
	0.38 mm	,,	२,६५५.००	२,६८१.००	२,६८१.००	
	0.41 mm	,,	२,९२०.००	२,९३३.००	२,९३३.००	
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट		-	-	-	
	1.1 mm	पिस	३,२७४.००	३,३१०.००	३,३१०.००	
	0.90 mm	,,	२,७०८.००	२,०६९.००	२,०६९.००	
	0.80 mm	,,	२,४४२.००	२,४७६.००	२,४७६.००	
	0.75 mm	,,	२,२९२.००	२,३२७.००	२,३२७.००	
	0.70 mm	,,	२,१४२.००	२,१६७.००	२,१६७.००	
	0.62 mm	,,	१,९१२.००	१,९३९.००	१,९३९.००	
	0.55 mm	,,	१,७१७.००	१,७४५.००	१,७४५.००	
	0.50 mm	,,	१,५६६.००	१,५८६.००	१,५८६.००	
	0.48 mm	,,	१,४९६.००	१,५२८.००	१,५२८.००	
	0.45 mm	,,	१,४१६.००	१,४४८.००	१,४४८.००	
	0.40 mm	,,	१,२७४.००	१,२९९.००	१,२९९.००	
	0.37 mm	,,	१,१८६.००	१,२०९.००	१,२०९.००	
	0.35 mm	,,	१,१३३.००	१,१५२.००	१,१५२.००	
	0.30 mm	,,	९८२.००	१,०१५.००	१,०१५.००	
	0.28 mm	,,	९२०.००	९५७.००	९५७.००	
	च)४ फिट * ८ फिट को रङ्गिन प्लेन सिट		-	-	-	
	0.90 mm	पिस	२,९७३.००	३,०१२.००	३,०१२.००	
	0.80 mm	,,	२,६९९.००	२,७२७.००	२,७२७.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	0.75 mm	,,	२,५३१.००	२,६०१.००	२,६०१.००	
	0.70 mm	,,	२,४३४.००	२,४७६.००	२,४७६.००	
	0.62 mm	,,	२,१७७.००	२,२२५.००	२,२२५.००	
	0.55 mm	,,	१,९५६.००	१,९५६.००	१,९५६.००	
	0.50 mm	,,	१,७८८.००	१,८४७.००	१,८४७.००	
	0.48 mm	,,	१,७०८.००	१,७५०.००	१,७५०.००	
	0.45 mm	,,	१,६१९.००	१,७००.००	१,७००.००	
	0.40 mm	,,	१,४८७.००	१,५५१.००	१,५५१.००	
	0.37 mm	,,	१,३८९.००	१,४३७.००	१,४३७.००	
	0.35 mm	,,	१,३२७.००	१,३७९.००	१,३७९.००	
	0.30 mm	,,	१,१६८.००	१,२२०.००	१,२२०.००	
	0.28 mm	,,	१,१०६.००	१,१६१.००	१,१६१.००	
	GI EXPANDED METAL MESH		-	-	-	
	1.20 mm मोटाई र 3' चौडाई भएको जाली	र.मि.	१५९.००	१५९.००	१५९.००	
	1.20 mm मोटाई र 4' चौडाई भएको जाली	,,	२१२.००	२१२.००	२१२.००	
	1.00 mm मोटाई र 3' चौडाई भएको जाली	,,	१३३.००	१३३.००	१३३.००	
	1.00 mm मोटाई र 4' चौडाई भएको जाली	,,	१७७.००	१७७.००	१७७.००	
	0.90 mm मोटाई र 3' चौडाई भएको जाली	,,	१२४.००	१२४.००	१२४.००	
	0.90 mm मोटाई र 4' चौडाई भएको जाली	,,	१५९.००	१६६.००	१६६.००	
25	**UPVC Roofing Sheet Sunrise or Equivalient brand (3mm thick)**		-	-	-	
25.1	UPVC Roofing Sheet with PMMA coating & Mesh (Regular)	व.मि.	१,५०६.००	१,५८१.००	१,५८१.००	
25.2	UPVC Roofing Sheet with PMMA coating & Mesh (Tile)	,,	१,२००.००	१,२६०.००	१,२६०.००	
25.3	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१,९२५.००	२,०२१.००	२,०२१.००	
25.4	Ridge cover Tile Profile 0.78 R.m.	,,	१,९२५.००	२,०२१.००	२,०२१.००	
25.5	UPVC Clip	गोटा	२६.००	२७.००	२७.००	
25.6	self tapping screw 3"	,,	३०.००	३२.००	३२.००	
25.7	self tapping screw 2.5"	,,	२०.००	२१.००	२१.००	
25.8	self tapping screw 2"	,,	११.००	११.००	११.००	
25.9	self tapping screw 1.5"	,,	८.५०	९.००	९.००	
26	**एल्मुनियम प्लेन सिट**		-	-	-	
	(क) २६ गेज	व.फि.	२९.००	३०.००	३०.००	
	(ख) ३० गेज	”	२७.००	२८.००	२८.००	
27	**विभिन्न प्रकारको जालीहरु (Netting)**		-	-	-	
	(क) मसिनो खालको Mosquito proof जाली	व.मी	११९.००	१३०.००	१३५.००	
	(ख) वालुवा चाल्ने जाली	”	१२४.००	१६६.००	१६६.००	
	(ग) कुखुरे जाली (Chicken wire mesh)	”	७६.००	८३.००	८६.००	
	(घ) ब्रास क्रसिङ्ग जाली	”	१९५.००	२१४.००	२१५.००	
	(ङ) स्टील जाली (crossing)	”	१५७.००	१७२.००	१७५.००	
	(च) मसिनो खालको steel Mosquito proof जाली	”	२७०.००	२९७.००	३०५.००	
28	**फलामबाट निर्मित सामानहरु**		-	-	-	
a	M.S. Grill बनाई जडान गर्ने काम	के.जी	१३०.००	१४३.००	१४५.००	
b	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५००.००	५५०.००	५७५.००	
c	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३५०.००	३८५.००	४००.००	
d	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	”	२८०.००	३०८.००	३१५.००	
e	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	”	५००.००	५५०.००	५७५.००	
f	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० x ५०x ५ mm) को फ्रेम समेत)	,,	६५०.००	७१५.००	७५०.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
g	३"-४" व्यासको Iron Black Pipeमा एङ्गल र पट्टि राखी खुडकिला सहितको **घुम्ने भऱ्याङ्ग** (Spiral Staircase)तयार गरी जडान समेत (भऱ्याङको नापी गर्दा floor to floor height लिने)	र.फि.	३,०५०.००	३,३५५.००	३,४००.००	
h	फलामे सामाग्रीको फेब्रिबेशन तथा जडान कार्य	के.जी.	४५.००	४९.००	५०.००	
i	All type of general MS structural works	व.फी.	१७०.००	१८७.००	१८७.००	
j	Truss & roofing works Plain sheet 26 gauge	"	२००.००	२२०.००	२२०.००	
k	Truss & roofing works colour sheet 26 gauge	"	१६५.००	१८१.००	१८१.००	
l	Black Pipe Tubular Truss fitting & fixing work	के.जी.	१४०.००	१५४.००	१५४.००	
m	Mild Steel Props for Concreting 2" dia 3.5 mm thick 3.5 m- 4.0 m length	गोटा	१,९४०.००	२,०३७.००	२,०३७.००	
n	Steel Structural (Light guage) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebet,screw erection fitting and essembly charges) all complete work Panchakanya or equivalent company	व.फि.	७७०.००	८४०.००	८४०.००	
29	**Glass सीसा**		-	-	-	
29.1	**Plain सादा (सेतो)**		-	-	-	
	(क) ३ मी.मी.	व.फि.	५०.४७	५२.००	५२.००	
	(ख) ३।५ मी.मी.	व.फि.	५७.६८	५९.००	५९.००	
	(ग) ४ मी.मी.	व.फि.	६६.९५	६९.००	६९.००	
	(घ) ५ मी.मी. "	व.फि.	७७.२५	७९.००	७९.००	
	(ङ) ६ मी.मी. "	व.फि.	१०३.००	१०६.००	१०६.००	
	(च) ८ मी.मी. "	व.फि.	१५४.५०	१५९.००	१५९.००	
29.2	**Printed Glass (बुट्टेदार सिसा)**		-	-	-	
	(क) ३ मी.मी.	व.फि.	४९.८६	५५.००	५५.००	
	(ख) ४ मी.मी " "	व.फि.	५८.३५	६०.००	६०.००	
29.3	**Poly Fibre Glass**		-	-	-	
	(क) ६ मी.मी.	"	१५९.१४	१६४.००	१६४.००	
29.4	**Black Color Glass**		-	-	-	
	(क) ३ मी.मी.	व.फि.	९८.८८	१०२.००	१०२.००	
	(ख) ४ मी.मी.	,,	१०६.०९	१०९.००	१०९.००	
	(ग) ५ मी.मी.	"	१२३.६०	१२७.००	१२७.००	
	(घ) ६ मी.मी.	"	१८५.४०	१७९.००	१७९.००	
	(ङ) ८ मी.मी.	"	२५७.५०	२६१.००	२६१.००	
	(च) १० मी.मी	"	३६०.५०	३७३.००	३७३.००	
	(छ) १२ मी.मी	,,	४१२.००	४२६.००	४२६.००	
29.5	**Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने**		-	-	-	
	(क) ५ मि.मि बाक्लो	व.फि.	११९.४८	१२३.००	१२७.००	
29.6	**छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture**		-	-	-	
	(क) ४ मी.मी. बाक्लो	व.मि.	६,३८६.००	६,६१०.००	६,६१०.००	
29.7	**विभिन्न रंगको Reflector Glass (शिशा)**		-	-	-	
	५ मी.मीं मोटो	व.फि.	१८९.५२	१९६.००	१९६.००	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको सिसा भएमा ५० % थप रकम लाग्ने छ।		-	-	-	
30	**Corrugated/Plain Fiber Glass Sheet**		-	-	-	
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१३५.९६	१३५.९६	१३५.९६	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१४९.३५	१४९.३५	१४९.३५	
	(ख) १.२ मी.मी. मोटो प्लेन	"	१४९.३५	१४९.३५	१४९.३५	
	१.२ मी.मी. मोटो कोरोगेटेड	"	१६७.८९	१६७.८९	१६७.८९	
	(ग) २ मी.मी. मोटो प्लेन	"	२३८.९६	२३८.९६	२३८.९६	
	२ मी.मी. मोटो कोरोगेटेड	"	२७८.१०	२७८.१०	२७८.१०	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	(घ) ३ मी. मी. मोटो प्लेन	"	३१६.२१	३१६.२१	३१६.२१	
	३ मी. मी. मोटो कोरोगेटेड		४०६.८५	४०६.८५	४०६.८५	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	र.मि.	७४.१६	७४.१६	७४.१६	
	(च) Fiber Glass छानाको लागि Ribet nut	गोटा	८.२४	८.२४	८.२४	
31	**झ्याल ढोकामा लाग्ने Fixture हरु**		-	-	-	
	Iron बाट बनेका		-	-	-	
	Hinge (कब्जा)		-	-	-	
	(क) ३" साइज	गोटा	१६.५०	१६.५०	१६.५०	
	(ख) ४" साइज	"	३०.८०	३०.८०	३०.८०	
	(ग) ५" साइज	"	४७.३०	४७.३०	४७.३०	
	(घ) ६" साइज	"	६१.६०	६१.६०	६१.६०	
	Locking Set (L-drop)		-	-	-	
	300 mm	गोटा	२८६.००	२८६.००	२८६.००	
	225 mm	"	२४९.७०	२४९.७०	२४९.७०	
	150 mm	"	२१४.५०	२१४.५०	२१४.५०	
	Aluminum बाट बनेका		-	-	-	
	Towerbolt (छेस्कीनी)		-	-	-	
	(क) ३" लामो	गोटा	२२.००	२२.००	२२.००	
	(ख) ४" लामो	"	४४.००	४४.००	४४.००	
	(ग) ६" लामो	"	७३.७०	७३.७०	७३.७०	
	(घ) ८" लामो	"	८८.००	८८.००	८८.००	
	(ङ) १०" लामो	"	१०३.४०	१०३.४०	१०३.४०	
	(च) १२" लामो	"	११७.७०	११७.७०	११७.७०	
	Handle (हतकल)		-	-	-	
	Ordinary	गोटा	३५.२०	३५.२०	३५.२०	
	Special	"	५१.७०	५१.७०	५१.७०	
	Brass बाट बनेका		-	-	-	
	Hinge (कब्जा)		-	-	-	
	$2" \times {}^{1}/_{2}"$	गोटा	६९.३०	६९.३०	६९.३०	
	$2^{1}/_{2} \times {}^{3}/_{4}"$	"	७८.१०	७८.१०	७८.१०	
	$3" \times {}^{3}/_{4}"$	"	९५.७०	९५.७०	९५.७०	
	$2" \times {}^{3}/_{4}"$	"	७८.१०	७८.१०	७८.१०	
	$2^{1}/_{2}" \times {}^{3}/_{4}"$	"	८६.९०	८६.९०	८६.९०	
	$3" \times {}^{3}/_{4}"$	"	९५.७०	९५.७०	९५.७०	
	3"×1"	"	२०७.९०	२०७.९०	२०७.९०	
	4"×1"	"	३१२.४०	३१२.४०	३१२.४०	
	5"×1"	"	४१६.९०	४१६.९०	४१६.९०	
	6"×1"	"	५०३.८०	५०३.८०	५०३.८०	
	Towerbolt (छेस्कीनी)		-	-	-	
	(क) ३" लामो	गोटा	१५६.२०	१५६.२०	१५६.२०	
	(ख) ४" लामो	,,	२०७.९०	२०७.९०	२०७.९०	
	(ग) ६" लामो	,,	३१२.४०	३१२.४०	३१२.४०	
	(घ) ८" लामो	,,	४१६.९०	४१६.९०	४१६.९०	
	(ङ) १०" लामो	,,	५२०.३०	५२०.३०	५२०.३०	
	(च) १२" लामो	"	६२४.८०	६२४.८०	६२४.८०	
	Handle (हतकल)		-	-	-	
	6" Brass handle	गोटा	१६५.००	१६५.००	१६५.००	
	8" Brass handle	"	५०३.८०	५०३.८०	५०३.८०	
	10" Brass handle	"	१,०४१.७०	१,०४१.७०	१,०४१.७०	
	Brass 5"	"	-	-	-	
	Brass 6"	"	-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Locking Set (L-drop)		-	-	-	
	(क) ८" लामो	गोटा	१,०४१.७०	१,०४१.७०	१,०४१.७०	
	(ख) १०" लामो	"	१,७१८.२०	१,७१८.२०	१,७१८.२०	
	(ग) १२" लामो	"	१,९०८.५०	१,९०८.५०	१,९०८.५०	
	Special Fittings		-	-	-	
	एल ड्रप :-		-	-	-	
	८" लामो	गोटा	१,१६८.२०	१,१६८.२०	१,१६८.२०	
	१०" लामो	"	१,३१८.९०	१,३१८.९०	१,३१८.९०	
	१२" लामो	"	१,३७३.९०	१,३७३.९०	१,३७३.९०	
	ह्याण्डल : -		-	-	-	
	८" लामो	"	१,३७३.९०	१,३७३.९०	१,३७३.९०	
	टावर बोल्ट : -		-	-	-	
	६" लामो	"	२४७.५०	२४७.५०	२४७.५०	
	८" लामो	"	३३०.००	३३०.००	३३०.००	
	१०" लामो	"	४१२.५०	४१२.५०	४१२.५०	
	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)		-	-	-	
	एल ड्रप :-		-	-	-	
	८" लामो	गोटा	९८१.२०	९८१.२०	९८१.२०	
	१०" लामो	"	१,२४३.००	१,२४३.००	१,२४३.००	
	१२" लामो	"	१,३७३.९०	१,३७३.९०	१,३७३.९०	
	ह्याण्डल : -		-	-	-	
	६" लामो	"	२७५.००	२७५.००	२७५.००	
	८" लामो	"	४१२.५०	४१२.५०	४१२.५०	
	Mortice Lock		-	-	-	
	Ordinary	गोटा	६८७.५०	६८७.५०	६८७.५०	
	Chinese	"	४५७.६०	४५७.६०	४५७.६०	
	Indian Godrej Company	"	२,८१२.७०	२,८१२.७०	२,८१२.७०	
	Brass		१,२४३.००	१,२४३.००	१,२४३.००	
	Door Spring (Door Closer)		-	-	-	
	Ordinary	गोटा	१९५.८०	१९५.८०	१९५.८०	
	hydraulic	"	२,०६१.४०	२,०६१.४०	२,०६१.४०	
	Other Door/Windows fixtures		-	-	-	
	Window I-hook	गोटा	१९.८०	१९.८०	१९.८०	
	Gate Hook		-	-	-	
	4" Gate hook	गोटा	३४.१०	३४.१०	३४.१०	
	5" Gate hook	,,	३८.५०	३८.५०	३८.५०	
	6" Gate hook	,,	४६.२०	४६.२०	४६.२०	
	Brass Gate hook		८२.५०	८२.५०	८२.५०	
	Door stopper		-	-	-	
	Diamond	गोटा	-	-	-	
	Butterfly	"	१६२.८०	१६२.८०	१६२.८०	
	Bell catch 2" size	"	२१५.६०	२१५.६०	२१५.६०	
	C.P. handle	"	४६७.५०	४६७.५०	४६७.५०	
	Power coated handle	"	४४६.६०	४४६.६०	४४६.६०	
	Brass coated handle	"	९६१.४०	९६१.४०	९६१.४०	
	Door stopper, single brass stopper	सेट	११०.००	११०.००	११०.००	
	Door stopper double brass stopper	"	१९५.८०	१९५.८०	१९५.८०	
32	**बिबिध सामग्रीहरु**		-	-	-	
	Hold fast different sizes (7 nos./Kg.)	के.जी.	१३७.५०	१४५.००	१४६.००	
	Nails (different sizes)	के.जी.	१२३.२०	१२९.००	१३०.००	
	सालका काठको खाधान्न राख्ने पुराना तख्ता(पुनः प्रयोग हुने)	घ.फि.	७९३.१०	७९३.१०	७९३.१०	
	कवाडी फलामे सामानहरु(वन्चरो,घन,छिना आदि फलामे सामान)	के.जी.	२८.६०	२८.६०	२८.६०	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	प्रयोग गर्न नसकिने पुराना मेसीन(टाइपराइटर, ड्रीलीङ मेसीन,ड्रीलीङ विट)	के.जी.	२३.१०	२३.१०	२३.१०	
	Nut and Bolts	गोटा	३१.९०	३३.७२	३३.७२	
	Nut and Bolts (different sizes)	के.जी.	१८१.५०	१९२.००	१९२.००	
	Sandpaper (खार्सी)	गोटा	६.६०	६.६०	६.६०	
	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१५०.७०	१५०.७०	१५०.७०	
	२" साइज रुफिङ्ग नेल्स	गोटा	७.७०	७.७०	७.७०	
	३" साइज रुफिङ्ग नेल्स	"	११.००	११.००	११.००	
	Screw Brass		-	-	-	
	20mm	गोटा	२.२०	२.२०	२.२०	
	25mm	"	३.३०	३.३०	३.३०	
	35mm	"	४.४०	४.४०	४.४०	
	50mm	"	१३.२०	१३.२०	१३.२०	
	75mm	"	१६.५०	१६.५०	१६.५०	
	Screw Steel		-	-	-	
	20mm	"	१.१०	१.१०	१.१०	
	25mm	"	२.२०	२.२०	२.२०	
	35mm	"	२.२०	२.२०	२.२०	
	50mm	"	७.७०	७.७०	७.७०	
	75mm	"	८.८०	८.८०	८.८०	
	विटुमीन वासर	गोटा	३.३०	३.३०	३.३०	
	Roofing bitumen (रुफिङ्ग अलकत्रा)	के.जी.	१०२.३०	१०२.३०	१०२.३०	
	५०० गेज प्लाष्टिक सिट	व.मी.	३४.१०	३४.१०	३४.१०	
	ISI Mark Trafelt (२०मी. × १मी.)	रोल	२,७१९.२०	२,७१९.२०	२,७१९.२०	
	Plasticfelt (२०मी. × १मी.)	"	२,५४९.८०	२,५४९.८०	२,५४९.८०	
	१८-२० फिट लामो बाँस	गोटा	२२४.४०	२२४.४०	२२४.४०	
	मैन पालिस	के.जि.	२२६.६०	२२६.६०	२२६.६०	
	अक्जालिक एसिड	"	१२९.८०	१२९.८०	१२९.८०	
	जुट वा पोलिथिनको खाली बोरा	गोटा	१९.८०	१९.८०	१९.८०	
	माटो (ढुवानि बाहेक)	घ.मि.	२९४.८०	२९४.८०	२९४.८०	
	सबग्रेडमा राख्ने माटो(In Capping layer Granular soil)	घ.मि.	५१०.४०	५१०.४०	५१०.४०	
	भुस	के.जि.	५.५०	५.५०	५.५०	
	गोवर	"	५.५०	५.५०	५.५०	
	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	१०२.३०	१०२.३०	१०२.३०	
	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	१०७.८०	१०७.८०	१०७.८०	
	Tarpoline sheet (तारपोलिन सिट)	व.फि.	९.९०	९.९०	९.९०	
	Water (पानी)		-	-	-	
	३ कि.मी. सम्म को दुरीमा	लिटर	०.२९	०.२९	०.२९	
	३ कि.मी. देखि माथीको दुरीमा	लिटर	०.३४	०.३४	०.३४	
33	**स्टेनलेस स्टील पाइप (257/kg)**		-	-	-	
	३/४" व्यास भएको १६ गेज मोटाई	मी.	१९४.००	२२५.००	२२७.००	
	१" व्यास भएको १६ गेज मोटाई	"	२४३.००	२८२.००	२८५.००	
	१ १/४" व्यास भएको १६ गेज मोटाई	"	३०९.००	३६०.००	३६३.००	
	१ १/२" व्यास भएको १६ गेज मोटाई	"	३७६.००	४३८.००	४४२.००	
	२" व्यास भएको १६ गेज मोटाई	"	५०८.००	५९१.००	५९५.००	
	स्टील रेलीङ. steel Raling को बार लगाउने कार्य(२ इन्च पाईपको vertical post & Hand rail तथा १ इन्च व्यासको तीन तह Horizontal pipe)	र.फि.	१,१६८.००	१,१६८.००	१,१६८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	"	१,०५०.००	१,०५०.००	१,०५०.००	
	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	"	९५०.००	९५०.००	९५०.००	
34	**मार्बल चिप्स**		-	-	-	
	(क) सेतो रंगको मार्बल चिप्स (२५ के.जि. प्रति बोरा)	बोरा	१७०.००	१७८.००	१७८.००	
	(ख) रंगीन मार्बल चिप्स (२५ के.जि.) प्रति बोरा	"	१७०.००	१७८.००	१७८.००	
	(ग) क्रेजी मार्बल (६ वर्ग फिट प्रति बोरा)	"	१८१.००	१९०.००	१९०.००	
	(घ) मार्बल पाउडर (२५ के.जि. प्रति बोरा)	"	१५३.००	१६०.००	१६०.००	
35	**मार्बल (Marble)**		-	-	-	
35.1	**राजस्थानी मार्वल**		-	-	-	
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	१६०.००	१७६.००	१७७.००	
	१६ मी.मी बाक्लो राजस्थानी	,,	१७५.००	१९२.००	१९४.००	
35.2	**ग्रेनाइट**		-	-	-	
	१२ मी.मी बाक्लो ग्रेनाइट	ब.फि.	२५०.००	२७५.००	२७५.००	
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	३३५.००	३६८.००	३६८.००	
	१९ मी.मी बाक्लो ग्रेनाइट	ब.फि.	३७६.००	४१३.००	४१३.००	
35.3	**Kota Stone**		-	-	-	
	1" thick	ब.फि.	१४२.००	१५६.००	१५७.००	
	3/4" thick	ब.फि.	१३०.००	१४३.००	१४४.००	
35.4	Sand stone (for rubbing Marble)	गोटा	७२.००	७९.००	७९.००	
36	**Porcelain Glazed/Terrazo Mosaic Tiles**		-	-	-	
36.1	**Porcelain Glazed Tiles**		-	-	-	
	ग्लेज टायल्स (१२ " x ८ ") सम्मको ।	ब.फि.	-	-	-	
	ग्लेज टायल्स (१२ " x १२ ") माथिको ।	,,	-	-	-	
	Cotto Tiles	,,	१२६.००	१२६.००	१२६.००	
	Kajaria, Vermura,Somany, Orient Tile or equivalent	,,	८५.००	९०.००	९०.००	
	Ordinary floor and wall Tile	,,	५४.००	५७.००	५७.००	
	Border Tile (२ " x ८ ")	र.फि.	४३.००	४५.००	४५.००	
	Border Tile (२ " x ८ ")	व.फि.	-	-	-	
	Indian Ceramic Wall Tile (31*45cm)	,,	१८०.००	१९१.००	१९१.००	
	Indian Ceramic Border Tile (31*45cm)	,,	१८०.००	१९१.००	१९१.००	
	Indian Ceramic Floor Tile (31*45cm)	,,	१५०.००	१५५.००	१५५.००	
	Flooring tile GVT Somany/Swastik/Victory / Espanoi or equivalent		-	-	-	
	24"X24" GVT	व.फि.	१६५.००	१६५.००	१६५.००	
	24"X24" GRES Virtified (Digital floor)	,,	१४४.००	१५३.००	१५३.००	
	12"X12" GRES homogeous Virtified parking tile	,,	१०६.००	१०१.००	१०१.००	
	24"X24" Virtified	,,	१११.००	११८.००	११८.००	
	Flooring tile Everest/Victory /Swastik /Espanoi or equivalent		-	-	-	
	16"X16 "	व.फि.	९८.००	१०४.००	१०४.००	
	12"X12"	,,	८८.००	९३.००	९३.००	
	12"X12" (White/Ivery)	,,	७७.००	८२.००	८२.००	
	2"X2"(Digital)	,,	१२९.००	१२९.००	१२९.००	
	12"X24" (Wall)	,,	१३४.००	१११.००	१११.००	
	12"X18" (Wall)	,,	१०३.००	१३३.००	१३३.००	
36.2	**LG Floors Tiles**		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	L.G. Deluxe Tiles (300x300x2mm)	व.फि.	-	-	-	
	L.G. Deco Tiles (450x450x3mm)	,,	-	-	-	
	L.G. Deco Wood (100x920x3mm)	,,	-	-	-	
	Fittings for Tiles	,,	१५.००	१५.९०	१५.९०	
	Fittings for Tiles on stairs	,,	१७.००	१८.०२	१८.०२	
	Dendrite for tiles	लि.	४००.००	४२४.००	४२४.००	
36.3	**ELITE / FORBO FLOORING COATING**		-	-	-	
	ELITE MICRO FINISH FLOORING (INCLUDED ALL FINISH)	व.फि.	३६१.००	३८२.६६	३८२.६६	
	ELITE HERMETIC HEAT FLOORING (INCLUDED ALL FINISH)	,,	३६१.००	३८२.६६	३८२.६६	
	ELITE REFLECTOR FLOORING(INCLUDED ALL FINISH)	,,	३८३.००	४०५.९८	४०५.९८	
	SARLON VINYL ACOUSTIC FLOORING	,,	४२७.००	४५२.६२	४५२.६२	
	SCRATCH FABRIC FALSE CEILING	,,	२३२.००	२४५.९२	२४५.९२	
	SINGLE COAT GYP PLASTER UP TO 20MM THICKNESS	,,	६२.००	६५.७२	६५.७२	
	Forbo marmoleum flooring 2mm thick all fitting work	,,	४०३.००	४२७.१८	४२७.१८	
37	**Plaster of Parish (POP)** cornice and molding making die, casting of cornice as per design and drawing including fixing in position using steel screws on resin glue finishing all complete.		-	-	-	
	a) POP Molding 1" to 1½"	र.मि	२३८.००	२५२.२८	२५३.००	
	b) Up to 5" wide	र.मि	२८५.००	३०२.१०	३०३.००	
	c) Up to 8" wide	र.मि	३९३.००	४१६.५८	४१९.००	
	d) Above 8" wide	र.मि	१६१.००	१७०.६६	१७१.००	
37.1	**रंगरोगनका सामानहरु**		-	-	-	
	(क) कृषि चुनबाट उत्पादित सेतो चुन	के.जि.	३५.००	३७.१०	३७.१०	
	(ख) विभिन्न प्रकारको रंगिन चुन	”	४०.००	४२.४०	४२.४०	
	(ग) विभिन्न प्रकारको भारतिय चुन रंगिन	”	४०.००	४२.४०	४२.४०	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	
	(थ) सिमेन्ट प्राइमर सेतो	”	२७०.००	२८८.००	२८८.००	
	छ) उड प्राइमर (Wood Primer)	लिटर	३७६.००	३८९.००	३८९.००	
	(ङ) साधारण सेन्थेटिक इनामेल पेन्ट	लिटर	५४४.००	५४२.००	५४२.००	
	च) नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	५०६.००	४९२.००	४९२.००	
	(ज) कोरुगेटेड रुफ Paint	”	५००.००	५६५.००	५६५.००	
	(झ) तयारी अल्मुनियम पेन्ट	”	५४६.००	४५५.००	४५५.००	
	(ञ) तयारी वार्नेस	”	४४०.००	४५५.००	४५५.००	
	(ट) तयारी वार्नेर सेन्थेटिक	”	३७५.००	३५१.००	३५१.००	
	(ठ) भारतिय थिनर	”	१५०.००	२३८.००	२३८.००	
	ड) उड एण्ड ग्लास पुटिन	के.जी	१३१.००	१३६.००	१३६.००	
	ढ) मेटल पुटिन	,,	१५५.००	१६०.००	१६०.००	
	ण) चुना पेन्ट गर्न राख्ने गम	,,	२६७.००	२१०.००	२१०.००	
	त) नेपाली थिनर	लिटर	१५०.००	२२४.००	२२४.००	
	(द) तारपिन तेल	”	१५०.००	२२१.००	२२१.००	
	(ध) रेड अकसाइड पेन्ट (Red oxide Paint)	”	२७५.००	२७०.००	२७०.००	
	(न) उड प्रिजरभेटिव पेन्ट	”	३००.००	२३६.००	२३६.००	
	(प) Black Japan Paint	”	२८६.००	४९६.००	४९६.००	
	(फ) राम तिलक	के.जि.	६०.००	५७.००	५७.००	
	(ब) गेरु रंग	के.जि.	१३७.००	१४१.००	१४१.००	
	(भ) चप्रा पालिस	के.जि.	१,१००.००	१,३६४.००	१,३६४.००	
	(म) तयारी वासेवल डिस्टेम्पर (Asian , Berger or equivalent)	लि.	१७५.००	२३१.००	२३१.००	
	य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५७०.००	५४४.००	५४४.००	
	य) तयारी वेदरकोट पेन्ट (exterior)	लि.	६७०.००	६५२.००	६५२.००	
	(र) Road Marking Paint	”	५७९.००	५९९.००	५९९.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	(ल) लिनसिड आयल (linsed Oil)	"	२१५.००	२२१.००	२२१.००	
	(व) स्थानीय स्प्रीट	लि.	११८.००	१२१.००	१२१.००	
	(स) मोविकल/फेविकल	के.जि.	३००.००	२७१.००	२७१.००	
	(ष) Tata Red Oxide Paint	"	२७५.००	३०२.५०	३०२.५०	
	(ह) गट्टा चुन (ईण्डीयन)	"	३५.००	३८.५०	३८.५०	
	(क्ष) Wall putty equaivalient Asian , Berger & other company.	के.जि.	४०.००	४०.००	४०.००	
	(त्र) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००	
	wood keeper (chapara type)	लि.	६००.००	६६०.००	६६०.००	
	Redoxide zink cromate primer For Bridge	लि.	४६३.००	४७९.००	४७९.००	
	Silk Breathless easy	लि.	१,२१६.००	१,३१९.००	१,३१९.००	
	Road divider (polythene)	गोटा	१,६२२.००	१,७८०.००	१,७८०.००	
	Dust bin (polythene) 165 ltr	गोटा	३,०८३.००	३,३८२.००	३,३८२.००	
	Wall putty Epoxy flooring		-	-	-	
	wall plast wall putty (40kg)	ब्याग	१,३०६.००	१,३८४.३६	१,३८४.३६	
	Readymade Plaster of Parish cornice and molding		-	-	-	
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
	Plaster of paris	के.जि.	२३.००	२३.००	२३.००	
	Wall putty-Normal	के.जि.	३५.००	३५.००	३५.००	
	Wall putty-water proof	के.जि.	६०.००	६०.००	६०.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	२,०८२.००	२,२०६.९२	२,२०६.९२	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३,६८८.००	३,९०९.२८	३,९०९.२८	
	Epoxy Paint for Operation theater	"	११,५०९.००	१२,१९९.५४	१२,१९९.५४	
37.2	**Decorative Painting Material Acro & equivalents**		-	-	-	
A	**Specialized paints(Dr. wallz)**		-	-	-	
1	Acro Bio-guard (Anti bacterial Hospital Paint)	लिटर	१,०९९.००	१,०९९.००	१,१५०.००	
2	Acro Ellastocrab (Anti carbonisation paint)	"	७६२.००	७६२.००	८००.००	
B	**Texture paints**		-	-	-	
1	Mediterrano	के.जि	१७६.००	१७६.००	१८०.००	
2	Stucco Veneziano	"	१,६३९.००	१,६३९.००	१,६३९.००	
3	Velvetino	"	४,३०५.००	४,३०५.००	४,३०५.००	
4	Travertino	"	४१२.००	४१२.००	४१२.००	
5	Gtone plaster	"	१२१.००	१२१.००	१२१.००	
6	Colorato (Multi color)	"	९२१.००	९२१.००	९२१.००	
7	Pearl skin texture	"	१४९.००	१४९.००	१४९.००	
8	TS 52 Spray white	"	१९९.००	१९९.००	१९९.००	
9	Rustic	"	१५९.००	१५९.००	१५९.००	
10	Rockart	लिटर	१५९.००	१५९.००	१५९.००	
11	Manhattan	के.जि	२३८.००	२३८.००	२३८.००	
12	Sabbia	"	२३८.००	२३८.००	२३८.००	
13	Sandy Stone	"	१७४.००	१७४.००	१७४.००	
14	Insulplast	"	२३७.००	२३७.००	२३७.००	
15	Poly Under White	"	२६४.००	२६४.००	२६४.००	
16	Antica(Top coat)	"	१,२६७.००	१,२६७.००	१,२६७.००	
17	T.C 100(Top coat)	"	७२८.००	७२८.००	७२८.००	
18	Dekorica White	"	२,६३१.००	२,६३१.००	२,६३१.००	
19	Poly Plaster	"	१०७.००	१०७.००	१०७.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
20	Granite tone	"	१६५.००	१६५.००	१६५.००	
21	Graffiato	"	१५९.००	१५९.००	१५९.००	
22	Elligance stone	"	१८९.००	१८९.००	१८९.००	
23	Marmorino Base	के.जि	४१२.००	४१२.००	४१२.००	
24	Acro fine	लिटर	१८१.००	१८१.००	१८१.००	
25	Marmocastro base	के.जि	१३९.००	१३९.००	१३९.००	
26	Selva Granite	"	२१५.००	२१५.००	२१५.००	
27	Romart	"	२३९.००	२३९.००	२३९.००	
C	**Weathercoat paints**		-	-	-	
1	Guard	लिटर	५०३.००	५०३.००	५०३.००	
2	Guard -3x	"	५८८.००	५८८.००	६००.००	
3	Shield	"	३२२.००	३२२.००	३३५.००	
4	Acrotex matt	"	५१०.००	५१०.००	५१५.००	
5	Ext wall Primer	"	२३८.००	२३८.००	२४५.००	
D	**Emulsion Paints**		-	-	-	
1	silk Emulsion paints	"	५२२.००	५२२.००	५४०.००	
2	Aqualin Int.Emulsion	"	२८०.००	२८०.००	२९०.००	
3	pearl Emulsion paints	"	७७२.००	७७२.००	८००.००	
4	int. wall Primer	"	१७२.००	१७२.००	१७५.००	
E	Acrylic Washable Distemper	"	१४२.००	१४२.००	१४५.००	
F	Acro gold Enamel	"	५१२.००	५१२.००	५२५.००	
G	Universal primer (wood primer)	"	३१३.००	३१३.००	३२५.००	
H	Red oxide metal primer	"	२७६.००	२७६.००	२८५.००	
I	**Construction Chemical / waterproof coating system**		-	-	-	
	crack sill	"	३८७.००	३८७.००	४००.००	
	crack fill A+B	"	१७०.००	१७०.००	१७५.००	
J	**Silicon Bases water repellent impregnation**		-	-	-	
	Acropreg	"	४६६.००	४६६.००	४८०.००	
	Acropreg W	"	६१९.००	६१९.००	६४०.००	
	Wall putty	के.जि.	३९.००	३९.००	४०.००	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works		-	-	-	
1	**Acro Spanezia maestro finishes texture**		-	-	-	
1.1	Mediterrano texture	व.फि.	१२८.००	१२८.००	१२८.००	
1.2	Traventino texture	"	१९५.००	१९५.००	१९५.००	
1.3	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
1.4	Gtone plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
1.5	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
1.6	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
1.7	Marmorino texture	"	१५६.००	१५६.००	१५६.००	
2	**Acro texture**		-	-	-	
2.1	Acro spray flat/Acro spray dews texture	व.फि.	७५.००	७५.००	७५.००	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
2.3	Rustic texture	"	९९.००	९९.००	९९.००	
2.4	Rockart texture	"	९३.००	९३.००	९३.००	
2.5	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
2.6	Marmocastro texture	"	९०.००	९०.००	९०.००	
2.7	Marmoplast texture	"	९०.००	९०.००	९०.००	
2.8	Sabbia texture	"	११२.००	११२.००	११२.००	
2.9	Manhattan texture	"	११२.००	११२.००	११२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
2.10	Sandy stone texture	"	१५४.००	१५४.००	१५४.००	
2.11	Selva Granite texture	"	११६.००	११६.००	११६.००	
2.12	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
2.13	Granite tone texture	"	९८.००	९८.००	९८.००	
2.14	Romaart texture	"	१२४.००	१२४.००	१२४.००	
2.15	Insulplast texture	"	१३५.००	१३५.००	१३५.००	
3	**Acro Bio-guard (Hospital Paint)**	"	५४.००	५४.००	५४.००	
4	**Acro Ellastocarb(anti carbonisation paint)**	"	३८.००	३८.००	३८.००	
1	**EXTERIOR SURFACE WEATHERCOAT PAINTS**		-	-	-	
	1.ACROGUARD 3X	व.फि.	२३.००	२३.००	२३.००	
	2. ACROGUARD	"	२१.००	२१.००	२१.००	
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	4. ACROTEX MATT	"	३१.००	३१.००	३१.००	
2	**INTERIOR SURFACE EMULSION PAINTS**		-	-	-	
	1. ACROPEARL EMULSION PAINTS	व.फि.	२४.००	२४.००	२४.००	
	2. ACROSILK EMULSION PAINTS	"	२०.००	२०.००	२०.००	
	3. AQUALIN EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	११.००	११.००	११.००	
	5. ACRO GOLD ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
	Expansion joint		-	-	-	
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	र.मि	१५,४५०.००	१५,४५०.००	१५,४५०.००	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	"	१२,८७५.००	१२,८७५.००	१२,८७५.००	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	"	१४,९३५.००	१४,९३५.००	१४,९३५.००	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	"	१८,०२५.००	१८,०२५.००	१८,०२५.००	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	"	२५,७५०.००	२५,७५०.००	२५,७५०.००	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat.	"	१३,३९०.००	१३,३९०.००	१३,३९०.००	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat.	"	१९,०५५.००	१९,०५५.००	१९,०५५.००	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	"	२८,८४०.००	२८,८४०.००	२८,८४०.००	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	"	१२,३६०.००	१२,३६०.००	१२,३६०.००	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	"	२१,११५.००	२१,११५.००	२१,११५.००	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	"	३३,४७५.००	३३,४७५.००	३३,४७५.००	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	"	३६,०५०.००	३६,०५०.००	३६,०५०.००	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	"	३८,६२५.००	३८,६२५.००	३८,६२५.००	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	"	१६,४८०.००	१६,४८०.००	१६,४८०.००	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to70mm)	"	३१,९३०.००	३१,९३०.००	३१,९३०.००	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	"	१९,३१३.००	१९,३१३.००	१९,३१३.००	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	"	२९,३५५.००	२९,३५५.००	२९,३५५.००	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	"	९,२७०.००	९,२७०.००	९,२७०.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	"	१,५४५.००	१,५४५.००	१,५४५.००	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	"	२,०६०.००	२,०६०.००	२,०६०.००	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	"	१५,४५०.००	१५,४५०.००	१५,४५०.००	
22	Stair Nosing VEDA France MDM VD 320/550/1010	"	९,७८५.००	९,७८५.००	९,७८५.००	
38	**Wall Paper**		-	-	-	
	Wall paper (10m.x 0.53m)	रोल	१,२३६.००	१,२३६.००	१,२३६.००	
	Fittings for wall paper	व.फि	७.००	७.००	७.००	
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००	
39	**Eradication of peepal & other plants**		-	-	-	
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"–2" thickness	”	-	-	-	
	c) Stem up to 2"–3" thickness	”	-	-	-	
	d) Stem up to 3"–4" thickness	”	-	-	-	
40	**Gypsum board**		-	-	-	
40.1	**Supplying and fixing of Thai gypsum board application work**		-	-	-	
	i) फल्स सिलिङ्ग गर्नै	व.फि	-	-	-	
	ii)Water resistant false ceiling	,,	-	-	-	
	iii)Wall partition	,,	११९.००	११९.००	११९.००	
	iv)Wall paneling	,,	७९.००	७९.००	७९.००	
	v)Metalized polited laminated Board (MPL) board	,,	७६.००	७६.००	७६.००	
	12.5mm thick Gypsum Board False ceiling including all necessary material	,,	७०.००	७०.००	७०.००	
41	**Calcium Silicate Board supplying & fitting all complete work**		-	-	-	
41.1	RAMCO HILLUX Brand		-	-	-	
	6mm thick	व.फि	-	-	-	
	8mm thick	,,	-	-	-	
	10mm thick	,,	-	-	-	
	12mm thick	,,	-	-	-	
41.2	**Cement flexy board False ceiling work**		-	-	-	
	Ceiling work 6mm thick	व.मी.	-	-	-	
	Floring board 25mm*8ft*4ft	गोटा	-	-	-	
	Wooden Plank 8*150*3000mm	,,	-	-	-	
	Skirting 8*50*300mm	,,	-	-	-	
	Texture board 6mm*8ft*4ft	,,	-	-	-	
	Solid infill wall 3"	व.मी.	-	-	-	
	Laminated safety glass6.38mm	,,	-	-	-	
	Structure glazing with lamonated saftey glass 6.38	,,	-	-	-	
41.3	**Solid Infill wall (Shera, Everest or Thai Gypsum or equivalent**		-	-	-	
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३,७९३.००	३,७९३.००	३,७९३.००	
41.4	Solid Infill wall (Chinese or equivalent)		-	-	-	
	Solid infill wall 3"	व.मी.	१,७७०.००	१,७७०.००	१,७७०.००	
41.5	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+-2 kg /cu mtr		-	-	-	
	Solid infill wall 50mm	व.मी.	३,२८८.००	३,२८८.००	३,२८८.००	
42	**Interlocking Cement Concrete Block(** Not less than M20 RCC Block **)**		-	-	-	
	a) Curb stone (M 25)	र.मि.	१,२००.००	१,२००.००	१,२००.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	25 mm thick C.C. Tile (Grey color)		-	-	-	
	Burfi , Round , Boby Checker	व.फि	४४.१०	४४.१०	४४.१०	
	25 mm thick C.C. Tile (Red color)		-	-	-	
	Burfi , Round , Boby Checker	व.फि	४६.२०	४६.२०	४६.२०	
	50 mm thick CC Block (Grey color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५३.५५	५३.५५	५३.५५	
	50 mm thick CC Block (Red color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५४.६०	५४.६०	५४.६०	
	60 mm thick CC Block (Grey color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५५.६५	५५.६५	५५.६५	
	60 mm thick CC Block (Red color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५७.७५	५७.७५	५७.७५	
	70 mm thick CC Block (Red color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	६४.०५	६४.०५	६४.०५	
	60 mm thick CC Block (Ocm or equivalent)		-	-	-	
	Brick type (23*11*6cm)non colour	गोटा	१०.५०	१०.५०	१०.५०	
	Hexagon (22*22 cm) non colour	,,	२४.१५	२४.१५	२४.१५	
	Hexagon (22*22 cm) colour		२६.२५	२६.२५	२६.२५	
	Squire paver (30*30*4.5cm)non colour	,,	३३.६०	३३.६०	३३.६०	
	Squire paver (30*30*4.5cm)colour		३५.७०	३५.७०	३५.७०	
	inter block(24*13*6cm)	,,	१४.७०	१४.७०	१४.७०	
	Isave paver (20*16*6cm)	,,	१६.८०	१६.८०	१६.८०	
	supply of concrete Block different items United concrete or other Equivailent		-	-	-	
	Hollow Block (16"*8"*6")	गोटा	८१.९०	८१.९०	८१.९०	
	Hollow Block (16"*8"*4")	,,	७२.४५	७२.४५	७२.४५	
	Corner Hollow Block (16"*8"*6")	,,	९३.४५	९३.४५	९३.४५	
	Lintel Block (16"*8"*6")	,,	९३.४५	९३.४५	९३.४५	
	Pavers Block (fish or other shape) 60mm thick	,,	२१.००	२१.००	२१.००	
	concrete Brick (9"*4"*2.5")	,,	१३.६५	१३.६५	१३.६५	
43	**छानामा टाइलको वुट्टा काट्ने र पानी पट्टी कार्य**		-	-	-	
	(१.४) भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १"वाक्लो प्लाष्टरमा रुफिङ टाइलको वुट्टा काट्ने सामान सहित (तयारी)	व.मि.	-	-	-	
	१"×३" साइजको (१.४) भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम (तयारी)	र.मी	-	-	-	
44	**Heritage Wall Surface Texture (Interior and Exterior) including the cost supplying and fitting**		-	-	-	
	i) Heritage granular	व.फि	१००.००	१००.००	१००.००	
	ii) Heritage flakes	,,	१२४.००	१२४.००	१२४.००	
	iii) Heritage granite finish	,,	१०८.००	१०८.००	१०८.००	
	iv) Heritage Top coat (plastic lamination)	,,	२९.००	२९.००	२९.००	
45	**UPVC Profile Door and Window/ Wall partition**		-	-	-	
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc.		-	-	-	
	UPVC को झ्याल, ढोका तथा wall partition का निर्माण सामाग्रीहरु		-	-	-	
	i) Single glazing		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि.	७,२१५.००	७,२१५.००	७,२१५.००	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	,,	६,६६४.००	६,६६४.००	६,६६४.००	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	,,	७,४९३.००	७,४९३.००	७,४९३.००	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	,,	७,४९३.००	७,४९३.००	७,४९३.००	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	,,	८,२१४.००	८,२१४.००	८,२१४.००	
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	,,	८,३२८.००	८,३२८.००	८,३२८.००	
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	,,	८,८८४.००	८,८८४.००	८,८८४.००	
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	,,	८,८८४.००	८,८८४.००	८,८८४.००	
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	,,	८,६०६.००	८,६०६.००	८,६०६.००	
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	,,	९,९९१.००	९,९९१.००	९,९९१.००	
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	,,	८,६२६.००	८,६२६.००	८,६२६.००	
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	,,	९,७९६.००	९,७९६.००	९,७९६.००	
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	,,	१०,३५३.००	१०,३५३.००	१०,३५३.००	
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	,,	१०,७१७.००	१०,७१७.००	१०,७१७.००	
13	UPVC60x60mm white colour swing door with 5mm glass pannel		६,७२७.००	६,७२७.००	६,७२७.००	
	ii) Double glazing		-	-	-	
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि.	९,४३५.००	९,४३५.००	९,४३५.००	
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	,,	८,९३५.००	८,९३५.००	८,९३५.००	
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	,,	९,७१८.००	९,७१८.००	९,७१८.००	
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	,,	९,७१८.००	९,७१८.००	९,७१८.००	
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	,,	१०,४३९.००	१०,४३९.००	१०,४३९.००	
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	,,	१०,५४७.००	१०,५४७.००	१०,५४७.००	
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	,,	११,१०३.००	११,१०३.००	११,१०३.००	
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	,,	१०,८२५.००	१०,८२५.००	१०,८२५.००	
9	Supply & fixing of 80*50 mm white colour casement window	,,	९,६११.००	९,६११.००	९,६११.००	
46	**Prefab Panel for wall Partition solid wall panel (ESWP) or Equivailent**		-	-	-	
46.1	Supply and erection of different mm th. cement base prefabricated Shera, thai gypsum,everst solid wall panel non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in **partation wall** all complete		-	-	-	
	a)40 mm thick	व.फि	-	-	-	
	b)50 mm thick	,,	२३९.००	२३९.००	२३९.००	
	c) 75 mm thick	,,	३०२.००	३०२.००	३०२.००	
46.2	**False ceiling/ partition/ external cladding of everest or equivallent fibre designer board**		-	-	-	
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	९३.००	९३.००	९३.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	,,	२७९.००	२७९.००	२७९.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	,,	२४४.००	२४४.००	२४४.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	,,	३११.००	३११.००	३११.००	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	,,	२७४.००	२७४.००	२७४.००	
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	,,	२१७.००	२१७.००	२१७.००	
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	,,	२८८.००	२८८.००	२८८.००	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	,,	-	-	-	
46.4	Cement board Aerocon C Board CK Birala , Everest or equivalent		-	-	-	
	6 mm thick	,,	३४.००	३४.००	३४.००	
	8 mm thick	,,	४२.००	४२.००	४२.००	
	10 mm thick	,,	५३.००	५३.००	५३.००	
	12 mm thick	,,	६४.००	६४.००	६४.००	
46.5	**Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire**		-	-	-	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	३९३.००	३९३.००	३९३.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	,,	४२४.००	४२४.००	४२४.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	,,	५२४.००	५२४.००	५२४.००	
	Joint less false celling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	,,	११२.००	११२.००	११२.००	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent		-	-	-	
	50 mm thick	,,	२६३.००	२६३.००	२६३.००	
	75 mm thick	,,	३४७.००	३४७.००	३४७.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	,,	२८२.००	२८२.००	२८२.००	
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	,,	२८६.००	२८६.००	२८६.००	
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	,,	२५०.००	२५०.००	२५०.००	
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	,,	३१९.००	३१९.००	३१९.००	
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	,,	३५९.००	३५९.००	३५९.००	
47	**Aluminium &Steel Door & Window**		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
47.1	Mention rates are including supplying of necessary chemicals, materials,fittings, labours as per manufacturer's specifications all complete or as per consultant's direction.		-	-	-	
	Aluminum fixed panel window with ventilation but without fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	व.फि	५२९.३९	५२९.३९	५२९.३९	
	Aluminum fixed panel window with ventilation but with fly mesh shutter from section. (88×38×1.20) mm and 5 mm glass.	,,	५६८.६४	५६८.६४	५६८.६४	
	Aluminum sliding windows without ventilator from section (101×45×1.50) mm and 5 mm glass.	,,	५५४.८५	५५४.८५	५५४.८५	
	Do but with ventilator from section (101×45×1.50)mm and 5 mm glass.	,,	५९५.१६	५९५.१६	५९५.१६	
	Siding door with naturally anodized color section of (101×45×1.50)mm (40×45×1.5)mm & 5 mm glass.	,,	६८४.२८	६८४.२८	६८४.२८	
	Siding door with naturally anodized color section of (78×38×1.30)mm (40×45×1.5)mm & 5 mm glass.	,,	४२७.५४	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (88×45×1.10)mm, (38×34×1.10)mm & 5 mm glass.	,,	४२७.५४	४२७.५४	४२७.५४	
	Casement double panel aluminum windows with ventilation. Section size (54×33×1.50)mm, (38×34×1.50)mm & 5 mm glass.	,,	५२९.३९	५२९.३९	५२९.३९	
	Casement door of aluminum section in naturally anodized color. Section size (100×38×1.30) mm and 5 mm glass.	,,	४७४.२२	४७४.२२	४७४.२२	
	Casement door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	,,	६४८.२१	६४८.२१	६४८.२१	
	Swing door door of aluminum section in naturally anodized color. Section size (101×45×1.50) mm and 5 mm glass.	,,	६४८.२१	६४८.२१	६४८.२१	
	Siding windows 2 track in naturally anodized color section of (88×38×1.10)mm 5 mm glass.	,,	३७८.७४	३७८.७४	३७८.७४	
	Siding windows 2 track in naturally anodized color section of (88×38×1.30)mm 5 mm glass.	,,	५०२.८७	५०२.८७	५०२.८७	
	Fixed windows & partitions with fixed ventilators from 9mm board and section (101×45×1.50)mm	,,	५०२.८७	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (101 x45x1.2)	,,	५०२.८७	५०२.८७	५०२.८७	
	Aluminium partition with 5 mm thick glass and 9 mm thick laminated board of section (64 x38x1.2)	,,	४७६.३४	४७६.३४	४७६.३४	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी.समेत सादा	,,	५२१.९६	५२१.९६	५२१.९६	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा समेत भएको ।	,,	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. सहित (सादा)	,,	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनेल भएको स्लाइडिङ झ्याल फिक्स भेन्टीलेसन भएको (८५X५०X१.२० मी.मी.) शिशा ५ मी.मी. जाली खापा सहित भएको ।	,,	५२१.९६	५२१.९६	५२१.९६	
	102 series windows		-	-	-	
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	५५२.७३	५५२.७३	५५२.७३	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६३१.२४	६३१.२४	६३१.२४	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४६४.६७	४६४.६७	४६४.६७	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	90 series windows		-	-	-	
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५१९.८४	५१९.८४	५१९.८४	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	५४८.४९	५४८.४९	५४८.४९	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४३६.०३	४३६.०३	४३६.०३	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'*4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	78 series windows		-	-	-	
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*4'6" or avg area 27 sqft per window)	"	४५६.१९	४५६.१९	४५६.१९	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'*5' or avg area 30 sqft per window)	"	४८६.९५	४८६.९५	४८६.९५	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	४०८.४५	४०८.४५	४०८.४५	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'*4'6")	"	१३४.७३	१३४.७३	१३४.७३	
	Casement window and doors		-	-	-	
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	५३४.६९	५३४.६९	५३४.६९	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	५८०.३१	५८०.३१	५८०.३१	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	७३८.३९	७३८.३९	७३८.३९	
	Partition work		-	-	-	
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३४९.०४	३४९.०४	३४९.०४	
	Providing and fixing aluminum low height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	३७१.३२	३७१.३२	३७१.३२	
	Providing and fixing aluminum full height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 10 sqft	"	३९९.९६	३९९.९६	३९९.९६	
	Providing and fixing aluminum low height partation of section 102 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel aera 6 sqft	"	४९७.५६	४९७.५६	४९७.५६	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Structure glazing		-	-	-	
	Providing and fixing aluminuim structure glazing of section size 61*50*1.3 m fitted with 5 m colour glass av. Panel area 6 sqft	"	५५६.९७	५५६.९७	५५६.९७	
	Providing and fixing aluminuim structure glazing of section size 61*75*1.6 m fitted with 5 m colour glass av. Panel area 6 sqft	"	६४६.०९	६४६.०९	६४६.०९	
	Providing and fixing aluminuim structure glazing of section size 61*100*2 m fitted with 5 m colour glass av. Panel area 6 sqft	"	७८५.०७	७८५.०७	७८५.०७	
48	**Aluminium composite panel**		-	-	-	
48.1	**Providing and fixing aluminium composite panel in 25*38*1.1 m tube framing ALSTRONG, PRIME BOND,ALUTUF , INDO BOND or equivalent**		-	-	-	
	3 mm , .20 mm black core	व.फि	३७१.३२	३७१.३२	३७१.३२	
	3 mm , .25 mm black core	"	३८०.८६	३८०.८६	३८०.८६	
	3 mm , .30 mm black core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .25 mm black core	"	४०४.२०	४०४.२०	४०४.२०	
	4 mm , .30 mm black core	"	३९४.६४	३९४.६४	३९४.६४	
	4 mm , .50 mm black core	"	४१७.९९	४१७.९९	४१७.९९	
	4 mm , .25 mm Vergin core	"	४२७.५४	४२७.५४	४२७.५४	
	4 mm , .30 mm vergin core	"	३९४.६५	३९४.६५	३९४.६५	
	4 mm , .50 mm vergin core	"	४२७.५४	४२७.५४	४२७.५४	
48.2	**Steel Door & Windows**		-	-	-	
	Supplying and Fixing of 50 mm steel Door with frame size (90*80*1 mm)and both side 0.5 mm thick steel and honey comb paper in between steel in shuttert including peep hole 3pcs 130mm size hinges heavy duty lock (in five place and all other necessary accesories all complete.	व.फि	-	-	-	
49	**Water proofing (chemicals & Tretment)works**		-	-	-	
1	**CONCRETE ADMIXTURES (Chemical)**		-	-	-	
1.1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] Std. Conformance : ASTM C 494 - 1981 (Type A) / IS 2645 **Dose** 0.3 to 1.1 % by.wt. cement	के.जि.	१५७.५०	१५९.००	१५९.००	
1.2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] Std. Conformance : ASTM C 494 - 1981 (Type F) / IS 9103 -1999 Dose 0.2 to 3 % by wt of cement	"	२६२.५०	२६६.००	२६६.००	
1.3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type F) **Dose** :0.2 to 1.6 % by wt of cement	"	४७२.५०	४७९.००	४७९.००	
1.5	Integral Waterproofing Additive for Concrete & Plaster Std. Conformance : ASTM C 494 - 1981 (Type G), IS 9103 -2007, IS 2645 Dose :0.4 to 2% by wt of cement	"	३१५.००	३१९.००	३१९.००	
1.6	Integral Crystalline Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	"	१,०५०.००	१,०६६.००	१,०६६.००	
1.7	Integral Crystalline Waterproofing Liquid Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.5 to 2% by wt of cement	"	१,०५०.००	१,०६६.००	१,०६६.००	
1.8	Integral Waterproofing Powder Admixture Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose :0.2 to 2 % by wt of cement	"	१,३१२.५०	१,३३२.००	१,३३२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
1.9	Integral Waterproofing Powder Admixture for Mortars Std. Conformance : ASTM C 494, IS 3085 -1997, DIN 1048 - 1991 Part 5 Dose : 0.2 to 1 % by wt of cement	"	१८९.००	१९१.००	१९१.००	
1.1	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	"	२६२.५०	२६६.००	२६६.००	
1.11	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	"	३६७.५०	३७३.००	३७३.००	
1.12	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free]	"	३६७.५०	३७३.००	३७३.००	
1.13	Retarding Superplasticiczer for Concrete [Napthalene Based] Std. Conformance : ASTM C 494 - 1981 (Type G / D), IS 9103 - 2007 Dose 0.2 to 3 % by wt of cement	"	२६२.५०	२६६.००	२६६.००	
1.14	Retarding Superplasticiczer for Concrete [Polycarboxylate Ether Based] Std. Conformance : ASTM C 494 - 1981 (Type G) Dose : 0.2 to 2.2 % by wt of cement	"	४७२.५०	४७९.००	४७९.००	
1.15	Resin ,Multi /polyvcarboxylate ether cholride free less alkali super plasticizer and micro siloica in one ASTM C494 Dose :0.5 to 2.1 % by wt of cement	"	६९६.१५	७१५.००	७१५.००	
2	**CONCRETE ADMIXTURES (Mineral)**		-	-	-	
2.1	Silica Fume / Silica Cement Admixture / Micro Silica for High Performance Concrete Std. Conformance : ASTM C 1240 - 2005, IS 15388 - 2003 Dose :5 to 15 % by wt of cement	के.जि.	३४६.५०	३५१.००	३५१.००	
2.2	Processed FA Based Mineral Additives Dose :5 to 20 % by wt of cement	"	८९.२५	९०.००	९०.००	
3	**JOINT SEALANTS & SYSTEMS**		-	-	-	
3.1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जि.	१,८००.००	१,९१९.००	१,९१९.००	
3.2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	"	१,८००.००	१,९१९.००	१,९१९.००	
3.3	One Component Low Viscosity Primer For Polysulfide Sealant	"	३,०००.००	३,१९८.००	३,१९८.००	
3.4	Two Component Pour Grade Polyurethane Sealant for Joints	"	२,०००.००	२,१३२.००	२,१३२.००	
3.5	Low Viscosity Primer For Polyurethane Sealant	"	३,०००.००	३,१९८.००	३,१९८.००	
3.6	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१,२००.००	१,२७९.००	१,२७९.००	
3.7	Butyl Tape for various Applications	र.मी	१२५.००	१३३.००	१३३.००	
3.8	Waterproofing Joint Tape [120 mm]	"	५५०.००	५८६.००	५८६.००	
3.9	Waterproofing Joint Tape [200 mm]	"	७५०.००	७९९.००	७९९.००	
3.10	NBR based Waterproofing Joint Tape [200 mm]	"	४,०००.००	४,२६४.००	४,२६४.००	
3.11	Joint Tape Epoxy Adhesive	के.जि.	३,०००.००	३,१९८.००	३,१९८.००	
3.12	Glass Fiber Joint Tape	र.मी	२७५.००	२९३.००	२९३.००	
3.13	Waterproofing / Expansion Joint Tape [100 mm]	"	१,५००.००	१,५९९.००	१,५९९.००	
3.14	Waterproofing / Expansion Joint Tape [200 mm]	"	२,७००.००	२,८७८.००	२,८७८.००	
3.15	Construction Joint Tape [100 mm]	"	८००.००	८५२.००	८५२.००	
3.16	Construction Joint Tape [100 mm]	"	८००.००	८५२.००	८५२.००	
3.17	Cross Linked Premoulded Compressive Joint Filler [25 mm]	व.मि.	२,४५०.००	२,६१२.००	२,६१२.००	
3.18	Cross Linked Premoulded Compressive Joint Filler [50 mm]	"	४,८५०.००	५,१७१.००	५,१७१.००	
3.19	Closed Cell Polymerbased Joint Filler [25 mm]	"	८००.००	८५२.००	८५२.००	
3.2	Closed Cell Polymerbased Joint Filler [50 mm]	"	१,५००.००	१,५९९.००	१,५९९.००	
4	**INDUSTRIAL FLOORING SOLUTIONS**		-	-	-	
4.1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के.जि.	१२०.००	१२७.००	१२७.००	
4.2	Liquid Concrete Hardener & Dust Proofer	"	४५०.००	४७९.००	४७९.००	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	"	२,५००.००	२,६६५.००	२,६६५.००	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	"	३,०००.००	३,१९८.००	३,१९८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	"	२,०००.००	२,१३२.००	२,१३२.००	
4.6	Self Levelling Flooring System [Epoxy]	"	१,१७८.००	१,४६६.००	१,४६६.००	
4.7	Self Levelling Flooring System [Polyurethane]	"	१,७६७.००	२,२१२.००	२,२१२.००	
4.8	Self Levelling Cementitious Flooring System	"	३५३.००	४४६.००	४४६.००	
5	**ENGINEERING GROUTS**		-	-	-	
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जि.	११०.००	११७.००	११७.००	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	"	१२५.००	१३३.००	१३३.००	
5.3	Hard wearing cementitious tile grout	"	१६०.००	१७०.००	१७०.००	
5.4	Hard wearing epoxy based tile grout	"	१,०००.००	१,०६६.००	१,०६६.००	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	"	५००.००	५३३.००	५३३.००	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchorgrout	"	२,५००.००	२,६६५.००	२,६६५.००	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Ml Cartridge]	मि.लि.	४,५००.००	४,७९७.००	४,७९७.००	
5.8	Low Viscosity Injection Epoxy Grout	के.जि.	७,५००.००	७,९९६.००	७,९९६.००	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	"	१२,५००.००	१३,३२७.००	१३,३२७.००	
5.10	Low Viscosity Acrylate Gel Injection Grout	"	८,५००.००	९,०६२.००	९,०६२.००	
5.11	Low Viscosity Soil Stabilization Injection Grout	"	१४,०००.००	१४,९२६.००	१४,९२६.००	
6	**BONDING ADHESIVES (Polymer & Epoxy Resin)**		-	-	-	
6.1	Acrylic Bonding Agent For Concrete & Mortar	के.जि.	७५०.००	७५०.००	७५०.००	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	"	९५०.००	९५०.००	९५०.००	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	"	१,२००.००	१,२००.००	१,२००.००	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	"	१,८००.००	१,८००.००	१,८००.००	
7	**FIBERS (Steel & Polypropylene)**		-	-	-	
7.1	FIBERMESH MF [Monofilament PP Fibers]	के.जि.	१,२००.००	१,२००.००	१,२००.००	
7.2	FIBERMESH FB [Collated PP Fibers]	"	१,५००.००	१,५००.००	१,५००.००	
7.3	FIBERMESH MACRO [Structural PP Fibers]	"	२,०००.००	२,०००.००	२,०००.००	
7.4	Loose steel Fibers	"	२५०.००	२५०.००	२५०.००	
7.5	Glued Steel Fibers	"	३५०.००	३५०.००	३५०.००	
7.6	Crimped Steel Fibers	"	२५०.००	२५०.००	२५०.००	
8	**SURFACE TREATMENT**		-	-	-	
8.1	Protective, Decorative Anti Carbonation Coating	के.जि.	१,२००.००	१,२००.००	१,२००.००	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	"	१,३५०.००	१,३५०.००	१,३५०.००	
8.3	Concrete Penetrating Corrosion Inhibitor	"	४,५००.००	४,५००.००	४,५००.००	
8.4	Protective Acrylic Sealer	"	१,५००.००	१,५००.००	१,५००.००	
8.5	Protective Polyurethane Sealer	"	१,८००.००	१,८००.००	१,८००.००	
8.6	Water Based Fire Retardant Coating	"	१,५००.००	१,५००.००	१,५००.००	
8.7	High Performance Water Repellent Paint	लि.	१०,०९८.००	१०,०९८.००	१०,०९८.००	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	"	५००.००	५००.००	५००.००	
8.9	Ready to use Chemical Mould Release Agent		५००.००	५००.००	५००.००	
8.10	Concrete Curing Aid	के.जि.	४५०.००	४५०.००	४५०.००	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	"	७१४.००	७१४.००	७१४.००	
	CONCRETE REPAIRS		-	-	-	
9	Rust Remover & Passivator	लि.	१,०००.००	१,०००.००	१,०००.००	
9.1	Corrosion Inhibitor	के.जि.	१,२००.००	१,२००.००	१,२००.००	
9.2	Micro Concrete [M55] for Permanant Repairs	"	१४०.००	१४०.००	१४०.००	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	"	१७५.००	१७५.००	१७५.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	"	२५०.००	२५०.००	२५०.००	
9.5	Cementitious, Waterproof Crack Repair Mortar	"	२००.००	२००.००	२००.००	
9.6	Acrylic Based Crack Filling Putty	"	१,२००.००	१,२००.००	१,२००.००	
9.7	Resin ,Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	"	७१४.००	७१४.००	७१४.००	
	PREPACKED MORTARS		-	-	-	
10	Tile, Mabrble, Granite etc. Adhesive	के.जि.	८५.००	८५.००	८५.००	
10.1	Marble & Granite etc. Adhesive	"	३५०.००	३५०.००	३५०.००	
10.2	Coarse and water resistant Readymix plastring Mortar	"	८५.००	८५.००	८५.००	
10.3	High Performanance Polymer Based Wall Putty (Skim Coat)	"	८५.००	८५.००	८५.००	
10.4	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	"	९०.००	९०.००	९०.००	
10.5	**WATERPROOFING SYSTEMS**		-	-	-	
11	**INTEGRAL**		-	-	-	
	Integral Waterproofing Additive for Concrete & Plaster	के.जि.	२७५.००	२७५.००	२७५.००	
11.1	Silica Cement Admixture / Microsilica / Silica Fume	"	३२१.००	३२१.००	३२१.००	
11.2	**LIQUID APPLIED**		-	-	-	
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	के.जि.	७००.००	७००.००	७००.००	
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	"	५००.००	५००.००	५००.००	
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	"	७५०.००	७५०.००	७५०.००	
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	लि.	८५०.००	८५०.००	८५०.००	
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	"	७५०.००	७५०.००	७५०.००	
11.5	Crystalline Based Waterproofing Systems	के.जि.	३५०.००	३५०.००	३५०.००	
11.6	Fast Setting Plugging Compound for stopping running water	"	४००.००	४००.००	४००.००	
11.7	Polyurethane based Waterproofing Coating System	"	१,६५०.००	१,६५०.००	१,६५०.००	
11.8	Polymer Modified Bitumen based Waterproofing Coating System	"	१,२५०.००	१,२५०.००	१,२५०.००	
11.9	Epoxy Resin based Waterproofing Coating System	"	१,६८३.००	१,६८३.००	१,६८३.००	
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	"	६००.००	६००.००	६००.००	
	PREFORMED		-	-	-	
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	व.मि.	१,८००.००	१,८००.००	१,८००.००	
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	"	२,०००.००	२,०००.००	२,०००.००	
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	"	१,०५०.००	१,०५०.००	१,०५०.००	
11.14	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	"	१,५००.००	१,५००.००	१,५००.००	
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	"	१,५००.००	१,५००.००	१,५००.००	
11.16	1.2 mm High Polymer PVC Membranes	"	२,०००.००	२,०००.००	२,०००.००	
11.17	PVC Adhesive	के.जि.	२,५००.००	२,५००.००	२,५००.००	
11.18	1.2 mm EPDM Membranes	व.मि.	२,५००.००	२,५००.००	२,५००.००	
11.19	EPDM Adhesive	के.जि.	२,५००.००	२,५००.००	२,५००.००	
11.20	EPDM Primer	"	३,०००.००	३,०००.००	३,०००.००	
11.21	2mm TPO Membranes	व.मि.	३,५००.००	३,५००.००	३,५००.००	
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	"	८००.००	८००.००	८००.००	
11.23	100% Synthetic Rubber Roof Coating	के.जि.	४,५००.००	४,५००.००	४,५००.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	SPECIALTY		-	-	-	
12	Antistripping Agent for Bitumen	के.जि.	५५०.००	५५०.००	५५०.००	
12.1	Anti Termite [Imidacloprid 30.5%]	"	१२,०००.००	१२,०००.००	१२,०००.००	
12.2	Expanding Concrete Joint WATERSTOP	र.मी	२,५००.००	२,५००.००	२,५००.००	
12.3	WB ADHESIVE Primer for Expanding Waterstop	"	७,५००.००	७,५००.००	७,५००.००	
12.4	Swellable WATERSTOP	"	२,५००.००	२,५००.००	२,५००.००	
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	"	२,५००.००	२,५००.००	२,५००.००	
12.6	Nodular Drain with Geotextile Roof Garden	व.मि.	२,५००.००	२,५००.००	२,५००.००	
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	"	११०.००	११०.००	११०.००	
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	"	१,८००.००	१,८००.००	१,८००.००	
12.9			-	-	-	
	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	व.मि.	३,०००.००	३,०००.००	३,०००.००	
13	**STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING**		-	-	-	
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र.मी	८,५००.००	८,५००.००	८,७००.००	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	"	१०,०००.००	१०,०००.००	१०,२००.००	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	व.मि.	८,०००.००	८,०००.००	८,०००.००	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	"	१२,०००.००	१२,०००.००	१२,०००.००	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	"	१६,०००.००	१६,०००.००	१६,०००.००	
13.6	FRP [Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	"	१२,०००.००	१२,०००.००	१२,३००.००	
13.7	EPOXY PRIMER	के.जि.	३,५००.००	३,५००.००	३,६००.००	
13.8	SATURANT	"	३,५००.००	३,५००.००	३,६००.००	
13.9	LAMINATE ADHESIVE	"	२,५००.००	२,५००.००	२,५५०.००	
13.11	EPOXY TOPCOAT	"	३,५००.००	३,५००.००	३,६००.००	
13.12	POLYURETHANE TOPCOAT	"	४,५००.००	४,५००.००	४,६००.००	
13.13	Fiber anchor system 5to 10 mm	र.मी	२,५००.००	२,५००.००	२,५७५.००	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	"	१०,०००.००	१०,०००.००	१०,२००.००	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	"	१२,०००.००	१२,०००.००	१२,२००.००	
14	**Soil Stabiliser / Admixture**		-	-	-	
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	के.जि.	६८३.००	६८३.००	६८३.००	
15	**Concrete curing compound**		-	-	-	
15.10	*Concrete Curing Aid*	के.जि.	४५३.००	४५३.००	४५३.००	
15.20	Resin,silica based multi function, water proofing and curing compound **Dose** :cover area: 0.15kg/m2	"	७२१.००	७२१.००	७२१.००	
50	**परम्परागत निर्माण सामाग्रीहरु :-**		-	-	-	
	१) दचि अपा ठूलो ८"×२-३/८"×५"	गोटा	२७.००	४५.००	४५.००	
	२) दचि अपा सानो ८३/८"×२-१/८"×४-१/४"	,,	२९.००	३२.००	३२.००	
	३) दचिअपा ठूलोको कुं	,,	३८.००	६०.००	६०.००	
	४) दचिअपा सानोको कुँ अपा	,,	४०.००	४४.००	४४.००	
	५) माँ अपा ठुलो ८-७/८"×२-१/४"×५-३/४"	,,	२२.००	३५.००	३५.००	
	६) माँ अपा ठुलो 241x60x158 mm	,,	२५.००	२५.००	२६.००	
	७) मा अपा सानो ८-३/८"×२"×५"	,,	२२.००	२३.००	२३.००	
	८) धुरी चाङ्ग ठूलो ९-३/८"५-१/२"×३/४	,,	८४.००	८४.००	८५.५०	
	९) धुरी 230x295x25 mm	,,	-	-	-	
	१०) धुरी चाँङ्ग सानो	,,	२५.००	३५.००	३५.००	
	११) झिगटी नयाँ ८-३/४"×४"	गोटा	१२.००	२३.००	२३.००	
	१२) झिगंटी पूरानो	गोटा	८.००	१२.००	१२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	१३) ढुकु	गोटा	८४.००	१००.००	१००.००	
	१४) Snake body brick traditional	गोटा	२८.००	४४.००	४४.००	
	१५) Snake neck brick ,,	गोटा	७८.००	१००.००	१००.००	
	१६) Snake head brick ,,	गोटा	१५२.००	१५२.००	१५२.००	
	क)साना	,,	११९.००	११९.००	११९.००	
	ख)ठुलो	,,	२३८.००	२३८.००	२३८.००	
	१७) पेटीकोलागि ढुङ्गा		-	-	-	
	क) १८"×१०"×४"	,,	१,५१३.८४	१,५१३.८४	१,५१३.८४	
	१८) नागोल ईटा	गोटा	३१.००	४०.००	४०.००	
	१९)९"x ९"x १८ इन्च कुना ढुङ्गा	गोटा		५,४८०.००	५,४८०.००	
	२०) फःल्होह अपा ठुलो 375x225x100mm	गोटा	१७९.००	१७९.००	१७९.००	
	२१) फःल्होह अपा सानो 254x229x102mm	,,	१४९.००	१४९.००	१४९.००	
	२२) तीनकुनै तेलिया ईंटा (९"×९"×२-१/४"	,,	१५.००	१५.००	१५.००	
	२३) तीनकुनै तेलिया ईंटा (६"×६"×२-१/४"	,,	२२.५०	२२.५०	२४.००	
	२४) चारकुनै तेलिया ईंटा (८"×८"	,,	३५.५०	३५.५०	३७.००	
	२५) तेलिया ईंटा (६"×६"	,,	२४.५०	३७.००	३७.००	
	तेलिया ईंटा (सेरामिक)(६"×६"×०.७५")	,,	३९.००	३९.००	३९.००	
	२६) बुट्टेदारी कर्निश इटा (काशीमोहरु)	,,	२८.००	४०.००	४०.००	
	२७) बुट्टेदारी कर्निश इटा कुना	,,	४४.००	५५.००	५५.००	
	२८) बुट्टेदारी कर्निश इटा ठूलो 222x273x76mm	,,	१७९.००	१७९.००	१८२.००	
	२९) भ्याल माथिको कर्निश ईटा बुट्टेदारी	,,	३६.००	३६.००	३७.००	
	३०) काठको कर्निश माथिको इटा ११×६×२.५"	,,	६०.००	६०.००	६१.५०	
	३१) कर्नर स्टोन : १०"×१०"×१४"	,,	१,९००.००	१,९००.००	१,९५०.००	
	३२) क) विचको न्याहाकल्हँ १०"×७"×१४"	,,	१,१३०.००	१,१३०.००	१,१७५.००	
	३३) नागोल ढुङ्गा १८"×१०"×५	,,	८३३.००	८३३.००	८५०.००	
	३४) भौ प्वा	गोटा	२३८.००	१,०००.००	१,०००.००	
	३५) तामा पाता.(नेपाली)	केजी	१,१५०.००	१,१५०.००	१,१७५.००	
	३६)तामा पाता (Indian)	केजी	१,३५०.००	१,३५०.००	१,३७५.००	
	३७) पित्तल पाता	केजी	१,१००.००	१,१००.००	१,१५०.००	
	३८) पारो	ग्राम	३१८.००	३१८.००	३१८.००	
	३९) सूर्कि इटा कुटि धुलो बनाएको ।	टन	१,४२८.००	१,४२८.००	१,४५०.००	
	४०) Wind bell हवा घण्टी ४"	गोटा	४७६.००	४७६.००	५००.००	
	४१) न्हकंल्हो बीचको	गोटा	१,७८५.००	१,७८५.००	१,८००.००	
	४२) पेटीढुङ्गा ४"	मि.	२,४९३.००	२,४९३.००	२,६००.००	
	४३)पेटीढुङ्गा ५"	मि.	३,२८०.००	४,५९२.००	४,५९२.००	
	४४)श्री गणेश १२"x९"	गोटा	१,१९०.००	२,५००.००	२,५००.००	
४५	कुमार १२"x९"	गोटा	१,१९०.००	२,५००.००	२,५००.००	
४६	९ě धारा	गोटा	१,१९०.००	१,१९०.००	१,२५०.००	
४७	ल्हाकै से६	गोटा	२,३७९.००	२,३७९.००	२,६००.००	
४८	नागबेली बुद्दा	गोटा	२६.००	२६.००	२९.००	
४९	नागबेली बुद्दा कुना	गोटा	३९.००	३९.००	४२.००	
५०	स्वा बुद्दा	गोटा	२६.००	२६.००	२९.००	
५१	चीर बुद्दा	गोटा	२६.००	२६.००	२९.००	
५२	कार्नेसफयो	गोटा	२३.००	२३.००	२५.००	
५३	कार्नेस गजुर पली	गोटा	३६.००	३६.००	३७.५०	
५४	ठुलो कलश	गोटा	१७९.००	१७९.००	१८२.००	
५५	मसीनो सूर्कि	केजि	१४.००	१४.००	१५.००	
५६	खस्रो सुर्कि	केजि	८.००	८.००	१०.००	
५७	गट्टा चुन	के.जि.	२६.००	२६.००	२९.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
५८	मा अपा (साइज 200x50x130)	गोटा	१६.००	१६.००	१८.००	
५९	दचि अपा (साइज 200x55x100)	,,	१९.००	१९.००	२०.००	
६०	त्वा अपा (साइज 110x55x180)	,,	३१.००	३१.००	३३.००	
६१	गोल अपा (साइज 120x55x80)	,,	१९.००	१९.००	२०.००	
६२	गणेश अपा (साइज 200x250x35)	,,	३५७.००	३५७.००	३६०.००	
६३	कुमार अपा (साइज 200x250x35)	,,	३५७.००	३५७.००	३६०.००	
६४	तारा अपा (साइज 200x250x55)	,,	३५७.००	३५७.००	३६०.००	
६५	पञ्च बुद्ध अपा (साइज 170x230x55)	,,	३५७.००	३५७.००	३६०.००	
६६	कलस अपा (साइज 100x140x40)	,,	६०.००	६०.००	६०.००	
६७	नागोल अपा (साइज 140x52x120)	,,	२१.००	२१.००	२१.००	
६८	कसिमो अपा (साइज 230x55x100)	,,	३०.००	३०.००	३०.००	
६९	सकली अपा (साइज 140x55x115)	,,	२६.००	२६.००	२८.००	
७०	पानबुट्टा अपा (साइज 140x55x115)	,,	२६.००	२६.००	२८.००	
७१	सानो फ बुट्टा अपा (साइज 180x55x30)	,,	३०.००	३०.००	३०.००	
७२	ठूलो फ बुट्टा अपा (साइज 230x55x110)	,,	३०.००	३०.००	३०.००	
७३	नयां फ बुट्टा अपा (साइज 230x55x110)	,,	३०.००	३०.००	३०.००	
७४	साना ग बुट्टा अपा (साइज 140x50x110)	,,	२६.००	२६.००	२८.००	
७५	ठूलो ग बुट्टा अपा (साइज 230x55x90)	,,	३०.००	३०.००	३०.००	
७६	पुम्हा बुट्टा अपा (साइज 180x55x70)	,,	३०.००	३०.००	३०.००	
७७	तिनकुने स्वाँ अपा (साइज 200x550x30)	,,	३०.००	३०.००	३०.००	
७८	तिनकुने पलि अपा (साइज 200x550x90)	,,	३०.००	३०.००	३०.००	
७९	साना स्वाँ अपा (साइज 140x50x110)	,,	२६.००	२६.००	२८.००	
८०	ठूलो स्वाँ अपा (साइज 2300x55x90)	,,	३०.००	३०.००	३०.००	
८१	नाग टाउको दांयाबांयाँ (साइज 100x150x50)	,,	१४९.००	१४९.००	१४९.००	
८२	नाग घाटी दांयाबांयाँ (साइज 140x60x70)	,,	७८.००	७८.००	७८.००	
८३	नाग जीउ (साइज 140x60x70)	,,	२६.००	२६.००	२८.००	
८४	नाग कन्या/पुरुष (साइज 180x380x55)	,,	५९५.००	७५०.००	७५०.००	
८५	खाल नागोल (साइज 130x55x120)	,,	२१.००	२१.००	२८.००	
८६	खाल फयो (साइज 130x55x135)	,,	२१.००	२१.००	२८.००	
८७	लहरा बुट्टा (साइज 125x45x140)	,,	२६.००	२६.००	२८.००	
८८	नग बेली (साइज 140x55x120)	,,	२६.००	२६.००	२९.००	
८९	मिखाफुसी (साइज 140x55x120)	,,	३४.००	३४.००	३७.००	
९०	पलियो दायां/वायां (साइज 130x55x120)	,,	२५.००	२५.००	२८.००	
९१	नयां पलिफो (साइज 185x52x80)	,,	२९.००	२९.००	३२.००	
९२	सिधा पलिफो (साइज 190x55x90)	,,	२९.००	२९.००	३२.००	
९३	२" सिह (साइज 95x5010)	,,	३४.००	५०.००	५०.००	
९४	२"गरुड (साइज 95x50x100)	,,	३४.००	५०.००	५०.००	
९५	धलिख्वा (साइज 95x50x100)	,,	३४.००	३४.००	३६.००	
९६	श्रीयन्त्र (साइज 70x700x80)	,,	४५.००	४५.००	४८.००	
९७	त्वा फयो (साइज 140x55x120)	,,	२०.००	२०.००	२३.००	
९८	तारा बुट्टा पुरानो (साइज 180x55x80)	,,	२५.००	२५.००	२८.००	
९९	तारा बुट्टा नयां (साइज 230x70x90)	,,	२९.००	२९.००	३२.००	
१००	स्वांफो तारां (साइज 220x55x90)	,,	२९.००	२९.००	३२.००	
१०१	सिक्री बुट्टा (साइज 220x55x80)	,,	२९.००	२९.००	३२.००	
१०२	न्हाय बुट्टा सानो (साइज 140x65x130)	,,	२९.००	२९.००	३२.००	
१०३	न्हाय बुट्टा ठूलो (साइज 140x100x130)	,,	२९.००	२९.००	३२.००	
१०४	न्गोल नगोल (साइज 2000x55x90)	,,	२०.००	२०.००	३२.००	
१०५	ठी बुट्टा (साइज 210x55x75)	,,	२९.००	२९.००	३२.००	
१०६	सानो/ठूलो	,,	२९.००	२९.००	३२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
१०७	ग्वोगंचा	गोटा	२७०.००	३००.००	३००.००	
१०८	पहेलो माटो	घ.मि.	१,०५०.००	१,०५०.००	१,०५०.००	
१०९	रातो माटो (सुख्खा तथा चिस्यान रहित)	के.जि.		२.०९	२.०९	
११०	कालो माटो/माटो	घ.मि.		२९४.००	२९४.००	
१११	Iron Belt	गोटा	१२५.००	१२५.००	१२५.००	
११२	लाकायन सेट	गोटा	५,०००.००	५,०००.००	५,०००.००	
११३	Hard stone	गोटा	-	-	-	
११४	नरिवलको डोरी	गोटा	-	-	-	
११५	डोरी	मुठा	-	-	-	
११६	ढुंगाको धारा (३०"x१२"x६")	गोटा	४४,२४७.७९	४४,२४७.७९	४४,२४७.७९	
११७	महादेव शिवलिङ्ग (१५"x२०"x४")	,,	१०,६१९.४७	१०,६१९.४७	१०,६१९.४७	
११८	महादेव शिवलिङ्ग बुट्टेदारी(३६"x१६"x४८")	,,	११०,०००.००	११०,०००.००	११०,०००.००	
११९	महादेव शिवलिङ्ग बुट्टेदारी (१४"x२०")	,,	४०,०००.००	४०,०००.००	४०,०००.००	
१२०	शिव बहान (नन्दी) (१५"x१०"x५")	,,	१०,६१९.४७	१०,६१९.४७	१०,६१९.४७	
१२१	ढुंगाको मुर्ति (१२"x८"x३")	,,	७,९६४.६०	७,९६४.६०	७,९६४.६०	
१२३	ढुंगाको सिंह (३०"x११"x३६")	,,		१५०,०००.००	१५०,०००.००	
१२४	4"x30" SS 304 Poll	,,		२,५००.००	२,५००.००	
१२५	6"x6" SS 4mm plate	,,		१,०००.००	१,०००.००	
१२६	SS Sikri	र.मि.		८००.००	८००.००	
१२७	SS Nut bolt	गोटा		११०.००	११०.००	
१२८	Stone Pillar for Ghanta 6"x6"x5'2"	,,		९५,०००.००	९५,०००.००	
१२९	15"x15"x6" Stone base	,,		१४,०००.००	१४,०००.००	
51	**Security System**		-	-	-	
	Steel Security Gate supply		-	-	-	
	Metal detector (black Scorpian Company)	गोटा	१६,९९५.००	१६,९९५.००	१६,९९५.००	
	Access Controller (Taiwanese)	,,	२८,८४०.००	२८,८४०.००	२८,८४०.००	
	Access Controller (Chainese)	,,	१३,९०५.००	१३,९०५.००	१३,९०५.००	
	Steel Security Door		-	-	-	
	Single leaf :- 50 mm, 70 mm, 100mm	व.मि.	८,६८३.००	८,६८३.००	८,६८३.००	
	Half leaf : - 50 mm, 70 mm, 100mm	,,	९,९३०.००	९,९३०.००	९,९३०.००	
	Double leaf : - 50 mm, 70 mm, 100mm	,,	१०,४१९.००	१०,४१९.००	१०,४१९.००	
	Security System		-	-	-	
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) (घर कम्पाउण्ड सुरक्षा प्रविधि)	गोटा	३४,३३३.००	३४,३३३.००	३४,३३३.००	
	ii)Long range distance wireless intruder Alarm system(including Host Unit-1, PIR moton detector-3, Remote Controller -2) (अफिस तथा व्यापारिक सुरक्षा प्रविधि)	,,	-	-	-	
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	,,	२०,६००.००	२०,६००.००	२०,६००.००	
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	,,	१२,८७५.००	१२,८७५.००	१२,८७५.००	
	v) Finger print access system with software	,,	३६,०५०.००	३६,०५०.००	३६,०५०.००	
	vi) Securty from Panic Alarm	,,	३६,०५०.००	३६,०५०.००	३६,०५०.००	
	vii) GPS (Global Positioning System) Device with software	,,	२५,७४९.००	२५,७४९.००	२५,७४९.००	
	viii) Automatic motor operator for water pump Survo , Manglam or Equivalent (पानी भरिएपछि स्वचालित रुपमा on/off हुने प्रणाली)		-	-	-	
	Up to 1/2 H.P.	गोटा	४,३२६.००	४,३२६.००	४,३२६.००	
	1.0 H.P.	,,	५,९४८.००	५,९४८.००	५,९४८.००	
	5 H.P.	,,	९,७३४.००	९,७३४.००	९,७३४.००	
52	**Bridge Materials**		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	Elastomeric Bearing Pad		-	-	-	
	Free Type	गोटा	२३,१०७.००	२४,०३१.२८	२४,०३१.२८	
	Fix end Dowel Type	,,	४९,०३२.००	५०,९९३.२८	५०,९९३.२८	
	Expansion Joint Works		-	-	-	
	Single strip seal	र.मी	९,६५०.००	१०,१३२.००	१०,१३२.००	
	Slab seal(320*50)	,,	२०,०००.००	२०,०००.००	२०,०००.००	
	Tendon Sheath	,,		३८८.००	३८८.००	
	Tendom wire	टन		१५७,५००.००	१५७,५००.००	
	Anchorage block with cap	गोटा		१०,५००.००	१०,५००.००	
	W- beam metal crash barrier, 3mm thick corrugated sheet, ISMB series channel	र.मी		६,३००.००	६,३००.००	
	Thimbles		-	-	-	
	iv) Φ 13 mm thimble	पिस	७२.००	८०.००	८०.००	
	v) Φ 26 mm thimble	,,	३६१.००	४००.००	४००.००	
	vi) Φ 32 mm thimble	,,	६१८.००	६८६.००	६८६.००	
	vii) Φ 36 mm thimble	,,	१,२३६.००	१,३७३.००	१,३७३.००	
	viii) Φ 40 mm thimble	,,	१,५४५.००	१,७१६.००	१,७१६.००	
	ix) Φ 13 mm Bulldog grip	,,	७२.००	७७.६९	७७.६९	
	x) Φ 26 mm Bulldog grip	,,	३६१.००	६८९.५२	६८९.५२	
	xi) Φ 32 mm Bulldog grip	,,	५४१.००	५८३.७४	५८३.७४	
	xii) Φ 36 mm Bulldog grip	,,	६७०.००	७२२.९३	७२२.९३	
	xiii) Φ 40 mm Bulldog grip	,,	६७०.००	७२२.९३	७२२.९३	
	xiv) Steel wire Rope (Right hand ordinary lay,WSC wire strand core,Tensile strength of wire 1570 N/mm^2, Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched		-	-	-	
	xv) Wire mesh netting	व.मि.	४१२.००	४५७.००	४५७.००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	पिस	६,६९५.००	७,२२३.००	७,२२३.००	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	के.जि.	२५८.००	२७८.३८	२७८.३८	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	,,	३६१.००	३८९.५२	३८९.५२	
	High tensile friction grip nut bolts	,,	३३५.००	३६१.४७	३६१.४७	
	Galvanization		-	-	-	
	Zinc Above 98.5% purity	के.जि.	३०९.००	३३३.४१	३३३.४१	
	Premix of Zinc amonium chloride	,,	५९५.००	६४२.०१	६४२.०१	
	Hydraucloric acid	लि.	४१.००	४४.२४	४४.२४	
53	**Concrete Post (Size 4"*4")**		-	-	-	
	Length 7'	गोटा	८८२.७४	९४१.१८	९४१.१८	
	Length 5'	,,	४४१.३७	४७०.५९	४७०.५९	
	Length 3'	,,	२२१.१९	२३५.८३	२३५.८३	
54	**Sheet pilling work** : Providing, preparing and installing of **piling of ms pipe** and sheets false work including necessary supports and removing after completion for foundation ,basement and shear wall	व.मि.	३,०००.००	३,१९८.६०	३,१९८.६०	
55	Readymade RCC Door & windows frame (4"*2.75" of 1:1:1 concrete mixdesign safety plate all complete work.	र.फि.	२३४.३२	२४९.८३	२४९.८३	
	" Ventilation	,,	२३४.३२	४९९.६६	४९९.६६	
	" Arc frame semi circular	,,	४६८.६४	४६८.६४	४६८.६४	
56	EPS (Expanded Polystyrene) and cement based light weight **Sandwich Panel** with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)		-	-	-	
	a) 50 mm thick	व.फि	१८०.००	१८०.००	१८०.००	
	b) 60 mm thick	,,	२४५.००	२४५.००	२४५.००	
	c) 75 mm thick	,,	३००.००	३००.००	३००.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
	d) 90 mm thick	,,	३४५.००	३४५.००	३४५.००	
	e) 120 mm thick	,,	४१५.००	४१५.००	४१५.००	
57	EPS (Expanded Polystyrene) and cement based light weight **Solid Pane**l without face board (Size 1800*610mm)		-	-	-	
	b) 60 mm thick	व.फि	१६०.००	१६०.००	१६०.००	
	c) 75 mm thick	,,	२१५.००	२१५.००	२१५.००	
	d) 90 mm thick	,,	२५०.००	२५०.००	२५०.००	
58	EPS (Expanded Polystyrene) and cement based light weight **Hollow Pane**l (Size: 1800*610mm)		-	-	-	
	d) 90 mm thick	व.फि	१९०.००	१९०.००	१९०.००	
59	Glass Fibre reinforced (GRP) Pole		-	-	-	
	(a) 7m GRP Normal Pole	गोटा	६५,०००.००	६५,०००.००	६५,०००.००	
	(b) 8m GRP Normal Pole	,,	७०,०००.००	७०,०००.००	७०,०००.००	
	(c) 9m GRP Normal Pole	,,	८०,०००.००	८०,०००.००	८०,०००.००	
60	Glass Fibre (GRP) for Hnadrails Basic rate		-	-	-	
	(a) Post, Section-51X51	के.जि.	८,९३५.००	८,९३५.००	८,९३५.००	
	(b) top rail. Section-51X51	,,	४,८५५.००	४,८५५.००	४,८५५.००	
	(c) Middle rail, Section-51X51	,,	४,८५५.००	४,८५५.००	४,८५५.००	
	(d) Joining Kit, Od-42	,,	३,७८२.००	३,७८२.००	३,७८२.००	
	(e) Toe guard, Ht.-100mm	,,	२,९६४.००	२,९६४.००	२,९६४.००	
	(f) Base Plate	,,	१,५५०.००	१,५५०.००	१,५५०.००	
	(g) SS Hardware for Toe guard	गोटा	१,२००.००	१,२००.००	१,२००.००	
	(h) SS Hardware for Base Plate	के.जि.	१,७६८.००	१,७६८.००	१,७६८.००	
	(i) SS anchor bolt	गोटा	२५०.००	२५०.००	२५०.००	
	(j) Aluminium Revet, one lot	लट	२,१००.००	२,१००.००	२,१००.००	

***न.पा. दर रेट निर्धारण आ.ब. २०८०/८१ भक्तपुर जिल्ला दर रेट तथा भक्तपुर नगरपालिकाको दर (रेट) लाई आधार मानि तयार गरिएको**

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
1	**Power CABLE Multi Strand Copper Conductor (3 core/ Unarmored)**					
	2.5 sq. mm	rm	१७८.५०	१७८.५०	१७८.५०	
	4 sq. mm	rm	२५२.००	२५२.००	२५२.००	
	6 sq. mm	rm	३३६.००	३३६.००	३३६.००	
	10 sq. mm	rm	४४१.००	४४१.००	४४१.००	
	16 sq. mm	rm	६४०.५०	६४०.५०	६४०.५०	
	25 sq. mm	rm	१,००८.००	१,००८.००	१,००८.००	
	35 sq. mm	rm	१,१७६.००	१,१७६.००	१,१७६.००	
	50 sq. mm	rm	१,८४८.००	१,८४८.००	१,८४८.००	
	70 sq. mm	rm	२,६१४.५०	२,६१४.५०	२,६१४.५०	
	95 sq. mm	rm	३,६१२.००	३,६१२.००	३,६१२.००	
	120 sq. mm	rm	४,५५७.००	४,५५७.००	४,५५७.००	
	150 sq. mm	rm	५,६२८.००	५,६२८.००	५,६२८.००	
	185 sq. mm	rm	६,९६१.५०	६,९६१.५०	६,९६१.५०	
	240 sq. mm	rm	९,०८२.५०	९,०८२.५०	९,०८२.५०	
2	**Power CABLE Multi Strand Copper Conductor (3.5 core/ Unarmored)**					
	25 sq. mm	rm	१,२१८.००	१,२१८.००	१,२१८.००	
	35 sq. mm	rm	१,५७५.००	१,५७५.००	१,५७५.००	
	50 sq. mm	rm	२,१९४.५०	२,१९४.५०	२,१९४.५०	
	70 sq. mm	rm	३,०८७.००	३,०८७.००	३,०८७.००	
	95 sq. mm	rm	४,२५२.५०	४,२५२.५०	४,२५२.५०	
	120 sq. mm	rm	५,४८१.००	५,४८१.००	५,४८१.००	
	150 sq. mm	rm	६,५६२.५०	६,५६२.५०	६,५६२.५०	
	185 sq. mm	rm	८,२४२.५०	८,२४२.५०	८,२४२.५०	
	240 sq. mm	rm	१०,७१०.००	१०,७१०.००	१०,७१०.००	
3	**Submersible FLAT CABLE 3 CORE Multi Strand Copper Conductor**					
	1.5 sq. mm	rm	१३१.२५	१३१.२५	१३१.२५	
	2.5 sq. mm	rm	१८३.७५	१८३.७५	१८३.७५	
	4 sq. mm	rm	२८८.७५	२८८.७५	२८८.७५	
	6 sq. mm	rm	३९३.७५	३९३.७५	३९३.७५	
	10 sq. mm	rm	६०३.७५	६०३.७५	६०३.७५	
	16 sq. mm	rm	९१८.७५	९१८.७५	९१८.७५	
	25 sq. mm	rm	१,३१२.५०	१,३१२.५०	१,३१२.५०	

सि.नं.	निर्माण सामग्रीको विवरण		एकाई	मु.अ.क.(VAT)बाहेक आ.व.			कैफियत
				०७८।०७९	०७९।०८०	०८०।०८१	
PUMPS & CONTROL							
	PUMPS						
1.00	**Open well Submersible Motor Pump** with 50 Hz, 3 phase, motor star delta connection. Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-44 m; at best efficency	M-1055/2	set	३५२,८००.००	३५२,८००.००	३५२,८००.००	
2.00	**Bore well Submersible Motor Pump** with 50 Hz, 3 phase, motor star delta connection. 8" dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-261m; at efficency 75-80%	K300A/22	set	५३५,१११.५०	५३५,१११.५०	५३५,१११.५०	
3.00	**Bore well Submersible Motor Pump** with 50 Hz, 3 phase, motor star delta connection. 8"dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-188m; at efficency 75-80%	K300A/21	set	३८२,१७१.६५	३८२,१७१.६५	३८२,१७१.६५	
4.00	**Bore well Submersible Motor Pump** with 50 Hz, 3 phase, motor star delta connection. 8"dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-255m; at efficency 75-80%	K300A/21	set	५३५,१११.५०	५३५,१११.५०	५३५,१११.५०	
5.00	**Bore well Submersible Motor Pump** with 50 Hz, 3 phase, motor star delta connection. 8"dia, Pumping Discharge (Q)-1255 LPM @ Delivery of Total Head (H)-220m; at efficency 75-80%	K300A/21	set	४८४,८०३.९०	४८४,८०३.९०	४८४,८०३.९०	
6.00	**Bore well Submersible Motor Pump** with 50 Hz, 3 phase, motor star delta connection. 8"dia, Pumping Discharge (Q)-1200 LPM @ Delivery of Total Head (H)-191m; at efficency 75-80%	K60A/28	set	३८२,१७१.६५	३८२,१७१.६५	३८२,१७१.६५	
	Control Panel						
1.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **3/5HP** motor/pumps) **DoL CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-3-15 Amp)		set	१६,०६५.००	१६,०६५.००	१६,०६५.००	
2.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for**7.5 HP** motor/pumps) **DoL CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-15-35 Amp)		set	१७,९५५.००	१७,९५५.००	१७,९५५.००	
3.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for**10 HP** motor/pumps) **DoL CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-15-35 Amp)		set	१८,१६५.००	१८,१६५.००	१८,१६५.००	

सि.नं.	निर्माण सामग्रीको विवरण		एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
				आ.व.			
				०७८।०७९	०७९।०८०	०८०।०८१	
4.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for**15 HP** motor/pumps) **DoL CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-20-40 Amp)		set	२१,५२५.००	२१,५२५.००	२१,५२५.००	
5.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **10 HP** motor/pumps) **STAR_DELTA CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-15-35 Amp)		set	३४,६५०.००	३४,६५०.००	३४,६५०.००	
6.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **15 HP** motor/pumps) **STAR_DELTA CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-20-45 Amp)		set	३५,९१०.००	३५,९१०.००	३५,९१०.००	
7.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **20 HP** motor/pumps) **STAR_DELTA CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-25-50 Amp)		set	३७,६९५.००	३७,६९५.००	३७,६९५.००	
8.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **25 HP** motor/pumps) **STAR_DELTA CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-30-55 Amp)		set	४०,९५०.००	४०,९५०.००	४०,९५०.००	
9.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **30 HP** motor/pumps) **STAR_DELTA CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-40-75 Amp)		set	६३,०००.००	६३,०००.००	६३,०००.००	

सि.नं.	निर्माण सामग्रीको विवरण		एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
				आ.व.			
				०७८।०७९	०७९।०८०	०८०।०८१	
10.00	**Sob-tech Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **40 HP** motor/pumps) **STAR_DELTA CONECTION** with MCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Dry Run Protection. (Relay Range-60-90 Amp)		set	७२,४५०.००	७२,४५०.००	७२,४५०.००	
11.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **25/30 HP/ 42 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	१९९,६८७.९५	१९९,६८७.९५	१९९,६८७.९५	
12.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **50 HP/80 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	२८३,५७३.५०	२८३,५७३.५०	२८३,५७३.५०	
13.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **60 HP/100 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	३४०,४१०.००	३४०,४१०.००	३४०,४१०.००	
14.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **75 HP/130 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	४३७,३२५.००	४३७,३२५.००	४३७,३२५.००	
15.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **100 HP/169 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	५७९,०१२.००	५७९,०१२.००	५७९,०१२.००	
16.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **125 HP/200-210 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	५९३,९८५.००	५९३,९८५.००	५९३,९८५.००	

सि.नं.	निर्माण सामग्रीको विवरण		एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
				आ.व.			
				०७८।०७९	०७९।०८०	०८०।०८१	
17.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **180-150 HP/ 290-310Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	७४५,७१०.००	७४५,७१०.००	७४५,७१०.००	
18.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **200 HP/300-340 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	७४५,७१०.००	७४५,७१०.००	७४५,७१०.००	
19.00	**Soft-Starter Control Panel,** 3phase, 380-415 volt, 50Hz(in line connection for **250 HP/ 400-430 Amp** motor/pumps) with MCCB, 3phase & ON/Trip Indicating Lamps, Start/Stop P/Bs, Cooling Fans, Control MCCB, Suitable size Enclosure Indoor type wall mounted fabricated in MS 1.6/2mm thick sheet dully powder coated with Siemens grey shade- RAL 7035.		set	७९७,६८५.००	७९७,६८५.००	७९७,६८५.००	
20.00	Float Ball (Switch) with 30m, 3x22 PVC insulated copper sencer cable for Dry-Run protection.		set	४,३४७.००	४,३४७.००	४,३४७.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	DB & CONECTOR BOX					
1	700MM x 600MM x 200MM Size **Main Distribution Panel Board for up to 10/15 HP Pump** Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 25A FP Change Over switch Incoming, 50A, 4 pole CONECTOR, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	२३,१००.००	२३,१००.००	२३,१००.००	
2	700MM x 600MM x 200MM Size **Main Distribution Panel Board for up to 20/25 HP Pump** Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 45A FP Change Over switch Incoming, 100A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	५३,८६५.००	५३,८६५.००	५३,८६५.००	
3	700MM x 600MM x 200MM Size **Main Distribution Panel Board for up to 30/40/50 HP Pump** Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 75A FP Change Over switch Incoming, 150A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	६८,७७५.००	६८,७७५.००	६८,७७५.००	
4	700MM x 600MM x 200MM Size **Main Distribution Panel Board for up to 60/70 HP Pump** Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 100A FP Change Over switch Incoming, 200A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	९४,७१०.००	९४,७१०.००	९४,७१०.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
5	1300MM x 1100MM x 300MM Size **Main Distribution Panel Board for 75/100 HP Pump** Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 300A FP Change Over switch Incoming, 400A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials,1 set of Enclosure with wiring and cable shoe.	set	१२७,०५०.००	१२७,०५०.००	१२७,०५०.००	
6	1400MM x 1200MM x 400MM Size **Main Distribution Panel Board for 150/180/250 HP Pump** Fabricated out of 16swg m/s sheet metal, Separate compartment for Incoming & Outgoing Feeder, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with 600A FP Change Over switch Incoming, 800A TPNE Copper Bus bar, 3 set of Volt/ Amp Meter Digital Type, RYB Indication Lamp, Control Fuse and Wiring Materials, 1 set of Enclosure with wiring and cable shoe.	set	१७२,७४०.७५	१७२,७४०.७५	१७२,७४०.७५	
7			-	-	-	
8	600MM x 400MM x 200MM Size **Outdoor Terminal Bus bar Board** Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for **10/15 HP Pump** with 50A, 4 pole CONECTOR & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	८,४००.००	८,४००.००	८,४००.००	
9	600MM x 500MM x 200MM Size **Outdoor Terminal Bus bar Board** Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for **20/25 HP Pump** with 75A, 4 pole CONECTOR & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	९,४५०.००	९,४५०.००	९,४५०.००	
10	700MM x 600MM x 200MM Size **Outdoor Terminal Bus bar Board** Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for **30/40/50 HP Pump** with 150A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	१५,२२५.००	१५,२२५.००	१५,२२५.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
11	700MM x 600MM x 200MM Size **Outdoor Terminal Bus bar Board** Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for **60/70 HP Pump** with 200A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	१७,३२५.००	१७,३२५.००	१७,३२५.००	
12	700MM x 600MM x 200MM Size **Outdoor Terminal Bus bar Board** Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings for **75/100 HP Pump** with 400A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	१९,४२५.००	१९,४२५.००	१९,४२५.००	
13	800MM x 600MM x 200MM Size **Outdoor Terminal Bus bar Board** Fabricated out of 16swg m/s sheet metal, Suitable Space for Connection of Incoming & Outgoing Cable, Lockable Double Door Front Openable, Floor Mounted Type. With TPNE Copper Bus bar and Internal wiring, Angle Stand with followings **for150/180/250 HP Pump** with 800A TPNE Copper Bus bar & wiring materials, 1 set of Enclosure with wiring and cable shoe.	set	३०,९७५.००	३०,९७५.००	३०,९७५.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
2	Electrofusion (PE) HDPE Fittings					
a.	**Electrofusion Coupler**					
	20mm	nos	१०३.९५	१०३.९५	१०३.९५	
	25mm	nos	१२९.१५	१२९.१५	१२९.१५	
	32mm	nos	१३८.६०	१३८.६०	१३८.६०	
	40mm	nos	२६९.८५	२६९.८५	२६९.८५	
	50mm	nos	२५७.२५	२५७.२५	२५७.२५	
	63mm	nos	२६५.६५	२६५.६५	२६५.६५	
	75mm	nos	४०९.५०	४०९.५०	४०९.५०	
	90mm	nos	४७७.७५	४७७.७५	४७७.७५	
	110mm	nos	६४२.६०	६४२.६०	६४२.६०	
	125mm	nos	८६४.१५	८६४.१५	८६४.१५	
	140mm	nos	१,३३६.६५	१,३३६.६५	१,३३६.६५	
	160mm	nos	१,५०४.६५	१,५०४.६५	१,५०४.६५	
	180mm	nos	२,२५७.५०	२,२५७.५०	२,२५७.५०	
	200mm	nos	२,६७४.३५	२,६७४.३५	२,६७४.३५	
	225mm	nos	३,६७८.१५	३,६७८.१५	३,६७८.१५	
	250mm	nos	५,८५०.६०	५,८५०.६०	५,८५०.६०	
	280mm	nos	७,०२०.३०	७,०२०.३०	७,०२०.३०	
b	**Electorfusion Reducer**		-	-	-	
	50mm ×40mm	nos	२१९.४५	२१९.४५	२१९.४५	
	63mm ×50mm	nos	२५६.२०	२५६.२०	२५६.२०	
	75mm ×63mm	nos	५०९.२५	५०९.२५	५०९.२५	
	90mm ×75mm	nos	६३३.१५	६३३.१५	६३३.१५	
	90mm ×63mm	nos	६९४.०५	६९४.०५	६९४.०५	
	90mm ×50mm	nos	९५०.२५	९५०.२५	९५०.२५	
	110mm ×63mm	nos	८३५.८०	८३५.८०	८३५.८०	
	110mm ×75mm	nos	१,५३६.१५	१,५३६.१५	१,५३६.१५	
	110mm ×90mm	nos	९०४.०५	९०४.०५	९०४.०५	
	125mm ×63mm	nos	१,०७९.४०	१,०७९.४०	१,०७९.४०	
	125mm ×75mm	nos	१,७९५.५०	१,७९५.५०	१,७९५.५०	
	125mm ×90mm	nos	१,१६२.३५	१,१६२.३५	१,१६२.३५	
	125mm ×110mm	nos	९०९.३०	९०९.३०	९०९.३०	
	140mm ×90mm	nos	३,५९८.३५	३,५९८.३५	३,५९८.३५	
	140mm ×110mm	nos	४,२१३.६५	४,२१३.६५	४,२१३.६५	
	140mm ×125mm	nos	४,६८६.१५	४,६८६.१५	४,६८६.१५	
	160mm ×90mm	nos	४,५७९.०५	४,५७९.०५	४,५७९.०५	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	160mm ×110mm	nos	४,८६०.४५	४,८६०.४५	४,८६०.४५	
	160mm ×125mm	nos	५,४१६.९५	५,४१६.९५	५,४१६.९५	
	160mm ×140mm	nos	६,१३७.२५	६,१३७.२५	६,१३७.२५	
	180mm ×90mm	nos	६,४९५.३०	६,४९५.३०	६,४९५.३०	
	180mm ×125mm	nos	६,७७५.६५	६,७७५.६५	६,७७५.६५	
	180mm ×140mm	nos	७,६८७.०५	७,६८७.०५	७,६८७.०५	
	180mm ×160mm	nos	८,५३३.३५	८,५३३.३५	८,५३३.३५	
	200mm ×110mm	nos	७,०६९.६५	७,०६९.६५	७,०६९.६५	
	200mm ×140mm	nos	९,१०१.४०	९,१०१.४०	९,१०१.४०	
	200mm ×160mm	nos	९,५६४.४५	९,५६४.४५	९,५६४.४५	
	200mm ×180mm	nos	११,१७२.००	११,१७२.००	११,१७२.००	
	225mm ×90mm	nos	१०,२८५.८०	१०,२८५.८०	१०,२८५.८०	
	225mm ×110mm	nos	१०,०२४.३५	१०,०२४.३५	१०,०२४.३५	
	225mm ×225mm	nos	१५,७६४.७०	१५,७६४.७०	१५,७६४.७०	
	225mm ×160mm	nos	११,८५२.४०	११,८५२.४०	११,८५२.४०	
	225mm ×180mm	nos	१३,७३६.१०	१३,७३६.१०	१३,७३६.१०	
	225mm ×200mm	nos	१५,१०३.२०	१५,१०३.२०	१५,१०३.२०	
	250mm ×160mm	nos	१५,१३५.७५	१५,१३५.७५	१५,१३५.७५	
	225mm ×180mm	nos	१७,४९८.२५	१७,४९८.२५	१७,४९८.२५	
	225mm ×200mm	nos	१८,४४४.३०	१८,४४४.३०	१८,४४४.३०	
	225mm ×225mm	nos	२१,२८८.७५	२१,२८८.७५	२१,२८८.७५	
	280mm ×180mm	nos	२०,८६४.५५	२०,८६४.५५	२०,८६४.५५	
	280mm ×200mm	nos	२२,२८६.२५	२२,२८६.२५	२२,२८६.२५	
	280mm ×225mm	nos	२४,३६३.१५	२४,३६३.१५	२४,३६३.१५	
	280mm ×250mm	nos	२९,५०६.०५	२९,५०६.०५	२९,५०६.०५	
c	**Electrofusion Elbow 45˚**		-	-	-	
	50mm	nos	३१९.२०	३१९.२०	३१९.२०	
	63mm	nos	४६९.३५	४६९.३५	४६९.३५	
	75mm	nos	१,२२८.५०	१,२२८.५०	१,२२८.५०	
	90mm	nos	१,०५७.३५	१,०५७.३५	१,०५७.३५	
	110mm	nos	३,१६३.६५	३,१६३.६५	३,१६३.६५	
	125mm	nos	४,३६८.००	४,३६८.००	४,३६८.००	
	140mm	nos	५,९०४.१५	५,९०४.१५	५,९०४.१५	
	160mm	nos	७,६०८.३०	७,६०८.३०	७,६०८.३०	
	180mm	nos	१०,९१५.८०	१०,९१५.८०	१०,९१५.८०	
	200mm	nos	१३,७४३.४५	१३,७४३.४५	१३,७४३.४५	
	225mm	nos	१८,७७१.९०	१८,७७१.९०	१८,७७१.९०	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	250mm	nos	२७,०३३.३०	२७,०३३.३०	२७,०३३.३०	
	280mm	nos	३५,६९०.५५	३५,६९०.५५	३५,६९०.५५	
ii	**90**		-	-	-	
	50mm	nos	२६५.६५	२६५.६५	२६५.६५	
	63mm	nos	४२३.१५	४२३.१५	४२३.१५	
	75mm	nos	५५७.५५	५५७.५५	५५७.५५	
	90mm	nos	१,०७६.२५	१,०७६.२५	१,०७६.२५	
	110mm	nos	१,४४०.६०	१,४४०.६०	१,४४०.६०	
	125mm	nos	१,८१७.५५	१,८१७.५५	१,८१७.५५	
	140mm	nos	६,७७४.६०	६,७७४.६०	६,७७४.६०	
	160mm	nos	८,६०४.७५	८,६०४.७५	८,६०४.७५	
	180mm	nos	१२,५४४.३५	१२,५४४.३५	१२,५४४.३५	
	200mm	nos	१६,७०६.५५	१६,७०६.५५	१६,७०६.५५	
	225mm	nos	२१,४४३.१०	२१,४४३.१०	२१,४४३.१०	
	250mm	nos	३१,५१०.५०	३१,५१०.५०	३१,५१०.५०	
	280mm	nos	४४,९७४.६५	४४,९७४.६५	४४,९७४.६५	
d	**Electrofusion End Cap**		-	-	-	
	50mm	nos	३५२.८०	३५२.८०	३५२.८०	
	63mm	nos	४३७.८५	४३७.८५	४३७.८५	
	75mm	nos	६२३.७०	६२३.७०	६२३.७०	
	90mm	nos	८००.१०	८००.१०	८००.१०	
	110mm	nos	१,४३३.२५	१,४३३.२५	१,४३३.२५	
	125mm	nos	१,२३३.७५	१,२३३.७५	१,२३३.७५	
	140mm	nos	२,५१४.७५	२,५१४.७५	२,५१४.७५	
	160mm	nos	३,६४३.५०	३,६४३.५०	३,६४३.५०	
	180mm	nos	५,२२०.६०	५,२२०.६०	५,२२०.६०	
	200mm	nos	६,८३३.४०	६,८३३.४०	६,८३३.४०	
	225mm	nos	८,८५३.६०	८,८५३.६०	८,८५३.६०	
	250mm	nos	१,२५६.८५	१,२५६.८५	१,२५६.८५	
	280mm	nos	१६,२५०.८५	१६,२५०.८५	१६,२५०.८५	
e	**Electrofusion Equal Tee**		-	-	-	
	50mm	nos	३५१.७५	३५१.७५	३५१.७५	
	63mm	nos	५०५.०५	५०५.०५	५०५.०५	
	75mm	nos	७९६.९५	७९६.९५	७९६.९५	
	90mm	nos	१,२५७.९०	१,२५७.९०	१,२५७.९०	
	110mm	nos	१,६२०.१५	१,६२०.१५	१,६२०.१५	
	125mm	nos	२,००४.४५	२,००४.४५	२,००४.४५	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	140mm	nos	८,००१.००	८,००१.००	८,००१.००	
	160mm	nos	११,०००.८५	११,०००.८५	११,०००.८५	
	180mm	nos	१५,५६५.२०	१५,५६५.२०	१५,५६५.२०	
	200mm	nos	१९,६८५.४०	१९,६८५.४०	१९,६८५.४०	
	225mm	nos	२६,७९०.७५	२६,७९०.७५	२६,७९०.७५	
	250mm	nos	३८,८१३.२५	३८,८१३.२५	३८,८१३.२५	
	280mm	nos	५५,१८२.७५	५५,१८२.७५	५५,१८२.७५	
f	**Electrofusion Saddle Clamp**		-	-	-	
	50mm×40mm	nos	७६४.४०	७६४.४०	७६४.४०	
	75-225mm×50mm	nos	९९९.६०	९९९.६०	९९९.६०	
g	**HDPE Adopter** PN 16		-	-	-	
	50mm	nos	२८३.५०	२८३.५०	२८३.५०	
	63mm	nos	३५७.००	३५७.००	३५७.००	
	75mm	nos	५०४.००	५०४.००	५०४.००	
	90mm	nos	६५१.००	६५१.००	६५१.००	
	110mm	nos	९०३.००	९०३.००	९०३.००	
	125mm	nos	९९७.५०	९९७.५०	९९७.५०	
	140mm	nos	१,३६५.००	१,३६५.००	१,३६५.००	
	160mm	nos	१,९६३.५०	१,९६३.५०	१,९६३.५०	
	180mm	nos	२,८१४.००	२,८१४.००	२,८१४.००	
	200mm	nos	३,०७६.५०	३,०७६.५०	३,०७६.५०	
	225mm	nos	३,९९०.००	३,९९०.००	३,९९०.००	
	250mm	nos	५,२९२.००	५,२९२.००	५,२९२.००	
	280mm	nos	७,३१८.५०	७,३१८.५०	७,३१८.५०	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	FITTINHS FOR HIGH PRESSURE - CAST STEEL VALVES, ASTM TEE, BEND High Pressure Valve & Fittings					
1	**Cast Steel Sluice Valve,** Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket. Set					
	DN 40		१९,४२५.००	१९,४२५.००	१९,४२५.००	
	DN 50		२६,२५०.००	२६,२५०.००	२६,२५०.००	
	DN 65		३१,५००.००	३१,५००.००	३१,५००.००	
	DN 80		३६,७५०.००	३६,७५०.००	३६,७५०.००	
	DN 100		४२,०००.००	४२,०००.००	४२,०००.००	
	DN 125		५२,५००.००	५२,५००.००	५२,५००.००	
	DN 150		६८,२५०.००	६८,२५०.००	६८,२५०.००	
	DN 200		९४,५००.००	९४,५००.००	९४,५००.००	
	DN 250		१३६,५००.००	१३६,५००.००	१३६,५००.००	
	DN 300		१८३,७५०.००	१८३,७५०.००	१८३,७५०.००	
	DN 350		२८८,७५०.००	२८८,७५०.००	२८८,७५०.००	
2	**Cast Steel Non Return Valve (NRV),** Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket.					
	DN 40	nos	२१,०००.००	२१,०००.००	२१,०००.००	
	DN 50	nos	२७,८२५.००	२७,८२५.००	२७,८२५.००	
	DN 65	nos	३३,०७५.००	३३,०७५.००	३३,०७५.००	
	DN 80	nos	३८,३२५.००	३८,३२५.००	३८,३२५.००	
	DN 100	nos	४३,५७५.००	४३,५७५.००	४३,५७५.००	
	DN 125	nos	५४,०७५.००	५४,०७५.००	५४,०७५.००	
	DN 150	nos	६९,८२५.००	६९,८२५.००	६९,८२५.००	
	DN 200	nos	९६,०७५.००	९६,०७५.००	९६,०७५.००	
	DN 250	nos	१३८,०७५.००	१३८,०७५.००	१३८,०७५.००	
	DN 300	nos	१८५,३२५.००	१८५,३२५.००	१८५,३२५.००	
	DN 350	nos	२९०,३२५.००	२९०,३२५.००	२९०,३२५.००	
3	**MS Flange,** ISOD 12mm thick					
	DN 40	nos	३६७.५०	३६७.५०	३६७.५०	
	DN 50	nos	३९३.७५	३९३.७५	३९३.७५	
	DN 65	nos	५२५.००	५२५.००	५२५.००	
	DN 80	nos	५७७.५०	५७७.५०	५७७.५०	
	DN 100	nos	५९३.२५	५९३.२५	५९३.२५	
	DN 150	nos	६८२.५०	६८२.५०	६८२.५०	
	DN 125	nos	८०३.२५	८०३.२५	८०३.२५	
	DN 200	nos	१,३१२.५०	१,३१२.५०	१,३१२.५०	
	DN 250	nos	१,९६८.७५	१,९६८.७५	१,९६८.७५	
	DN 300	nos	२,३६२.५०	२,३६२.५०	२,३६२.५०	
	DN 350	nos	३,२५५.००	३,२५५.००	३,२५५.००	
4	**MS Blind Flange,** ISOD 16mm thick					
	DN 40	nos	४७७.७५	४७७.७५	४७७.७५	
	DN 50	nos	५१४.५०	५१४.५०	५१४.५०	
	DN 65	nos	६८२.५०	६८२.५०	६८२.५०	
	DN 80	nos	७५०.७५	७५०.७५	७५०.७५	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	DN 100	nos	७७१.७५	७७१.७५	७७१.७५	
	DN 125	nos	८८७.२५	८८७.२५	८८७.२५	
	DN 150	nos	१,०५०.००	१,०५०.००	१,०५०.००	
	DN 200	nos	१,७०६.२५	१,७०६.२५	१,७०६.२५	
	DN 250	nos	२,५६२.००	२,५६२.००	२,५६२.००	
	DN 300	nos	३,०७१.२५	३,०७१.२५	३,०७१.२५	
	DN 350	nos	४,२३१.५०	४,२३१.५०	४,२३१.५०	
5	**MS Flange,** ISOD 22mm thick					
	DN 40	nos	८४०.००	८४०.००	८४०.००	
	DN 50	nos	९०८.२५	९०८.२५	९०८.२५	
	DN 65	nos	१,१५५.००	१,१५५.००	१,१५५.००	
	DN 80	nos	१,३१२.५०	१,३१२.५०	१,३१२.५०	
	DN 100	nos	१,५७५.००	१,५७५.००	१,५७५.००	
	DN 125	nos	१,८९०.००	१,८९०.००	१,८९०.००	
	DN 150	nos	२,४१५.००	२,४१५.००	२,४१५.००	
	DN 200	nos	३,९५३.२५	३,९५३.२५	३,९५३.२५	
	DN 250	nos	५,१६०.७५	५,१६०.७५	५,१६०.७५	
	DN 300	nos	७,५९६.७५	७,५९६.७५	७,५९६.७५	
	DN 350	nos	८,५०५.००	८,५०५.००	८,५०५.००	
6	**MS Blind Flange,** ISOD 22mm thick					
	DN 40	nos	१,०९२.००	१,०९२.००	१,०९२.००	
	DN 50	nos	१,१८१.२५	१,१८१.२५	१,१८१.२५	
	DN 65	nos	१,५०१.५०	१,५०१.५०	१,५०१.५०	
	DN 80	nos	१,७०६.२५	१,७०६.२५	१,७०६.२५	
	DN 100	nos	२,०४७.५०	२,०४७.५०	२,०४७.५०	
	DN 125	nos	२,४५७.००	२,४५७.००	२,४५७.००	
	DN 150	nos	३,१३९.५०	३,१३९.५०	३,१३९.५०	
	DN 200	nos	५,१४५.००	५,१४५.००	५,१४५.००	
	DN 250	nos	६,७२०.००	६,७२०.००	६,७२०.००	
	DN 300	nos	९,८७०.००	९,८७०.००	९,८७०.००	
	DN 350	nos	११,०५६.५०	११,०५६.५०	११,०५६.५०	
7	**Seamless, ASTM schedule 40 Steel 90^0 BEND, size dia**					
	2"	nos	२८८.७५	२८८.७५	२८८.७५	
	21/2"	nos	५०४.००	५०४.००	५०४.००	
	3"	nos	७१४.००	७१४.००	७१४.००	
	4"	nos	१,२३९.००	१,२३९.००	१,२३९.००	
	5"	nos	२,२०५.००	२,२०५.००	२,२०५.००	
	6"	nos	३,०४५.००	३,०४५.००	३,०४५.००	
	8"	nos	५,७७५.००	५,७७५.००	५,७७५.००	
	10"	nos	११,४४५.००	११,४४५.००	११,४४५.००	
	12"	nos	१६,२७५.००	१६,२७५.००	१६,२७५.००	
	14"	nos	२७,८२५.००	२७,८२५.००	२७,८२५.००	
8	**Seamless, ASTM schedule 40 Steel 45^0 BEND, size dia**					
	2"	nos	२९९.२५	२९९.२५	२९९.२५	
	21/2"	nos	५२५.००	५२५.००	५२५.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
	3"	nos	७५६.००	७५६.००	७५६.००	
	4"	nos	१,२६०.००	१,२६०.००	१,२६०.००	
	5"	nos	२,३१०.००	२,३१०.००	२,३१०.००	
	6"	nos	३,२०२.५०	३,२०२.५०	३,२०२.५०	
	8"	nos	५,९८५.००	५,९८५.००	५,९८५.००	
	10"	nos	११,७६०.००	११,७६०.००	११,७६०.००	
	12"	nos	१६,२७५.००	१६,२७५.००	१६,२७५.००	
	14"	nos	२७,८२५.००	२७,८२५.००	२७,८२५.००	
9	**Seamless, ASTM schedule 40 Steel TEE, size dia**					
	2"	nos	५२५.००	५२५.००	५२५.००	
	21/2"	nos	९९७.५०	९९७.५०	९९७.५०	
	3"	nos	१,४७०.००	१,४७०.००	१,४७०.००	
	4"	nos	२,१००.००	२,१००.००	२,१००.००	
	5"	nos	३,४६५.००	३,४६५.००	३,४६५.००	
	6"	nos	४,५१५.००	४,५१५.००	४,५१५.००	
	8"	nos	७,५६०.००	७,५६०.००	७,५६०.००	
	10"	nos	१३,६५०.००	१३,६५०.००	१३,६५०.००	
	12"	nos	१७,८५०.००	१७,८५०.००	१७,८५०.००	
	14"	nos	१९,९५०.००	१९,९५०.००	१९,९५०.००	

सि.नं.	निर्माण सामग्रीको विवरण	एकाई	मु.अ.क.(VAT)बाहेक			कैफियत
			आ.व.			
			०७८।०७९	०७९।०८०	०८०।०८१	
1	2" DT joints Metal Heavy Class	nos	२,९५०.००	२,९५०.००	२,९५०.००	
2	2" DT joints UPVC	nos	१,८५०.००	१,८५०.००	१,८५०.००	
3	3" DT joints UPVC	nos	२,८००.००	२,८००.००	२,८००.००	
4	4" DT joints UPVC	nos	३,०००.००	३,०००.००	३,०००.००	
5	1.5" DT joints UPVC	nos	१,२५०.००	१,२५०.००	१,२५०.००	

मध्यपुर थिमि नगरपालिका

नगर कार्यपालिकाको कार्यालय, थिमि, भक्तपुर

बाग्मती प्रदेश, नेपाल

Stationary, Furniture तथा Medicine हरुको दर(रेट)

आ.ब.०८०/०८१

स्टेशनरी तथा मसलन्द सामानहरुको दररेट

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
१	कार्वन पेपर	रिम		३५०।-	३५०।-	
२	फोटो कपी पेपर ए ४	रिम		५७५।-	५७५।-	
३	ए ४ नेपाली कागज	रिम		४०५।-	४०५।-	
४	ए ४ कार्ड बोर्ड पेपर	रिम		२०५।-	२०५।-	
५	नोट बुक	वटा		२०५।-	२०५।-	
६	२ न रजिस्टर	गोटा		७०।-	७०।-	
७	३ न. रजिस्टर	गोटा		१०५।-	१०५।-	
८	४ न रजिस्टर	गोटा		१३५।-	१३५।-	
९	कपडा ब्याडिङ्ग रजिस्टर	गोटा		११६०।-	११६०।-	
१०	ग्लुस्टीक ४० ग्रामको	गोटा		१२५।-	१२५।-	
११	पाईलट पेन भि ५	गोटा		१३५।-	१३५।-	
१२	रोलर पेन	गोटा		५५।-	५५।-	
१३	डटपेन सेलो	गोटा		११।-	११।-	
१४	जेलपेन	गोटा		३५।-	३५।-	
१५	मार्कर पेन	गोटा		४५।-	४५।-	
१६	बोर्ड मारकर पेन	गोटा		४०।-	४०।-	
१७	हाईलाईट पेन	गोटा		५०।-	५०।-	
१८	सिसाकलम	गोटा		११।-	११।-	
१९	गम	गोटा		११०।-	११०।-	
२०	सम्पति कर फाईल	गोटा		५५।-	५५।-	
२१	प्ला ईन्डेक्स फाईल	गोटा		१८०।-	१८०।-	
२२	रिङ्ग फाईल	गोटा		१२५।-	१२५।-	
२३	स्टाम प्याड	गोटा		६५।-	६५।-	
२४	जिन्सी खाता खर्च हुने र नहुने	गोटा		४०५।-	४०५।-	
२५	दर्ता चलानी किताब	गोटा		४०५।-	४०५।-	
२६	स्टापलर मेसिन	गोटा		८५।-	८५।-	
२७	स्टापलर पिन	पाकेट		१५।-	१५।-	
२८	पचिङ्ग मेसिन डि.पि.६००	गोटा		३१०।-	३१०।-	
२९	कैची ठुलो	गोटा		१६०।-	१६०।-	
३०	कैची सानो	गोटा		८५।-	८५।-	
३१	व.एच.पी पेन	गोटा		५५।-	५५।-	
३२	फोन सेट	गोटा		२०६५।-	२०६५।-	
३३	कोरा कपडा	प्रति मिटर		११०।-	११०।-	
३४	फलाटिन कपडा	प्रति मिटर		११०।-	११०।-	
३५	क्यालकुलेटर डि.ई १६९	गोटा		१८७०।-	१८७०।-	
३६	योजना फाईल	गोटा		५५।-	५५।-	
३७	ब्याडिङ्ग टेप	गोटा		८५।-	८५।-	
३८	प्ला .क्लिप फाईल	गोटा		१५५।-	१५५।-	
३९	टिपेक्स (करेक्सन पेन)	गोटा		५५।-	५५।-	
४०	म्यागजिन फाईल	गोटा		५७५।-	५७५।-	
४१	पेनकप	गोटा		२०५।-	२०५।-	

स्टेशनरी तथा मसलन्द सामानहरुको दररेट

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
४२	वाईन्टरक्पि १९ मि.	गोटा		६५।-	६५।-	
४३	वाईन्टरक्पि ३२ मि.	गोटा		१०५।-	१०५।-	
४४	प्लाष्टिक स्केल	गोटा		३५।-	३५।-	
४५	पोष्टडट	गोटा		६५।-	६५।-	
४६	ब्याडिङ्ग टेप २ ईन्चको	गोटा		१२५।-	१२५।-	
४७	रगिन साईन पेन	प्रति पाकेट		८५।-	८५।-	
४८	रगिन पेपर क्लिप	प्रति पाकेट		५०।-	५०।-	
४९	पुस पिन रगिन	प्रति पाकेट		५५।-	५५।-	
५०	ठमपिन	प्रति पाकेट		५५।-	५५।-	
५१	आल	प्रति पाकेट		५०।-	५०।-	
५२	क्लियर ब्याग बाकलो	गोटा		३५५।-	३५५।-	

छापिएको फाराम तथा रजिस्टरको दररेट

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
१	लेटर प्याड	प्याड		६००।-	६००।-	
२	चारकिल्ला निबेदनसिफारिस प्याड	प्याड		१९०।-	१९०।-	
३	घरबाटो निबेदन सिफारिस प्याड	प्याड		१५५।-	१५५।-	
४	ट्रेश नक्शा सिफारिस	प्याड		१९०।-	१९०।-	
५	टिप्पणी र आदेश नेपाली कागजमा	प्याड		१६२०।-	१६२०।-	
६	जन्म,बिबाह मृत्यु ,बसाई सराई दर्ता रजिस्टर	वटा		१४६०।-	१४६०।-	
७	घटना दर्ता आबेदन फाराम	वटा		९।५०	९।५०	
८	घटना दर्ता सिफारिस फाराम नेपाली कागज	प्याड		१५००।-	१५००।-	
९	घटना दर्ता सच्याउने निबेदन नेपाली कागजमा	प्याड		१९०।-	१९०।-	
१०	ब्वसाय दर्ता आवेदन फाराम	प्याड		१९०।-	१९०।-	
११	ब्यबसाय दर्ता रजिस्टर नेपाली कागजमा	वटा		४३५०।-	४३५०।-	
१२	ब्यबसाय दर्ता प्रमाण पत्र	प्याड		१७।७५	१७।७५	
१३	सम्पतिकर आवेदन फाराम	पिस		९।५०	९।५०	
१४	नक्शा फाईल पठाउने पत्र	प्याड		१९०।-	१९०।-	
१५	नक्शा पास ,नक्शा नामसारी,प्रमाण पत्र	पिस		१८।-	१८।-	
१६	निमार्ण सम्पन प्रमाण पत्र नेपाली कागजमा	पिस		१८।-	१८।-	
१७	डोर हाजिर कितमब	प्याड		३२५।-	३२५।-	
१८	बैक नगदी किताब	वटा		१३००।-	१३००।-	
१९	नापी किताब ठुलो	वटा		६९।-	६९।-	
२०	नापी किताब	वटा		३५।-	३५।-	
२१	ए ४ खाम	पिस		१५।२५	१५।२५	
२२	९×६ खाम	पिस		७।७५	७।७५	
२३	६×४ को खाम	पिस		६।७५	६।७५	
२४	रेकर्ड फाईल	पिस		१६।७५	१६।७५	
२५	नागरिकता रजिस्टर	वटा		१४२५।-	१४२५।-	
२६	घरबाटो रजिस्टर	वटा		१३२५।-	१३२५।-	
२७	नाता प्रमाणित आबेदन फाराम	प्याड		१८५।-	१८५।-	
२८	नाता प्रमाणित पत्र नेपाली कागजमा	प्याड		१५५०।-	१५५०।-	
२९	नाता प्रमाणित रजिस्टर नेपाली कागजमा	वटा		२०००।-	२०००।-	
३०	नाता प्रमाणित सर्जिमिन मुचुल्का नेपाली	वटा		१६००।-	१६००।-	
३१	नाता प्रमाणित रजिस्टर (बिदेश जाने)	वटा		१८२५।-	१८२५।-	

छापिएको फाराम तथा रजिस्टरको दररेट

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
३२	जेष्ठ,अपाङ्ग , एकल महिला आवेदन फाराम	प्याड		१९०।-	१९०।-	
३३	जेष्ठ,अपाङ्ग , एकल महिला नबिकरण फाराम	प्याड		१९०।-	१९०।-	
३४	जेष्ठ,अपाङ्ग , एकल महिला रजिस्टर	वटा		१८२५।-	१८२५।-	
३५	सामाजिक सुरक्षा आवेदन र नबिकरण फाराम	प्याड		१९०।-	१९०।-	
३६	उपभोक्ता लाभग्राही पुस्तक खाता	वटा		७३०।-	७३०।-	
३७	उपभोक्ता लाभग्राही पुस्तक खाता,कार्यालय प्रयोजन	वटा		६२५।-	६२५।-	
३८	बिदाको निबेदन	प्याड		१९०।-	१९०।-	
३९	सवारी लगबुक	प्याड		३००।-	३००।-	

फर्निचर तथा फर्निसिङ्गको दररेट बिश्लेसन

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
१	स्टिलको प्लेन दराज ए ६६×३३×१९	वटा		२६,३००।-	२६,३००।-	
२	६ प्यानल -याक ७८×३६×१५	वटा		१३,४००।-	१३,४००।-	
३	बुक -याक ए ६६×३३×१४	वटा		३२,०००।-	३२,०००।-	
४	स्टिलको लकर दराज ए ६६×३३×१९	वटा		२८,५००।-	२८,५००।-	
५	ग्लास डोर दराज ए ६६×३३×१९	वटा		३३,५००।-	३३,५००।-	
६	फाईलिङ्ग क्याबिनेट	वटा		३२,०००।-	३२,०००।-	
७	अफिस टेवल ३०×४८×३०	वटा		२६,०००।-	२६,०००।-	
८	अफिस टेवल३०×६०×३०	वटा		३४,५००।-	३४,५००।-	
९	डेष्क बेन्च	वटा		१९,०००।-	१९,०००।-	
१०	भिजिटर चेयर	वटा		५,१००।-	५,१००।-	
११	रिभलिङ्ग चेयर	वटा		२८,३००।-	२८,३००।-	
१२	बोस रिभलिङ्ग चेयर हेभी	वटा		३९,५००।-	३९,५००।-	
१३	टि टेवल	वटा		१८,०००।-	१८,०००।-	
१४	कार्पेट फिटिङ्ग सहित	मिटर		१,७००।-	१,७००।-	
१५	पि फोम १० एम .एम.को फिटिङ्ग सहित	मिटर		३५०।	३५०।	
१६	सोफा सेट	सेट		४९,५००।-	४९,५००।-	
१७	९ डोर लकर	वटा		४३,०००।-	४३,०००।-	

नेपाल सरकारले तोकेको निशुल्क औषधि खरिदका लागि दर रेट

सि.नं.	सामग्रीहरुको विवरण	एकाई	Size	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
				०७८।०७९	०७९।०८०	०८०।०८१	
1	Absorbant Cotton	Roll	400G		२७६.६७	२७६.६७	
2	Bandage	Than	18mx90cm		४७६.६७	४७६.६७	
3	Gauze	Than	18mx90cm		४७५.००	४७५.००	
4	Surgical Gloves	Pair	Different size		३८.६७	३८.६७	
5	IV Infusion Set	Set	Different size		२५.३३	२५.३३	
6	lv Canula	Pieces	20g		२५.३३	२५.३३	
		Pieces	22g		२४.३३	२४.३३	
7	Phenol	Bottle	500ml		१०५.००	१०५.००	
8	Disposal Syringe	Pieces	3ml		५.६७	५.६७	
		Pieces	5ml		५.६७	५.६७	
9	Suture Thread	pkt	2-0 mersilk		२४०.३३	२४०.३३	
10	Adhesive tape 4"	Roll	4"		२३६.००	२३६.००	
11	Surgical Blade	Pieces	11 nos.		९.३०	९.३०	
			12 nos.		९.३०	९.३०	
12	Rectified Spirit	Bottle	500 ml		२३६.००	२३६.००	
13	Chlorine	pkt	200gm		७१.६७	७१.६७	
14	Sanitizer	Bottle	500ml		६८५.००	६८५.००	
15	Handyplast	Bottle	bot/100pcs		२०८.००	२०८.००	
16	Cat Gut	pkt	2=0		२४५.००	२४५.००	
17	Rubber catheter	pkt			१०.७५	१०.७५	
18	BP set	Set			४,१६६.६७	४,१६६.६७	
19	Stethcscope	pcs			१,१००.००	१,१००.००	
20	Salter scale	pcs			४,२३३.३३	४,२३३.३३	
21	Surgical Mask	pcs			५.१३	५.१३	
22	Ring Pessary	pcs			३५३.३३	३५३.३३	
23	Macintosh	mtr			३,१६६.६७	३,१६६.६७	
24	I and D set	Set			३,७६६.६७	३,७६६.६७	

नेपाल सरकारले तोकेको निशुल्क औषधि खरिदका लागि दर रेट

सि.नं.	सामग्रीहरुको विवरण	Forms	Strength	Group disease coverage	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर आ.ब.			कैफियत
						०७८।०७९	०७९।०८०	०८०।०८१	
1	Lignocaine	Injection. 3	with 2% adrenaline	Local Anaesthesia	1 vial		४९.९१	४९.९१	
		Injection. 3	without 2% adrenaline		1 vial		४५.३८	४५.३८	
2	Paracetamol	Tablet	500mg		1 tab		०.९१	०.९१	
	Paracetamol	Suspension	125mg		1 bottle		२७.२३	२७.२३	
3	Aspirin	Tablet	75mg	NSAID,cardiac	1 tab		०.६४	०.६४	
	Aspirin	Tablet	150mg	NSAID,cardiac	1 tab		०.९१	०.९१	
	Aspirin	Tablet	300mg	NSAID,cardiac	1 tab		१.३६	१.३६	
4	Ibuprofen	Tablet	400mg	NSAID	1 tab		१.८२	१.८२	
5	Phemiramine	Injection 2	22.75mg	Antihistamine	1 amp		६.३५	६.३५	
6	Cetrrizine HCL	Tabs	10mg	Anti-histamine	1 tab		३.१८	३.१८	
7	Cetrrizine HCL	susp	5mg	Anti-histamine	1 bottle		३१.७६	३१.७६	
8	Metronidazole	Infusion	500mg	Anti-histamine	1 bottle		३१.८२	३१.८२	
9	Metronidazole	Infusion	100ml	Anti-histamine	1 bottle		३१.७६	३१.७६	
10	Metronidazole	Tablet	400mg		1 tab		३.६३	३.६३	
11	Metronidazole	Syrup 60m	200mg		1 bottle		४०.८४	४०.८४	
12	Tinidazole	Tablet	500mg	Anti-protozoal	1 tab		४.५४	४.५४	
13	Amoxycilin	Tablet	125DT	Antibiotic	1 tab		२.७३	२.७३	
14	Amoxycilin	Tablet	250 DT	Antibiotic	1 tab		४.५४	४.५४	
15	Amoxycilin	Capsule	500mg		1 tab		७.२६	७.२६	
16	Ciprofloxacin	Eye drop 5	5ml 0.3%w/v	Antibiotic	1 bottle		२२.६९	२२.६९	
17	Ciprofloxacin	Eye Oint	5 gm 0.3%w/v	Antibiotic	1 bottle		२२.६९	२२.६९	
18	Ciprofloxacin	Tablet	250mg		1 tab		४.५४	४.५४	
19	Ciprofloxacin	Tablet	500mg		1 tab		७.२६	७.२६	
20	Ciprofloxacin	Infusion	200mg		1 bottle		४०.८४	४०.८४	
21	Ceftrixone	Injection	1g	Antibiotic	1 vial		८१.६८	८१.६८	
22	Sulfamethoxazole + Trimethoprim	Tablet	480DT	Antibacterial	1 tab		३.१८	३.१८	
23	Sulfamethoxazole + Trimethoprim	Tablet	960mg	Antibacterial	1 tab		५.९०	५.९०	
24	Doxycycline	Capsule	100mg	Antibiotic	1 cap		५.४५	५.४५	
25	Azithromycin	Tabs	250mg	Antibiotic	1 tab		१५.४३	१५.४३	
26	Azithromycin	Tabs	500mg	Antibiotic	1 tab		२७.२३	२७.२३	
27	Cloxacillin	Liquid	125mg	Antibiotic	1 bottle		९९.८३	९९.८३	
28	Cloxacillin	Caps	250mg	Antibiotic	1 cap		४.५४	४.५४	
29	Cloxacillin	Caps	500mg	Antibiotic	1 cap		१०.८९	१०.८९	
30	Fluconazole	Tabs	150mg	Anti-Fungal	1 cap		२१.७८	२१.७८	
31	Ferrous sulphate	Tablet	60mg elemental iron	Anaemia	1 tab		१.८२	१.८२	
32	Folic acid	Tablet	5mg	Anaemia	1 tab		२.७३	२.७३	
33	Compound solution of sodium lactate	Infusion 50	Ringer's lactate	Electrolyte imbalance	1 bottle		४९.९१	४९.९१	
34	sodium chloride	Infusion 50	Normal saline	Ion substitution	1 bottle		४५.३८	४५.३८	
35	Dextrose solution	infusion	5% w/v	Glucose substitution	1 bottle		४५.३८	४५.३८	
36	Dextrose solution	infusion	500ml	Glucose substitution	1 bottle		४५.३८	४५.३८	
37	Albendazole	Tablet	400mg	Anthelmintic	1 tab		९.०७	९.०७	
38	Calamine lotion	lotion 30m	15% w/v	Allergy, sunburn	1 bottle		५८.९९	५८.९९	
39	povidone lodine	liquid 500	5% w/v	Antiseptics	1 bottle\		२९०.४०	२९०.४०	
40	Aluminium hydroxide	Tablet	500mg	Antacids	1 tab		१.८२	१.८२	
41	Ranitidine	Injection 2	25mg	Ulcer healing drug	1 amp		६.३५	६.३५	
42	Ranitidine	Tablet	150mg		1 tab		१.६४	१.६४	
43	Atropine	injection	0.6mg/ml	Antispasmodic, anti poisonous	1 amp		९.९८	९.९८	
44	Hyoscine butylbromide	injection	20mg/ml	Antispasmodics	1 amp		२९.९५	२९.९५	

नेपाल सरकारले तोकेको निशुल्क औषधि खरिदका लागि दर रेट

सि.नं.	सामग्रीहरुको विवरण	Forms	Strength	Group disease coverage	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर आ.ब.			कैफियत
						०७८।०७९	०७९।०८०	०८०।०८१	
45	Hyoscine butylbromide	Tablet	10mg		1 tab		१२.७१	१२.७१	
46	Oral rehydration solutions/ltr	powder	WHO formula-sachet/ltr	Rehydration	1 pkt		९.०७	९.०७	
47	clove oil	liquid	5ml	Dental pain	1 bottle		२५.४१	२५.४१	
48	Metoclorpropamid	Tablet	10mg	Anti emetic	1 tab		२.७३	२.७३	
49	Metoclorpropamid	Injection 2	5mg/ml		1amp		१२.७१	१२.७१	
50	charcol activated	powder	10gm/sachet	Anti poisoning	1 pkt		९९.८३	९९.८३	
51	Frusemide	Tablet	40mg	Diuretics	1 tab		०.८६	०.८६	
52	Amlodipine	Tablet	5mg	Antihypertensive	1 tab		४.५४	४.५४	
53	Dexamethasone	Injection 2	4mg/ml	Steroid	1 vial		१६.३४	१६.३४	
54	salbutamol	tab	4mg	Bronchodilator	1 tab		१.८२	१.८२	
55	prednisolone	tabs	10mg	Oral corticosteroid	1 tab		३.१८	३.१८	
56	pralidoxim sodium	injection	500mg	anti-toxic(antidote for op)	1 vial		३१७.६३	३१७.६३	
57	Phenobarbital	Tablet	30mg	anti epilepticus	1 tab		२.२७	२.२७	
58	Amitryptiline	Tablet	10mg	mental stimulant	1 tab		२.७३	२.७३	
59	Amitryptiline	Tablet	25mg	mental stimulant	1 tab		३.६३	३.६३	
60	Hydrocortisome	powder for	100mg/vial with wfl	corticosteroid(bronchodilator,allergy)	1 vial		९९.८३	९९.८३	
61	Metformin	Tablet	500mg	anti -diabetic	1 tab		१.८२	१.८२	
62	Metformin	Tablet	1000mg	anti -diabetic	1 tab		३.६३	३.६३	
63	Adrenaline	injection	1:,1000	anaphylactic shock	1 amp		४०.८४	४०.८४	
64	Silver sulphadiazine	cream,25g	1% w/w	antiseptic specially for burn	1 tube		८१.६८	८१.६८	
65	Clotrimazole	slom crea,	1% w/w	antifungal	1 tube		६८.०७	६८.०७	
66	Clotrimazole	pessary tab	100mg		1 tab		१३.६२	१३.६२	
67	Diazepam	inj	5mg /2ml	tranquilizer	1 tab		१.८०	१.८०	
68	Gention violet	1% sol.	10ml	amtoseptic	1 vial		१८.१५	१८.१५	
69	carbamazepine	tabs	100mg	anti-epileptics	1 tab		२.२७	२.२७	
70	carbamazepine	tabs	200mg	anti-epileptics	1 tab		३.६३	३.६३	
71	Oxymetazoline	nasal drop	0.05%,5ml	nasal decongestant	1 vial		६८.०७	६८.०७	
72	Atorvastatin	Tablet	10mg	NCD drug	1 tab		९.०७	९.०७	
73	Fluoxetine	capsule	20mg	mental health	1 tab		५.४५	५.४५	
74	Vitamin B complex	Tablet		B vitamin	1 tab		२.७३	२.७३	
75	Cefixime	Tablet	200mg	Antibiotic	1 tab		१८.१५	१८.१५	
76	Omeprazole	Capsule	20mg	PPI	1 cap		३.६३	३.६३	
77	Calcium	Tablet	500mg	Mineral	1 tab		५.४५	५.४५	

नेपाल सरकारले तोकेको निशुल्क औषधि खरिदका लागि दर रेट

सि.नं.	सामग्रीहरुको विवरण	Packing Size	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
१	अविपत्तिकर चुर्ण	५०० ग्राम		१०७०।-	१०७०।-	
२	अविपत्तिकर चुर्ण	१०० ग्राम		२५०।-	२५०।-	
३	त्रिफला चुर्ण	५०० ग्राम		६३५।-	६३५।-	
४	त्रिफला चुर्ण	१०० ग्राम		१५२।-	१५२।-	
५	सितोपलादी चुर्ण	५०० ग्राम		१२२३।-	१२२३।-	
६	सितोपलादी चुर्ण	१०० ग्राम		२६५।-	२६५।-	
७	अस्वगन्धा कैप	१२ ×१० कैप		१६२६।-	१६२६।-	
८	अस्वगन्धा चुर्ण	५०० ग्राम		१८७०।-	१८७०।-	
९	अस्वगन्धा चुर्ण	१०० ग्राम		४३७।-	४३७।-	
१०	पाइलोमा केप	१० ×१०		१०३७।-	१०३७।-	
११	कैसोरे गुग्गुल	१० ×४० टेब		१२२३।-	१२२३।-	
१२	योगराज गुग्गुल	१०×३०		११५८।-	११५८।-	
१३	महानारायण तेल	५० मी.ली.		२०२।-	२०२।-	
१४	बातारी तेल	१ लि.		१३७५।-	१३७५।-	
१५	खदिरादी वटी	७० टेब		२०२।-	२०२।-	
१६	चन्द्रप्रभा वटी	४० टेब		१९२।-	१९२।-	
१७	येस्ठीमधु चुर्ण	५०० ग्राम		१२६२।-	१२६२।-	
१८	आमलकी चुर्ण	१०० ग्राम		२७५।-	२७५।-	
१९	जेष्ठबासादी चुर्ण	१०० ग्राम		२५७।-	२५७।-	
२०	हिंगवास्टक चुर्ण	१०० ग्राम		३५८।-	३५८।-	
२१	टेंसारिन टेब	६० टेब		२६७।-	२६७।-	
२२	मृगमदासव	१५ मि.लि.		११३।-	११३।-	
२३	निम्बादी चुर्ण	१०० ग्राम		३१३।-	३१३।-	
२४	कैशोर गुग्गुल	१०० ग्राम		११५०।-	११५०।-	
२५	महायोगराज गुग्गुल	१०० ग्राम		२४७०।-	२४७०।-	
२६	कासारिन सिरप	१०० मि.लि.		१५७।-	१५७।-	
२७	षडबिन्दु तेल	१५ मि.लि.		११०।-	११०।-	
२८	लवण भास्कर चुर्ण	५०० ग्राम		११२५।-	११२५।-	
२९	योगराज गुग्गुल	१०० ग्राम		११०८।-	११०८।-	

मध्यपुर थिमि नगरपालिका

नगर कार्यपालिकाको कार्यालय, थिमि, भक्तपुर

बाग्मती प्रदेश, नेपाल

निर्माण सामग्रीहरुको फिल्ड तथा ल्याबमा गरिने विभिन्न टेस्टहरुको दर रेट

आ.ब.०८०/०८१

निर्माण सामग्रीहरुको फिल्ड तथा ल्याबमा गरिने विभिन्न टेस्टहरुको दर रेट

सि.नं.	विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
A	**Cement Test**					
1	Fineness (Sieve Method)	nos.		७००.००	७००.००	
2	Fineness (Blaine's Permeability)	nos.		१५००.००	१५००.००	
3	Consistency	nos.		४५०.००	४५०.००	
4	Setting Time	nos.		६७३.००	६७३.००	
5	Compressive Strength (Cube+Testing)	nos.		९००.००	९००.००	
6	Soundness Test	nos.		१५००.००	१५००.००	
7	Cube Test (Cement mortar)	nos.		७००.००	७००.००	
i)	Making mortar cubes (50mm*50mm*50mm)	nos.		३३२.००	३३२.००	
ii)	Making mortar cubes (70.7mm*70.7mm*70.7mm)	nos.		३७०.००	३७०.००	
8	Concrete Core Drilling	nos.		८०००.००	८०००.००	
9	Sand Equivalent	nos.		९६६.००	९६६.००	
10	Specific gravity	nos.		२१००.००	२१००.००	
B	**Design Mix**					
1	Concrete Mix-Design					
a	M10	nos.		१२५००.००	१२५००.००	
b	M15	nos.		१२५००.००	१२५००.००	
c	M20	nos.		१५०००.००	१५०००.००	
d	M25	nos.		१५०००.००	१५०००.००	
e	M30	nos.		१७५००.००	१७५००.००	
f	M35	nos.		१७५००.००	१७५००.००	
g	M40 and above	nos.		२००००.००	२००००.००	
2	Trial Mix	nos.		२५०००.००	२५०००.००	
3	Slump test of concrete mix	nos.		१३३.००	१३३.००	
4	Making concrete cube (15*15*15cm)	nos.		२७७.००	२७७.००	
5	Compressive Strength of Concrete Cube	nos.		१३०.००	१३०.००	
6	Core cutting works	nos.		२०००.००	२०००.००	
7	Concrete cylinder seizin, capping and compressive strength test	nos.		१०००.००	१०००.००	
8	Flexural test (Beam)	nos.		१७००.००	१७००.००	
9	Concrete Cube test	nos.		२००.००	२००.००	
10	Concrete core cutting	nos.		८०००.००	८०००.००	
C	**Sub-base Test**					
1	Compaction Test/ field test	nos.		१५००.००	१५००.००	
2	CBR	nos.		२५००.००	२५००.००	
3	Modified Proctor test	nos.		२०००.००	२०००.००	
4	Proctor Test	nos.		१५००.००	१५००.००	
5	Maximum Dry Density / OMC	nos.		१५००.००	१५००.००	
6	Sampling from Surface,Base,Subbase and subgrade	nos.		५१०.००	५१०.००	
7	Clay content test	nos.		१२००.००	१२००.००	
D	**Fine Aggregate Test**					
1	Sieve Analysis	nos.		७५०.००	७५०.००	
2	Presence of Deleterious Materials	nos.		४६४.००	४६४.००	

निर्माण सामग्रीहरुको फिल्ड तथा ल्याबमा गरिने विभिन्न टेस्टहरुको दर रेट

सि.नं.	विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
3	Soundness Test	nos.		२०००.००	२०००.००	
4	Specific Gravity	nos.		३९९.००	३९९.००	
5	Water Absorption Test	nos.		५००.००	५००.००	
6	Loose Density	nos.		५००.००	५००.००	
E	**Coarse Aggregate Test**					
1	Sieve Analysis	nos.		७५०.००	७५०.००	
2	Presence of Deleterious Materials	nos.		१०००.००	१०००.००	
3	Soundness Test	nos.		४०००.००	४०००.००	
4	Sodium sulphate Soundness (5 cycle)	nos.		२५१८.००	२५१८.००	
5	Specific Gravity and Water Absorption Test	nos.		५५२.००	५५२.००	
6	Loose Density	nos.		५००.००	५००.००	
7	Combined flakiness and Elonagation Test	nos.		४५९.००	४५९.००	
8	Crushing Value	nos.		४१३.००	४१३.००	
9	Impact Test	nos.		३०९.००	३०९.००	
10	LA Abrasion test	nos.		५९४.००	५९४.००	
11	Stripping test	nos.		६५१.००	६५१.००	
12	Clay content test	nos.		१२००.००	१२००.००	
13	Field density test (Sand replacement Method)	nos.		१५००.००	१५००.००	
14	Plasticity Index (PI)	nos.		७००.००	७००.००	
15	FI & EI (Flakiness and Elongation Index)	nos.		८००.००	८००.००	
16	AIV/ACV	nos.		१२००.००	१२००.००	
F	**Brick Tests**					
1	Water Absorption	nos.		२५०.००	२५०.००	
2	Compressive Strength test	nos.		३००.००	३००.००	
3	Effloroscence Test	nos.		३००.००	३००.००	
4	Dimension Tolerance test	nos.		४००.००	४००.००	
G	**Bitumen, Asphalt Test**	nos.		८५००.००	८५००.००	
1	Marshall Stability test	nos.		७००.००	७००.००	
2	Kinematic Viscosity Test	nos.		३५००.००	३५००.००	
3	Absolute Viscosity Test	nos.		१४८२.००	१४८२.००	
4	Engler Viscosity of Emulsion	nos.		१०३०.००	१०३०.००	
5	Flash and Fire test	nos.		३०१.००	३०१.००	
6	Bitumen Extraction test	nos.		५५००.००	५५००.००	
7	Bitumen Content	nos.		६०००.००	६०००.००	
a	Bitumen Content (2kg.big bowl)	nos.		४०७३.००	४०७३.००	
b	Bitumen Content (1kg.small bowl)	nos.		३०८०.००	३०८०.००	
8	Softening Point	nos.		५२३.००	५२३.००	
9	Loss on Heating	nos.		४८९.००	४८९.००	
10	Core Depth test	nos.		१०००.००	१०००.००	
11	Core Sampling and test	nos.		१५००.००	१५००.००	
12	Core cutting and Density without Transportation	nos.		४०००.००	४०००.००	
13	Penetration test	nos.		४२६.००	४२६.००	
14	Penetration of residue	nos.		४२६.००	४२६.००	

निर्माण सामग्रीहरुको फिल्ड तथा ल्याबमा गरिने विभिन्न टेस्टहरुको दर रेट

सि.नं.	विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
15	Specific Gravity of bitumen	nos.		६००.००	६००.००	
16	Ductility test	nos.		५५८.००	५५८.००	
17	Solubility test	nos.		६७१.००	६७१.००	
18	A/c Mix Design	nos.		२६०००.००	२६०००.००	
19	Gradation	nos.		७५०.००	७५०.००	
20	Aggregate Impact test	nos.		५००.००	५००.००	
21	Flakiness Index	nos.		५००.००	५००.००	
23	LAA	nos.		१५००.००	१५००.००	
24	Specific Gravity of Marshall	nos.		१०००.००	१०००.००	
25	Clay Lump	nos.		१५००.००	१५००.००	
26	Mica Content	nos.		१५००.००	१५००.००	
27	Asphalt Concrete Mix Design	nos.		३००००.००	३००००.००	
28	Marshal Mix Design of Asphalt	nos.		२५०००.००	२५०००.००	
29	Asphalt core cutting with Thickness Determination-per hole	nos.		१२००.००	१२००.००	
30	Density (pavement compaction) test of Asphalt core-per cylinder	nos.		९००.००	९००.००	
31	Tray Test	nos.		२००.००	२००.००	
32	Resistaned to Plastic flow of Bitumen (Marshal Design)	nos.		६६५५.००	६६५५.००	
33	Specific Gravity Marshall	nos.		६००.००	६००.००	
34	Stripping Test	nos.		६५१.००	६५१.००	
35	Water content	nos.		४७५.००	४७५.००	
36	Residue on Sieving of Emulsion	nos.		७४१.००	७४१.००	
37	Binder Content of Emulsion	nos.		५६१.००	५६१.००	
38	Measurement of Pavement thickness	nos.		४९६.००	४९६.००	
H	**Soil Testing**					
1	Grain size Distribution	nos.		६७५.००	६७५.००	
2	Atterberg Limit	nos.		५००.००	५००.००	
3	Natural Moisture Content	nos.		२५०.००	२५०.००	
4	Bulk and Dry Density	nos.		४००.००	४००.००	
5	Specific Gravity test	nos.		५००.००	५००.००	
6	Direct shear test	nos.		१२००.००	१२००.००	
7	Consolidation test	nos.		२०००.००	२०००.००	
8	Proctor test (compaction)	nos.		१५००.००	१५००.००	
9	Compaction test-Modified AASHTO	nos.		२०००.००	२०००.००	
10	Permeability test	nos.		५०००.००	५०००.००	
11	Unconfined Compressive Strength test	nos.		१०००.००	१०००.००	
12	CBR test	nos.		२५००.००	२५००.००	
a	CBR test (soaked)	nos.		१९३५.००	१९३५.००	
b	CBR test (unsoaked)	nos.		१६९७.००	१६९७.००	
c	Rapid determination of CBR by DCP	nos.		२९९.००	२९९.००	
13	Presence of Organic Content	nos.		१५००.००	१५००.००	
14	Swell test	nos.		५०००.००	५०००.००	
15	Unconsolidation Undrained Triaxial	nos.		४०००.००	४०००.००	
16	Plasticity Index	nos.		५००.००	५००.००	

निर्माण सामग्रीहरुको फिल्ड तथा ल्याबमा गरिने विभिन्न टेस्टहरुको दर रेट

सि.नं.	विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
17	Field Density test	nos.		६२९.००	६२९.००	
18	Sampling Undisturbed Samples	nos.		५००.००	५००.००	
19	Sampling Disturbed Samples	nos.		२००.००	२००.००	
20	Standard Penetration Test (SPT)	nos.		५००.००	५००.००	
21	Clay content test	nos.		१२००.००	१२००.००	
I	**Reinforcement Test**					
1	Tensile Strength					
a	40mm	nos.		३५००.००	३५००.००	
b	32mm	nos.		१५००.००	१५००.००	
c	30mm	nos.		२५००.००	२५००.००	
d	25mm	nos.		१५००.००	१५००.००	
e	20mm	nos.		१५००.००	१५००.००	
f	16mm	nos.		१२००.००	१२००.००	
g	12mm	nos.		१२००.००	१२००.००	
h	10mm	nos.		१२००.००	१२००.००	
i	8mm	nos.		१२००.००	१२००.००	
2	Bend/Rebend test	nos.		३५००.००	३५००.००	
3	Steel Plate	nos.		१५००.००	१५००.००	
4	Bull Dog Grip	nos.		३०००.००	३०००.००	
5	Nut bolt	nos.		१५००.००	१५००.००	
	(Weight,tensile,yeild and Elongation)					
6	Tensile strength,Elongation,yeild stress (8mm) for 1 sample	nos.		३८००.००	३८००.००	
7	Tensile strength,Elongation,yeild stress (10mm) for 1 sample	nos.		४८००.००	४८००.००	
8	Tensile strength,Elongation,yeild stress (12mm) for 1 sample	nos.		४१००.००	४१००.००	
9	Tensile strength,Elongation,yeild stress (16mm) for 1 sample	nos.		४२००.००	४२००.००	
10	Tensile strength,Elongation,yeild stress (20mm) for 1 sample	nos.		४४००.००	४४००.००	
11	Tensile strength,Elongation,yeild stress (25mm) for 1 sample	nos.		४६००.००	४६००.००	
12	Tensile strength,Elongation,yeild stress (28mm) for 1 sample	nos.		५०००.००	५०००.००	
13	Tensile strength,Elongation,yeild stress (32mm) for 1 sample	nos.		५४००.००	५४००.००	
J	**(G.I)Gabion wire**					
1	Tensile Strength	nos.		२७९.००	२७९.००	
2	Zinc Coating	nos.		३६८.००	३६८.००	
3	Adhesion test	nos.		७१.००	७१.००	
4	Uniformity of Zinc Coating of GI Wire	nos.		२९९.००	२९९.००	
K	**Kerb Stone Test**	nos.		२२००.००	२२००.००	
L	**Interlocking Block Test**	nos.		३५००.००	३५००.००	
M	**MS plate (Weight,tensile,Yeild and Elongation)**					

निर्माण सामग्रीहरुको फिल्ड तथा ल्याबमा गरिने विभिन्न टेस्टहरुको दर रेट

सि.नं.	विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.ब.			कैफियत
			०७८।०७९	०७९।०८०	०८०।०८१	
1	Tensile Stength,Elongation,Yeild stress, (6mm) for 1 sample	nos.		३८००.००	३८००.००	
2	Tensile Stength,Elongation,Yeild stress, (8mm) for 1 sample	nos.		४०००.००	४०००.००	
3	Tensile Stength,Elongation,Yeild stress, (10mm) for 1 sample	nos.		४१००.००	४१००.००	
4	Tensile Stength,Elongation,Yeild stress, (12mm) for 1 sample	nos.		४२००.००	४२००.००	
5	Tensile Stength,Elongation,Yeild stress, (16mm) for 1 sample	nos.		४४००.००	४४००.००	
6	Tensile Stength,Elongation,Yeild stress, (20mm) for 1 sample	nos.		४६००.००	४६००.००	
7	Tensile Stength,Elongation,Yeild stress, (25mm) for 1 sample	nos.		५०००.००	५०००.००	
8	Tensile Stength,Elongation,Yeild stress, (32mm) for 1 sample	nos.		५४००.००	५४००.००	
N	**Rock**					
1	Compressive Strength	nos.		१०००.००	१०००.००	
2	Point Load Test	nos.		१०००.००	१०००.००	
O	**Rock**					
1	Compressive Strength	nos.		१०००.००	१०००.००	
2	Point Load Test	nos.		१०००.००	१०००.००	
P	**Emulsion**					
1	Engler nviscosity of emulsion	nos.		१०३०.००	१०३०.००	
2	Residue on sieving of emulsion	nos.		७४१.००	७४१.००	
3	Binder content of emulsion	nos.		५६१.००	५६१.००	

मध्यपुर थिमि नगरपालिका

नगर कार्यपालिकाको कार्यालय,थिमि,भक्तपुर

बाग्मती प्रदेश, नेपाल

Water Supply तथा Sanitary Works को निर्माण सामग्रीहरुको दर(रेट)

आ.ब.०८०/०८१

SANITARY WORK

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
1	**Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)**					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	२,६००.००	२,६००.००	२,६००.००	
	ii)500 mm size white glazed without siphon	,,	२,८२३.००	२,८२३.००	२,८२३.००	
	iii)580 mm size orrisa Pan	,,	३,४७२.००	२,६००.००	२,६००.००	
	iii)580 mm size white glazed Indian pan	,,	१,०८०.००	९५०.००	९५०.००	
	iv) Siphon 'p' or 's' type	,,	६०८.००	४००.००	४००.००	
	v) Asian Pan 51x40 Rectangular	,,	२,६००.००	२,४५०.००	२,४५०.००	
	Porcelain Clay Cistern		-	-	-	
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	,,	३,६६६.००	३,६६६.००	३,६६६.००	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	,,	६८७.००	६८७.००	६८७.००	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	,,	३,८०९.००	३,८०९.००	३,८०९.००	
	Commode		-	-	-	
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	१,६३५.००	१,६३५.००	१,६३५.००	
	ii) White glazed porcelain clay EWC regular commode with 's ' \ p trap	,,	१,८८०.००	१,८८०.००	१,८८०.००	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	,,	१८,६६३.००	१८,६६३.००	१८,६६३.००	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 'S ' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	,,	२९,७४१.००	२९,७४१.००	२९,७४१.००	
	v) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	,,	२१,००१.००	२१,००१.००	२१,००१.००	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	,,	५,४१०.००	५,४१०.००	५,४१०.००	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	,,	८,९१६.००	८,९१६.००	८,९१६.००	
	viii) 600 to 900 mm Grab bar	,,	६,२४४.००	६,२४४.००	६,२४४.००	
	Bidet set		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	i) Porcelain clay white glaze Bidet.	सेट	३,८०३.००	३,८०३.००	३,८०३.००	
	Urinal set		-	-	-	
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	४,२९९.००	४,२९९.००	४,२९९.००	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)	,,	१,९३६.००	१,९३६.००	१,९३६.००	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	,,	१,६६८.००	१,६६८.००	१,६६८.००	
	vi) Wall mounted Urinal with sensor complete set.(Duravit, Grohe, American standard and equivalent)	,,	-	-	-	
	Porcelain Clay Urinal Squatting Plate		-	-	-	
	i) white glaze squatting plate Small Size (45×35)cm	सेट	१,२४८.००	१,२४८.००	१,२४८.००	
	ii) Porcelain clay white glaze squatting plate large size	,,	१,४९८.००	१,४९८.००	१,४९८.००	
	iii) Porcelain clay super color squatting plate large size.	,,	२,९१६.००	२,९१६.००	२,९१६.००	
	iv) Urinal Spreader	,,	९४२.००	९४२.००	९४२.००	
	Wash basin		-	-	-	
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	१,१२८.००	१,१२८.००	१,१२८.००	
	iii) Porcelain clay white glaze wash basin (50×40) cm	,,	१,५२५.००	१,५२५.००	१,५२५.००	
	iv) Do but wash basin (45×32)cm	,,	१,०९७.००	१,०९७.००	१,०९७.००	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	१,२३७.००	१,२३७.००	१,२३७.००	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	,,	८,५९८.००	८,५९८.००	८,५९८.००	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	,,	१४,१८९.००	१४,१८९.००	१४,१८९.००	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	,,	१०,०७९.००	१०,०७९.००	१०,०७९.००	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	,,	६,४१९.००	६,४१९.००	६,४१९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	,,	२१,१६५.००	२१,१६५.००	२१,१६५.००	
	Pedestal:		-	-	-	
	i) Porcelain clay white glaze pedestal	,,	१,४१९.००	१,४१९.००	१,४१९.००	
	ii)White glazed Porcelain clay half pedestal complete set.	,,	१,७२०.००	१,७२०.००	१,७२०.००	
	iii) First color glazed Porcelain clay half pedestal complete set.	,,	२,०३२.००	२,०३२.००	२,०३२.००	
	iv) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	,,	१३,७१२.००	१३,७१२.००	१३,७१२.००	
	Urinal Partition		-	-	-	
	White glaze porcelain clay (68×30)cm division plate	,,	१,७९३.००	१,७९३.००	१,७९३.००	
	Lab sink		-	-	-	
	i) Porcelain clay white glaze large size	,,	२,२८९.००	२,२८९.००	२,२८९.००	
	ii) Porcelain clay white glaze small size	,,	१,७०३.००	१,७०३.००	१,७०३.००	
	iii) Porcelain clay janittor sink 58×71×43.5 size	,,	२८,३८०.००	२८,३८०.००	२८,३८०.००	
	Kitchen sink		-	-	-	
	i) Porcelain clay large	सेट	३,८७६.००	३,८७६.००	३,८७६.००	
	ii) Porcelain clay small	,,	३,५११.००	३,५११.००	३,५११.००	
	iii) drain board white 53x45	,,	१,३४३.००	१,३४३.००	१,३४३.००	
	iv) Soap dish	,,	६८१.००	६८१.००	६८१.००	
	v) White glaze foot rest	,,	४३२.००	४३२.००	४३२.००	
	vi) White glaze Toilet paper holder	,,	१,१९२.००	१,१९२.००	१,१९२.००	
2	**PVC Cistern Set**		-	-	-	
	i) single flush	सेट	२,०३२.००	२,०३२.००	२,०३२.००	
	ii) Deluxe single flush	,,	२,२७०.००	२,२७०.००	२,२७०.००	
	iii)Dual flush 6/3 lit. cistern complete set.	,,	३,०५५.००	३,०५५.००	३,०५५.००	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	,,	१७,३६८.००	१७,३६८.००	१७,३६८.००	
	v) 32 mm pvc bottel trap set.	पिस	४९०.००	४९०.००	४९०.००	
	vi) 1.5x45 cm pvc pipe connector set.	,,	१४७.००	१४७.००	१४७.००	
	vi) Bakellite toilet seat cover set.	,,	२८४.००	२८४.००	२८४.००	
3	**Stainless Steel Accessories etc.**		-	-	-	
	Stainless steel Deep sink 45×45×30 size	,,	१८,७३१.००	१८,७३१.००	१८,७३१.००	
	Stainless steel Orissa pan LP 210 size	,,	८,७४१.००	८,७४१.००	८,७४१.००	
	Stainless steel wash basin model 251 12" round size with pedestal	,,	१३,६६०.००	१३,६६०.००	१३,६६०.००	
	Stainless steel wash basin 500 mm model 277 with complete set	,,	१०,५८४.००	१०,५८४.००	१०,५८४.००	
	Stainless steel commode S trap with self closing complete set	,,	१८,०८१.००	१८,०८१.००	१८,०८१.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	,,	१५,०७३.००	१५,०७३.००	१५,०७३.००	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	,,	१८,९८५.००	१८,९८५.००	१८,९८५.००	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	,,	२६,५३७.००	२६,५३७.००	२६,५३७.००	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	,,	१६,४३१.००	१६,४३१.००	१६,४३१.००	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	,,	४,३०७.००	४,३०७.००	४,३०७.००	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	,,	६,६४९.००	६,६४९.००	६,६४९.००	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	,,	८५२.००	८५२.००	८५२.००	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	,,	१,१९२.००	१,१९२.००	१,१९२.००	
	Stainless steel bowl 19"×16" diamond board 37" long	,,	२,७५३.००	२,७५३.००	२,७५३.००	
	Stainless steel bowl with diamond board 37" long	,,	३,७७०.००	३,७७०.००	३,७७०.००	
	Stainless steel bowl with ordinary board 37" long	,,	२,३८३.००	२,३८३.००	२,३८३.००	
	Stainless steel double bowl with double drain board 36" * 18 "size	,,	१४,३३५.००	१४,३३५.००	१४,३३५.००	
	Stainless steel double bowl with single drain board ordinary	,,	५,९६०.००	५,९६०.००	५,९६०.००	
	Stainless steel p trap bottle trap for basin	,,	२,३९४.००	२,३९४.००	२,३९४.००	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	,,	८,६६०.००	८,६६०.००	८,६६०.००	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	,,	५,७३२.००	५,७३२.००	५,७३२.००	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	,,	८,६६०.००	८,६६०.००	८,६६०.००	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	,,	१,५०६.००	१,५०६.००	१,५०६.००	
	Stainless steel Hose ringer 1200 mm	,,	१,३१२.००	१,३१२.००	१,३१२.००	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	,,	१,८५२.००	१,८५२.००	१,८५२.००	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	,,	७,१५१.००	७,१५१.००	७,१५१.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	,,	४,५५८.००	४,५५८.००	४,५५८.००	
	Stainless steel Sink 700*450*200	,,	२४,९७३.००	२४,९७३.००	२४,९७३.००	
	Stainless steel Sink table top1200*600*300	,,	३४,५०९.००	३४,५०९.००	३४,५०९.००	
	Steel Split clamp with washer all complete	,,	-	-	-	
	75 mm dia	पिस	३४१.००	३४१.००	३४१.००	
	110 mm dia	,,	४५४.००	४५४.००	४५४.००	
	160 mm dia	,,	७९४.००	७९४.००	७९४.००	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	१,२७७.००	१,२७७.००	१,२७७.००	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	,,	३,०६५.००	३,०६५.००	३,०६५.००	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	,,	१०,०७९.००	१०,०७९.००	१०,०७९.००	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	,,	६६६.००	६६६.००	६६६.००	
	Stainless steel towel bar 450 mm	,,	१,२७७.००	१,२७७.००	१,२७७.००	
	Stainless steel water tank fitting with all complete set (304 grade steel)		-	-	-	
	Capacity 500 ltr	set	१२,४८८.००	१२,४८८.००	१२,४८८.००	
	Capacity 1000 ltr	,,	१८,२३०.००	१८,२३०.००	१८,२३०.००	
	Capacity 1500 ltr	,,	२८,०२८.००	२८,०२८.००	२८,०२८.००	
	Capacity 2000 ltr	,,	३३,७२५.००	३३,७२५.००	३३,७२५.००	
	Sinks Other Types:		-	-	-	
	Super lab sink		-	-	-	
	i) super lab sink large size	,,	४,४४२.००	४,४४२.००	४,४४२.००	
	ii) super lab sink small size	,,	३,५०३.००	३,५०३.००	३,५०३.००	
	Super kitchen sink		-	-	-	
	i) super kitchen sink large size	,,	७,६८९.००	७,६८९.००	७,६८९.००	
	ii) super kitchen sink small size	,,	६,९५९.००	६,९५९.००	६,९५९.००	
4	**Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.**		-	-	-	
	iv) Hand dryer Germany	,,	१९,९७९.००	१९,९७९.००	१९,९७९.००	
	v) Hand Dryer Chinese	,,	७,३७९.००	७,३७९.००	७,३७९.००	
	vi) Indian Mark Brand Flush valve	,,	५,९०३.००	५,९०३.००	५,९०३.००	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	,,	३६,३२५.००	३६,३२५.००	३६,३२५.००	
	xv) European pattern liquid soap container stainless steel	,,	६,२४४.००	६,२४४.००	६,२४४.००	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	,,	१,५०३.००	१,५०३.००	१,५०३.००	
	European Pattern C.P. Grab Bar for disable		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	a) 30cm long bend type	,,	५,५२१.००	५,५२१.००	५,५२१.००	
	b) 45 cm long bend type	,,	५,७८१.००	५,७८१.००	५,७८१.००	
	c) 60 cm long bend type	,,	७,४०४.००	७,४०४.००	७,४०४.००	
5	**C.P. Accessories(jaquar, somany, essel or equivalent)**		-	-	-	
	1) Toilet paper holder	,,	५२५.००	४७५.००	४७५.००	
	2) Soap dish	,,	५२५.००	३५०.००	३५०.००	
	3) Towel rod ½"×18" size	,,	५२५.००	४७५.००	४७५.००	
	4) Towel rod ¾" ×24" size	,,	५८४.००	५२५.००	५२५.००	
	5) Glass shelf	,,	७००.००	६५०.००	६५०.००	
	6) C.P. bottle trap	,,	१,२८३.००	१,२८३.००	१,२८३.००	
	7) 32 mm×60cm long C.P flush pipe	,,	५२५.००	५२५.००	५२५.००	
	8) 15 mm flush cock push type	,,	१,१६७.००	१,१६७.००	१,१६७.००	
	9) 15 mm dia. C.P. shower arm	,,	१,००५.००	१,००५.००	१,००५.००	
	10) 15 mm dia. C.P. spreader	,,	९६८.००	९६८.००	९६८.००	
	11) 15 mm dia. C.P. wall mixture	,,	५,५९८.००	४,५००.००	४,५००.००	
	i) 3" dia. Shower rose , revolving type	,,	९३३.००	९३३.००	९३३.००	
	ii) 4" dia. Shower rose , revolving type	,,	१,०५१.००	१,०५१.००	१,०५१.००	
	iii) Shower rose ordinary	,,	५८४.००	५८४.००	५८४.००	
	iv) Shower rod 12" long	,,	२९१.००	२९१.००	२९१.००	
	C.P. 15 mm dia. Angle Valve	,,	१,२८१.००	१,२८१.००	१,२८१.००	
	C.P. 15 mm dia Concealed Stop Cock	,,	१,८६१.००	१,८६१.००	१,८६१.००	
	C.P 15mm Bib Cock	,,	१,४०२.००	१,०५०.००	१,०५०.००	
	C.P. 15 mm dia swan neck Pillar Cock	,,	१,३७१.००	१,२००.००	१,२००.००	
	C.P. 15 mm dia Stop Cock	,,	१,३७१.००	१,१००.००	१,१००.००	
	C.P. 15 mm dia Sink Cock	,,	१,३४८.००	१,३४८.००	१,३४८.००	
	C.P. 15 mm dia Sink Mixture	,,	४,६०६.००	४,२००.००	४,२००.००	
	C.P. 32 mm dia Flush Valve	,,	५,५६६.००	५,५६६.००	५,५६६.००	
	C.P. 32 mm dia Waste Coupling for basin	,,	४३७.००	४३७.००	४३७.००	
	C.P. 32 mm dia Waste Coupling for Urinal	,,	७१०.००	७१०.००	७१०.००	
	C.P. Basin Mixture	सेट	४,७७९.००	४,७७९.००	४,७७९.००	
	15 mm dia Bath Tub Spout with Wall Hinge	,,	१,७८३.००	१,७८३.००	१,७८३.००	
	C.P. Exclusive Shower Arm with Hinge	,,	२,०७४.००	२,०७४.००	२,०७४.००	
	15 mm bath tub spout with bottom attachment of telephonic shower	,,	४,२९४.००	४,२९४.००	४,२९४.००	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	,,	७,०५४.००	७,०५४.००	७,०५४.००	
	C.P. flexible pipe	गोटा	१८६.००	१८६.००	१८६.००	
	C.P. Grating		-	-	-	
	i) 4" dia.	,,	५२.००	५२.००	५२.००	
	ii) 5" dia.	,,	६४.००	६४.००	६४.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	i) C.P. Toilet Paper Holder	,,	९५७.००	९५७.००	९५७.००	
	ii) C.P. Soap Dish(Polyurethane)	,,	१,०७३.००	१,०७३.००	१,०७३.००	
	iii) C.P. Towel Rod 18"	,,	१,६२५.००	१,६२५.००	१,६२५.००	
	iv) C.P. Towel Rod 24"	,,	१,७१३.००	१,७१३.००	१,७१३.००	
	v) C.P. Glass Shelf 22"	,,	२,३२८.००	२,३२८.००	२,३२८.००	
	vi) C.P. Coat Hook Double	,,	८३६.००	८३६.००	८३६.००	
	ix) C.P. Angle Cock		-	-	-	
	15mm C.P. Angle Cock	,,	९५५.००	९५५.००	९५५.००	
	15 mm C.P. Angle Cock Long Thread	,,	१,०१६.००	१,०१६.००	१,०१६.००	
	x) C.P. Conceal Stop Cock	,,	-	-	-	
	i) 15 mm Reduced body	,,	१,१७०.००	१,१७०.००	१,१७०.००	
	ii) 15 mm Extra Heavy Body	,,	१,४३२.००	१,४३२.००	१,४३२.००	
	xi) C.P. Bib Cock	,,	-	-	-	
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	,,	२,६९०.००	२,६९०.००	२,६९०.००	
	ii) 15mm C.P. Bib Cock	,,	९८१.००	९८१.००	९८१.००	
	iii) 15mm C.P. Bib Cock with nozzle	,,	१,०८६.००	१,०८६.००	१,०८६.००	
	xii) C.P. Pillar Cock	,,	-	-	-	
	i) 15 mm C.P. Pillar Cock With Aerator	,,	१,३०१.००	१,३०१.००	१,३०१.००	
	ii) 15mm Auto Closing Pillar Cock With Aerator	,,	२,६०३.००	२,६०३.००	२,६०३.००	
	i) 15mm C.P. Sink Cock	,,	१,६४८.००	१,६४८.००	१,६४८.००	
	ii) C.P. Sink Mixer	,,	४,०८५.००	४,०८५.००	४,०८५.००	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	,,	३,५६०.००	३,५६०.००	३,५६०.००	
	xv) C.P. Bottle Trap 32mm	,,	१,९०८.००	१,९०८.००	१,९०८.००	
	32 mm C.P. Conceal Flush Valve Dual Flow	,,	३,९९०.००	३,९९०.००	३,९९०.००	
	xvii) C.P. Waste Coupling	,,	-	-	-	
	32 mm C.P. Waste Coupling H/T	,,	४५९.००	४५९.००	४५९.००	
	32 mm C.P. Waste Coupling F/T	,,	४५९.००	४५९.००	४५९.००	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	,,	२,७७५.००	२,७७५.००	२,७७५.००	
	xix) 15 mm C.P. Wall Mixer		-	-	-	
	15 mm C.P. Wall Mixer With Lower Bend Pipe	,,	४,५९७.००	४,५९७.००	४,५९७.००	
	15 mm C.P. Wall Mixer With Upper Bead Pipe	,,	४,५९७.००	४,५९७.००	४,५९७.००	
	xx) C.P. Basin Mixer	,,	-	-	-	
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	,,	३,८१७.००	३,८१७.००	३,८१७.००	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	,,	४,००८.००	४,००८.००	४,००८.००	
	xxi) 15mm Bath Tub Spout with wall flange	,,	-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	15mm Bath Tub Spout with wall Flange	,,	१,३०१.००	१,३०१.००	१,३०१.००	
	15mm Bath Tub Spout with button attachment	,,	२,०८२.००	२,०८२.००	२,०८२.००	
	xxii) C.P. Casted Shower Arm with Flange	,,	-	-	-	
	15 mm Casted Shower Arm Light	,,	६९३.००	६९३.००	६९३.००	
	15 mm Casted Shower Arm Heavy	,,	१,१२७.००	१,१२७.००	१,१२७.००	
	xxiii) 15 mm Telephonic Hand Shower		-	-	-	
	With 1.50 m. PVC Tube	,,	१,८४५.००	१,८४५.००	१,८४५.००	
	With 1.5 Flexible Tube	,,	२,८६२.००	२,८६२.००	२,८६२.००	
	xxiv) Auto closing urinal flush valve		-	-	-	
	15mm presmatic auto closing urinal flush valve	गोटा	३,३२१.००	३,३२१.००	३,३२१.००	
	xxiv) Other accessories		-	-	-	
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	४,९७९.००	४,९७९.००	४,९७९.००	
	15 mm Braided Hose for E.W.C.	,,	३०७.००	३०७.००	३०७.००	
	15 mm Health Faucet (Commode Spray)	,,	१,१८०.००	१,१८०.००	१,१८०.००	
	15 mm pillar cock with 200 mm extended lever handle	,,	१,५६०.००	१,५६०.००	१,५६०.००	
	15 mm Bib cock with 200 mm extended lever handle	,,	१,६४६.००	१,६४६.००	१,६४६.००	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	,,	६,१३५.००	६,१३५.००	६,१३५.००	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	,,	५,९४९.००	५,९४९.००	५,९४९.००	
	Sensor mixer for wash basin (Battery operated)	,,	२१,०९५.००	२१,०९५.००	२१,०९५.००	
	Wall mounted Sensor mixer for operatation theater (Battery operated)	,,	२१,०९५.००	२१,०९५.००	२१,०९५.००	
	Sensor conceal type flushing valve for Western commode (battery operated)	,,	१६,७०८.००	१६,७०८.००	१६,७०८.००	
	Sensor valve for Urinal	,,	१०,९७१.००	१०,९७१.००	१०,९७१.००	
	Basin cock Sensor	,,	१४,८५१.००	१४,८५१.००	१४,८५१.००	
	15mm U shaped sink cock	,,	१,७६३.००	१,७६३.००	१,७६३.००	
	Sink Mixture with U shape swinging spout	,,	३,६६५.००	३,६६५.००	३,६६५.००	
	15mm metallic Health Faucet (Commode Spray)	,,	२,२३६.००	२,२३६.००	२,२३६.००	
7	**Electric & Solar Geyser**		-	-	-	
	i) 10 lit. cap. electric water heater	गोटा	११,५७८.००	११,५७८.००	११,५७८.००	
	ii) 25 lit cap. " " "	,,	१७,८५१.००	१७,८५१.००	१७,८५१.००	
	iii) 35 lit cap " " "	,,	२२,१९२.००	२२,१९२.००	२२,१९२.००	
	iv) 50 lit cap " " "	,,	२६,५३५.००	२६,५१५.००	२६,५१५.००	
	iv) Gas water heater with cylinder	,,	८,४४६.००	८,४४६.००	८,४४६.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	xi)15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	१२,४८७.००	१२,४८७.००	१२,४८७.००	
8	**C.I. Manhole Cover including frame.**		-	-	-	
8.1	**Square Frame (in outer dia)**		-	-	-	
	Medium Duty		-	-	-	
	i) 10" × 10" (4 Kg.)	सेट	६८९.००	६८९.००	६८९.००	
	ii) 12" × 12" (5 Kg.)	,,	८६१.००	८६१.००	८६१.००	
	iii) 14" × 14" (7 Kg.)	,,	१,२०६.००	१,२०६.००	१,२०६.००	
	v) 16" × 16" (10 Kg.)	,,	१,७२३.००	१,७२३.००	१,७२३.००	
	vi) 18" × 18" (14 Kg.)	,,	२,५८४.००	२,५८४.००	२,५८४.००	
	viii) 20" × 20" (16 Kg.)	,,	२,७५७.००	२,७५७.००	२,७५७.००	
	ix) 22" × 22" (20 Kg.)	,,	३,४४६.००	३,४४६.००	३,४४६.००	
	x) 24" × 24" (24 Kg.)	,,	४,४२३.००	४,४२३.००	४,४२३.००	
	xi) 27" × 27" (31 Kg.)	,,	५,३४२.००	५,३४२.००	५,३४२.००	
	Heavy Duty		-	-	-	
	iii) 14" × 14" (14 Kg.)	,,	२,४१२.००	२,४१२.००	२,४१२.००	
	ix) 22" × 22" (22 Kg.)	,,	३,७९१.००	३,७९१.००	३,७९१.००	
	xi) 27" × 27" (45 Kg.)	,,	७,७५४.००	७,७५४.००	७,७५४.००	
8.2	**Rounded Manhole Cover (Outer dia.)**		-	-	-	
	Medium class		-	-	-	
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	९,३६५.००	९,३६५.००	९,३६५.००	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	,,	१२,४८७.००	१२,४८७.००	१२,४८७.००	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	,,	१५,६०९.००	१५,६०९.००	१५,६०९.००	
	iv) 22" dia. Medium class. (125 Kg.)	,,	१९,९७९.००	१९,९७९.००	१९,९७९.००	
	v) 22" dia. Heavy class. (208Kg.)	,,	२९,८४३.००	२९,८४३.००	२९,८४३.००	
	vi) 24" dia. Medium class. (40 Kg.)	,,	६,३९३.००	६,३९३.००	६,३९३.००	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	,,	७,९९२.००	७,९९२.००	७,९९२.००	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	,,	११,४८८.००	११,४८८.००	११,४८८.००	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	,,	१३,९८५.००	१३,९८५.००	१३,९८५.००	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	,,	१८,४८०.००	१८,४८०.००	१८,४८०.००	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	,,	१८,४८०.००	१८,४८०.००	१८,४८०.००	
8.3	**C.I. Tank Cover Locking Types**		-	-	-	
	Round		-	-	-	
	18" (8 Kg.)	सेट	१,७७५.००	१,७७५.००	१,७७५.००	
	20" (12 Kg.)	,,	२,६०३.००	२,६०३.००	२,६०३.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	22" (14 Kg.)	,,	२,९५७.००	२,९५७.००	२,९५७.००	
	24" (16 Kg.)	,,	३,५४९.००	३,५४९.००	३,५४९.००	
	28" (24 Kg.)	,,	५,३२४.००	५,३२४.००	५,३२४.००	
	Square		-	-	-	
	18" x 18" (13 Kg.)	सेट	२,९५७.००	२,९५७.००	२,९५७.००	
	24" x 24" (50 Kg.)	,,	१०,६४९.००	१०,६४९.००	१०,६४९.००	
	Rectangular		-	-	-	
	18" x 24" (27 Kg.)	सेट	५,९१६.००	५,९१६.००	५,९१६.००	
8.4	**C.I. Gully Gratings & Jali**		-	-	-	
	Round Jali Strip Mediun Duty		-	-	-	
	4"	सेट	१०६.००	८५.००	८५.००	
	5"	,,	१४२.००	१४०.००	१४०.००	
	6"	,,	१८८.००	१८८.००	१८८.००	
	10"	,,	६५०.००	६५०.००	६५०.००	
	Square Jali Strip Mediun Duty		-	-	-	
	4" x 4"	सेट	९४.००	९४.००	९४.००	
	5" x 5"	,,	११८.००	११८.००	११८.००	
	6" x 6"	,,	१४२.००	१४२.००	१४२.००	
	9" x 9"	,,	४१३.००	४१३.००	४१३.००	
	10" x 10"	,,	५३३.००	५३३.००	५३३.००	
	12" x 12"	,,	७६८.००	७६८.००	७६८.००	
	C.I. Gully Gratings		-	-	-	
	i) 15"×18" Medium (18 Kg.)	सेट	३,९०५.००	३,९०५.००	३,९०५.००	
	ii) 15"×18" Heavy (25 Kg.)	सेट	५,३२४.००	५,३२४.००	५,३२४.००	
	Grit Cover		-	-	-	
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	१७१.००	१७१.००	१७१.००	
	Aluminum Grating 4" dia.	गोटा	४४.००	४४.००	४४.००	
9	**G.I. Water Tank (17 Gauge)**		-	-	-	
	i) 100 gls	गोटा	८,५६७.००	८,५६७.००	८,५६७.००	
	ii) 200 gls	,,	१३,४५८.००	१३,४५८.००	१३,४५८.००	
	iii) 300 gls	,,	१६,९२७.००	१६,९२७.००	१६,९२७.००	
	iv) 400 gls	,,	२०,३२२.००	२०,३२२.००	२०,३२२.००	
	v) 500 gls	,,	२३,७२७.००	२३,७२७.००	२३,७२७.००	
	G.I. Water Tank (16 BWG TATA Sheet)		-	-	-	
	i) 100 gls	गोटा	९,०३६.००	९,०३६.००	९,०३६.००	
	ii) 200 gls	,,	१३,६६५.००	१३,६६५.००	१३,६६५.००	
	iii) 300 gls	,,	१८,१४३.००	१८,१४३.००	१८,१४३.००	
	iv) 400 gls	,,	२१,७३९.००	२१,७३९.००	२१,७३९.००	
	v) 500 gls	,,	२५,३३५.००	२५,३३५.००	२५,३३५.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
10	**Roof Top PVC Water Tank**		-	-	-	
	i) 200 lit – 5000 lit cap.	ली.	११.००	११.००	११.००	
	ii) 5000 lit – 10,000 lit cap	,,	१२.००	१२.००	१२.००	
	iii) Horizontal PVC water tank	,,	१२.००	१२.००	१२.००	
11	**Water Pumps/Hand Pumps**		-	-	-	
	Indian Mark-III , Deep Well Hand Pump		-	-	-	
	6 No. hand pump	गोटा	१,६२९.००	१,६२९.००	१,६२९.००	
	Water Pump :		-	-	-	
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	११,२१२.००	११,२१२.००	११,२१२.००	
	ii) ½ H.P. Water Pump mono block type	,,	६,४४६.००	६,४४६.००	६,४४६.००	
	iii) 1.0 H.P. water pump Multistage	,,	१४,६८६.००	१४,६८६.००	१४,६८६.००	
	iv)1.0 H.P. water pump (mono block type)	,,	९,७४९.००	९,७४९.००	९,७४९.००	
	v) 2.0 H.P. water pump	,,	२३,२६५.००	२३,२६५.००	२३,२६५.००	
	vi) 2.0 H.P.3 phase water pump	,,	२४,५६२.००	२४,५६२.००	२४,५६२.००	
	vii) 5.0 HP 3 phase water pump	,,	२९,५१६.००	२९,५१६.००	२९,५१६.००	
	Jet Water Pump		-	-	-	
	i) 1.10 H.P.	सेट	२२,२७९.००	२२,२७९.००	२२,२७९.००	
	ii) Double Stage jet 1.10 H.P.		२६,७३५.००	२६,७३५.००	२६,७३५.००	
	ii) 1.5 H.P.	,,	३०,०७७.००	३०,०७७.००	३०,०७७.००	
	Super Sunction		-	-	-	
	i) ½ H.P	सेट	९,१९०.००	९,१९०.००	९,१९०.००	
	ii) 0.75 H.P.	,,	८,५७८.००	८,५७८.००	८,५७८.००	
	iii) 1.0 H.P.	,,	१४,७०४.००	१४,७०४.००	१४,७०४.००	
	Water Pump (Grundfoss, pentair, Pedrello or equiv)		-	-	-	
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८,७४८.००	१८,७४८.००	१८,७४८.००	
	ii) 2 H.P. single pump set " "	,,	३०,११०.००	३०,११०.००	३०,११०.००	
	Fire pump		-	-	-	
	Submersible Pump (Italian)		-	-	-	
	i) 1.0 H.P.	,,	२६,८७२.००	२६,८७२.००	२६,८७२.००	
	ii) 2.0 H.P.	,,	४९,८४९.००	४९,८४९.००	४९,८४९.००	
	Electric Water Pump (Chinese)		-	-	-	
	i) ½ H.P	,,	१,७५४.००	१,७५४.००	१,७५४.००	
	ii) ¾ H.P.	,,	२,२८६.००	२,२८६.००	२,२८६.००	
	iii) 1.0 H.P.	,,	३,३६८.००	३,३६८.००	३,३६८.००	
	Submersible Pump Sarvo/Bimal or equivalent		-	-	-	
	i) ½ H.P open well type	,,	१७,१५५.००	१७,१५५.००	१७,१५५.००	
	ii) 1.1 H.P open well type	,,	२५,१२०.००	२५,१२०.००	२५,१२०.००	
	iii) 1.5 H.P open well type	,,	३०,६३३.००	३०,६३३.००	३०,६३३.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Vertical Submersible Pump Sarvo/Bimal or equivalent	,,	-	-	-	
	i) 1.1 H.P	,,	२८,०७२.००	२८,०७२.००	२८,०७२.००	
	iii) 1.5 H.P	,,	३३,९२०.००	३३,९२०.००	३३,९२०.००	
12	**Fire fighting equipment and accessories (safeguard india or equiv)**		-	-	-	
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170° U-shape hose reel carrier with drum set	सेट	-	-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	,,	-	-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	,,	-	-	-	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	,,	-	-	-	
13	**Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामाग्री (safeguard india or equivalent)**		-	-	-	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	-	-	-	
	ii) 2 kg size ABC ,, ,, ,,	गोटा	-	-	-	
	iii) 3.0kg size ABC ,, ,, ,,	,,	-	-	-	
	iii) 5.0kg size ABC ,, ,, ,,	,,	-	-	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	-	-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	,,	-	-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	,,	-	-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	,,	-	-	-	
	viii) 2.5 kg size ABC ,, ,, ,,	,,	-	-	-	
	ix) Co_2 Type fire extinguisher 6.80 lit .	,,	-	-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	-	-	-	
14	**Insulation for hot water pipe 'Acroflex'**		-	-	-	
	15mm Insulation 6 mm wall thickness	र.मी	-	-	-	
	20mm Insulation 6 mm wall thickness	,,	-	-	-	
	25mm Insulation 6 mm wall thickness	,,	-	-	-	
	32mm Insulation 6 mm wall thickness '	,,	-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
15	**ACRYLIC GLASS SHELF**		-	-	-	
	i) Acrylic glass shelf best quality	सेट	-	-	-	
	ii) Acrylic glass shelf ordinary	,,	-	-	-	
	iii) Shower curtain	,,	-	-	-	
16	**Water Purification System**		-	-	-	
	Euro Guard Water purification system (one litre per minute)	युनिट	-	-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	,,	-	-	-	
	AQUA-ALO water purifier (1.0 lit/min)	,,	-	-	-	
	AQUA-power water purifier	,,	-	-	-	
	RO feed pump	सेट	-	-	-	
	Fire Sprinkler	,,	-	-	-	
	Supply,installation, testing and commisioning of Aeration system (FRP Tray type)	,,	-	-	-	
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144”x14” Ø)	,,	-	-	-	
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	,,	-	-	-	
	Filter Media for existing filtration system		-	-	-	
	Pebbles	के.जी.	-	-	-	
	Coarse silex	,,	-	-	-	
	Gravel	,,	-	-	-	
	Golden sand	,,	-	-	-	
	Anthracite	,,	-	-	-	
	MNo2	,,	-	-	-	
	Activated Carbon	,,	-	-	-	
	Motor starter switch	,,	-	-	-	
	Pressure sensor switch for water tank(Italian)	,,	-	-	-	
17	**विभिन्न साइजको Bath tub .fiber (Duravit, grohe, American standard or equiv)**		-	-	-	
	a) Bath tub – 3'6" Medium	सेट	-	-	-	
	Bath tub – 3'6" Heavy	,,	-	-	-	
	b) Bath tub – 4'0" Medium	,,	६,९०६.००	६,९०६.००	६,९०६.००	
	Bath tub _ 4'0" Heavy	,,	८,०२१.००	८,०२१.००	८,०२१.००	
	c) Bath Tub – 4'6" Medium	,,	८,३५४.००	८,३५४.००	८,३५४.००	
	Bath tub – 4'6" Heavy	,,	८,३८१.००	८,३८१.००	८,३८१.००	
	d) Bath tub – 5'0" Medium	,,	९,१३४.००	९,१३४.००	९,१३४.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Bath tub _ 5'0" Heavy	,,	३०,२३६.००	३०,२३६.००	३०,२३६.००	
	e) Bath Tub – 5'6" Medium	,,	८,१९६.००	८,१९६.००	८,१९६.००	
	Bath tub – 5'6" Heavy	,,	९,६५४.००	९,६५४.००	९,६५४.००	
	f) Bath Tub – 6'0" Medium	,,	१३,२६१.००	१३,२६१.००	१३,२६१.००	
	Bath tub – 6'0" Heavy	,,	३७,९२८.००	३७,९२८.००	३७,९२८.००	
18	**Shower Tray 3'0"×3'0"**	गोटा	५१५.००	५१५.००	५१५.००	
	Pipes and fittings		-	-	-	
19	**PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.)**		-	-	-	
	1) PP-R Pipe (PN-10)		-	-	-	
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	४९.००	४९.००	४९.००	
	25mm " 2.3 mm thick 0.164kg/m	,,	७५.००	७५.००	७५.००	
	32mm 2.9 mm thick 0.26kg/m	,,	११९.००	११९.००	११९.००	
	40mm 3.7 mm thick 0.412kg/m	,,	१८९.००	१८९.००	१८९.००	
	50mm 4.6 mm thick 0.638kg/m	,,	२९३.००	२९३.००	२९३.००	
	63 mm 8.6 mm thick 0.638kg/m	,,	४६३.००	४६३.००	४६३.००	
	75 mm	,,	६४६.००	६४६.००	६४६.००	
	90 mm	,,	९३१.००	९३१.००	९३१.००	
	110 mm	,,	१,३८०.००	१,३८०.००	१,३८०.००	
	2) PP-R Pipe (PN-16)		-	-	-	
	20mm 2.80 mm thick 0.148kg/m	,,	६७.००	६७.००	६७.००	
	25mm 3.50 mm thick 0.26kg/m	,,	१०३.००	१०३.००	१०३.००	
	32mm 3.7 mm thick 0.230kg/m	,,	१६४.००	१६४.००	१६४.००	
	40mm 5.50 mm thick 0.575kg/m	,,	२६३.००	२६३.००	२६३.००	
	50mm 6.90 mm thick 0.896kg/m	,,	४११.००	४११.००	४११.००	
	63 mm 4.6 mm thick 0.638kg/m	,,	६४६.००	६४६.००	६४६.००	
	75 mm	,,	९२१.००	९२१.००	९२१.००	
	90 mm	,,	१,३१५.००	१,३१५.००	१,३१५.००	
	110 mm	,,	१,९७१.००	१,९७१.००	१,९७१.००	
	3) PP-R Pipe (PN-20)		-	-	-	
	20mm 3.4 mm thick 0.172 kg/m	,,	७८.००	७८.००	७८.००	
	25mm 4.20 mm thick 0.266kg/m	,,	१२२.००	१२२.००	१२२.००	
	32mm 5.40 mm thick 0.434kg/m	,,	१९९.००	१९९.००	१९९.००	
	40mm 6.70 mm thick 0.671kg/m	,,	३०७.००	३०७.००	३०७.००	
	50mm 8.30 mm thick 1.04kg/m	,,	४७७.००	४७७.००	४७७.००	
	63mm 8.6mm thick 1.04kg/m	,,	७५७.००	७५७.००	७५७.००	
	75 mm	,,	१,०७३.००	१,०७३.००	१,०७३.००	
	90 mm	,,	१,५४०.००	१,५४०.००	१,५४०.००	
	110 mm	,,	२,२९६.००	२,२९६.००	२,२९६.००	
	PP-R Pipe Accessories :		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Elbow (90 ^{0})		-	-	-	
	20mm	गोटा	१०.००	१०.००	१०.००	
	25mm	,,	२०.००	२०.००	२०.००	
	32mm	गोटा	३४.००	३४.००	३४.००	
	40mm	,,	७१.००	७१.००	७१.००	
	50mm	,,	११८.००	११८.००	११८.००	
	63 mm	,,	२०९.००	२०९.००	२०९.००	
	75 mm	,,	३९२.००	३९२.००	३९२.००	
	90 mm	,,	६६२.००	६६२.००	६६२.००	
	110 mm	,,	१,२३२.००	१,२३२.००	१,२३२.००	
	Equal Tee		-	-	-	
	20mm	,,	१४.००	१४.००	१४.००	
	25mm	,,	२५.००	२५.००	२५.००	
	32mm	,,	४२.००	४२.००	४२.००	
	40mm	,,	८१.००	८१.००	८१.००	
	50mm	,,	१३८.००	१३८.००	१३८.००	
	63mm	,,	२५१.००	२५१.००	२५१.००	
	75 mm	,,	४३६.००	४३६.००	४३६.००	
	90 mm	,,	७९८.००	७९८.००	७९८.००	
	110 mm	,,	१,३८५.००	१,३८५.००	१,३८५.००	
	Coupler		-	-	-	
	20mm	गोटा	८.००	८.००	८.००	
	25mm	,,	१०.००	१०.००	१०.००	
	32mm	,,	२०.००	२०.००	२०.००	
	40mm	,,	३८.००	३८.००	३८.००	
	50mm	,,	६४.००	६४.००	६४.००	
	63 mm	,,	११२.००	११२.००	११२.००	
	75 mm	,,	२१८.००	२१८.००	२१८.००	
	90 mm	,,	३२२.००	३२२.००	३२२.००	
	110 mm	,,	५८८.००	५८८.००	५८८.००	
	45 Degree Elbow		-	-	-	
	20 mm	,,	१४.००	१४.००	१४.००	
	25 mm	,,	२२.००	२२.००	२२.००	
	32 mm	,,	३५.००	३५.००	३५.००	
	40 mm	,,	६४.००	६४.००	६४.००	
	50 mm	,,	१०८.००	१०८.००	१०८.००	
	63 mm	,,	१७८.००	१७८.००	१७८.००	
	75 mm	,,	३४८.००	३४८.००	३४८.००	
	90 mm	,,	५८८.००	५८८.००	५८८.००	
	110 mm		१,०२७.००	१,०२७.००	१,०२७.००	
	Union (Plastic)		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	20mm	गोटा	५२.००	५२.००	५२.००	
	25mm	,,	८८.००	८८.००	८८.००	
	32mm	,,	१४३.००	१४३.००	१४३.००	
	40mm	,,	२१७.००	२१७.००	२१७.००	
	50mm	,,	३४०.००	३४०.००	३४०.००	
	63mm	,,	४०६.००	४०६.००	४०६.००	
	Reducing Coupler		-	-	-	
	25mm*20mm	,,	१५.००	१५.००	१५.००	
	32mm*20mm	,,	१८.००	१८.००	१८.००	
	32mm*25mm	,,	२०.००	२०.००	२०.००	
	40mm*20mm	,,	३०.००	३०.००	३०.००	
	40mm*25mm	,,	३१.००	३१.००	३१.००	
	40mm*32mm	,,	४२.००	४२.००	४२.००	
	50mm*20mm	,,	५६.००	५६.००	५६.००	
	50mm*25mm	,,	५४.००	५४.००	५४.००	
	50mm*32mm	,,	६१.००	६१.००	६१.००	
	50mm*40mm	,,	६५.००	६५.००	६५.००	
	63mm*32mm	,,	८८.००	८८.००	८८.००	
	63mm*40mm	,,	१०९.००	१०९.००	१०९.००	
	63mm*50mm	,,	१०९.००	१०९.००	१०९.००	
	75mm*40mm	,,	२१८.००	२१८.००	२१८.००	
	75mm*50mm	,,	२२२.००	२२२.००	२२२.००	
	75mm*63mm	,,	२२४.००	२२४.००	२२४.००	
	90mm*50mm	,,	४१४.००	४१४.००	४१४.००	
	90mm*63mm	,,	४४४.००	४४४.००	४४४.००	
	90mm*75mm	,,	५२२.००	५२२.००	५२२.००	
	110mm*75mm		७३२.००	७३२.००	७३२.००	
	110mm*90mm		८१४.००	८१४.००	८१४.००	
	Reducing Tee		-	-	-	
	25*20*25 mm	,,	२६.००	२६.००	२६.००	
	32*20*32 mm	,,	३९.००	३९.००	३९.००	
	32*25*32 mm	,,	४२.००	४२.००	४२.००	
	40*20*40 mm	,,	५६.००	५६.००	५६.००	
	40*25*40 mm	,,	६३.००	६३.००	६३.००	
	40*32*40 mm	,,	६७.००	६७.००	६७.००	
	50*20*50 mm	,,	८५.००	८५.००	८५.००	
	50*25*50 mm	,,	९३.००	९३.००	९३.००	
	50*32*50 mm	,,	१२६.००	१२६.००	१२६.००	
	50*40*50 mm	,,	१३०.००	१३०.००	१३०.००	
	63*32*63 mm	,,	१९६.००	१९६.००	१९६.००	
	63*40*63 mm	,,	१९८.००	१९८.००	१९८.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	63*50*63 mm	,,	२०७.००	२०७.००	२०७.००	
	75*50*75 mm	,,	४४८.००	४४८.००	४४८.००	
	75*63*75 mm	,,	४६९.००	४६९.००	४६९.००	
	90*63*90 mm	,,	८२७.००	८२७.००	८२७.००	
	90*75*90 mm	,,	९१४.००	९१४.००	९१४.००	
	110*75*110 mm	,,	१,४८०.००	१,४८०.००	१,४८०.००	
	110*90*110 mm		१,५२४.००	१,५२४.००	१,५२४.००	
	Reducing Elbow		-	-	-	
	25mm*20mm	,,	२०.००	२०.००	२०.००	
	32mm*20mm	,,	३६.००	३६.००	३६.००	
	32mm*25mm	,,	४४.००	४४.००	४४.००	
	High Footed Pipe Clip		-	-	-	
	20mm	गोटा	११.००	११.००	११.००	
	25mm	,,	१३.००	१३.००	१३.००	
	32mm	,,	२०.००	२०.००	२०.००	
	40mm	,,	२२.००	२२.००	२२.००	
	50mm	,,	२५.००	२५.००	२५.००	
	63 mm	,,	३३.००	३३.००	३३.००	
	Low Footed Pipe Clip		-	-	-	
	20mm	,,	५.००	५.००	५.००	
	25mm	,,	६.००	६.००	६.००	
	32mm	,,	१३.००	१३.००	१३.००	
	40mm	,,	१७.००	१७.००	१७.००	
	50mm	,,	२७.००	२७.००	२७.००	
	63 mm	,,	३५.००	३५.००	३५.००	
	"Y" type Pipe Clip		-	-	-	
	20mm	,,	१७.००	१७.००	१७.००	
	25mm	,,	२०.००	२०.००	२०.००	
	32mm	,,	२५.००	२५.००	२५.००	
	40 mm		४९.००	४९.००	४९.००	
	End Plug (short)		-	-	-	
	20mm	,,	५.००	५.००	५.००	
	25mm	,,	९.००	९.००	९.००	
	32mm	,,	१२.००	१२.००	१२.००	
	End Plug with Ring		-	-	-	
	20mm	,,	२०.००	२०.००	२०.००	
	End Plug (long)		-	-	-	
	20mm	,,	८.००	८.००	८.००	
	End Cap		-	-	-	
	20mm	,,	११.००	११.००	११.००	
	25mm	,,	१७.००	१७.००	१७.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	32mm	,,	२६.००	२६.००	२६.००	
	40mm	,,	३९.००	३९.००	३९.००	
	50mm	,,	६९.००	६९.००	६९.००	
	63 mm	,,	१३३.००	१३३.००	१३३.००	
	75 mm	,,	२१३.००	२१३.००	२१३.००	
	Cross Tee		-	-	-	
	20mm	,,	२३.००	२३.००	२३.००	
	25mm	,,	३५.००	३५.००	३५.००	
	32mm	,,	५९.००	५९.००	५९.००	
	Short Passover		-	-	-	
	20mm	,,	६७.००	६७.००	६७.००	
	25mm	,,	९६.००	९६.००	९६.००	
	32mm	,,	१४९.००	१४९.००	१४९.००	
	Long Bypass		-	-	-	
	20mm	,,	७७.००	७७.००	७७.००	
	25mm	,,	१२६.००	१२६.००	१२६.००	
	32mm	,,	१८५.००	१८५.००	१८५.००	
	Male Tee		-	-	-	
	20mmx1/2"	,,	१२६.००	१२६.००	१२६.००	
	25mmx1/2"	,,	१३३.००	१३३.००	१३३.००	
	25mmx3/4"	,,	१५९.००	१५९.००	१५९.००	
	32mmx1/2"	,,	१९२.००	१९२.००	१९२.००	
	32mmx3/4"	,,	२००.००	२००.००	२००.००	
	32mmx1"	,,	३४७.००	३४७.००	३४७.००	
	Female Tee		-	-	-	
	20mmx1/2"	,,	१०२.००	१०२.००	१०२.००	
	25mmx1/2"	,,	१३३.००	१३३.००	१३३.००	
	25mmx3/4"	,,	१५५.००	१५५.००	१५५.००	
	32mmx1/2"	,,	१५२.००	१५२.००	१५२.००	
	32mmx3/4"	,,	१७९.००	१७९.००	१७९.००	
	32mmx1"	,,	३००.००	३००.००	३००.००	
	Male elbow		-	-	-	
	20mmx1/2"	,,	१२१.००	१२१.००	१२१.००	
	25mmx1/2"	,,	१३३.००	१३३.००	१३३.००	
	25mmx3/4"	,,	१६३.००	१६३.००	१६३.००	
	32mmx1/2"		१९४.००	१९४.००	१९४.००	
	32mmx3/4"	,,	२१८.००	२१८.००	२१८.००	
	32mmx1"	,,	३६१.००	३६१.००	३६१.००	
	Female elbow		-	-	-	
	20mmx1/2"	,,	९९.००	९९.००	९९.००	
	25mmx1/2"	,,	१३१.००	१३१.००	१३१.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	25mmx3/4"	,,	१३३.००	१३३.००	१३३.००	
	32mmx1/2"		१७८.००	१७८.००	१७८.००	
	32mmx3/4"	,,	२०९.००	२०९.००	२०९.००	
	32mmx1"	,,	२९३.००	२९३.००	२९३.००	
	Male Coupling		-	-	-	
	20mmx1/2"	,,	११८.००	११८.००	११८.००	
	20mmx3/4"	,,	१२४.००	१२४.००	१२४.००	
	25mmx1/2"	,,	१४३.००	१४३.००	१४३.००	
	25mmx3/4"	,,	१६५.००	१६५.००	१६५.००	
	32mmx1/2"	,,	१४९.००	१४९.००	१४९.००	
	32mmx3/4"	,,	१५९.००	१५९.००	१५९.००	
	32mmx1"	,,	३१९.००	३१९.००	३१९.००	
	40mmx1-1/4"	,,	५३९.००	५३९.००	५३९.००	
	50mmx1-1/2"	,,	८१२.००	८१२.००	८१२.००	
	63mmx2"		१,०७२.००	१,०७२.००	१,०७२.००	
	75mmx2-1/2"	,,	२,६६४.००	२,६६४.००	२,६६४.००	
	Female Coupling		-	-	-	
	20mmx1/2"	,,	९६.००	९६.००	९६.००	
	20mmx3/4"	,,	११३.००	११३.००	११३.००	
	25mmx1/2"	,,	१२६.००	१२६.००	१२६.००	
	25mmx3/4"		१२८.००	१२८.००	१२८.००	
	32mmx1/2"	,,	१०८.००	१०८.००	१०८.००	
	32mmx3/4"	,,	११६.००	११६.००	११६.००	
	32mmx1"	,,	२७३.००	२७३.००	२७३.००	
	40mmx1-1/4"	,,	४७३.००	४७३.००	४७३.००	
	50mmx1-1/2"	,,	६१३.००	६१३.००	६१३.००	
	63mmx2"		८२१.००	८२१.००	८२१.००	
	75mmx2-1/2"	,,	१,८७७.००	१,८७७.००	१,८७७.००	
	Male Union		-	-	-	
	20mmx1/2"	,,	२६६.००	२६६.००	२६६.००	
	25mmx3/4"	,,	३८२.००	३८२.००	३८२.००	
	32mmx1"	,,	५६१.००	५६१.००	५६१.००	
	40mmx1$^{1/4"}$	,,	१,०१०.००	१,०१०.००	१,०१०.००	
	50mmx1/2"	,,	१,३५०.००	१,३५०.००	१,३५०.००	
	63mmx2"	,,	३,४८३.००	३,४८३.००	३,४८३.००	
	Female Union		-	-	-	
	20mmx1/2"	,,	२५६.००	२५६.००	२५६.००	
	25mmx3/4"	,,	३३२.००	३३२.००	३३२.००	
	32mmx1"	,,	५३७.००	५३७.००	५३७.००	
	40mmx1$^{1/4"}$	,,	७४०.००	७४०.००	७४०.००	
	50mmx1/2"	,,	१,२६५.००	१,२६५.००	१,२६५.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	63mmx2"	,,	२,३०७.००	२,३०७.००	२,३०७.००	
	Stop Valve		-	-	-	
	a) 20 mm	,,	३०६.००	३०६.००	३०६.००	
	b) 25 mm	,,	४०४.००	४०४.००	४०४.००	
	c) 32 mm	,,	४८८.००	४८८.००	४८८.००	
	d) 40mm	,,	५२२.००	५२२.००	५२२.००	
	e)50 mm	,,	८७०.००	८७०.००	८७०.००	
	f) 63 mm	,,	१,३०८.००	१,३०८.००	१,३०८.००	
	Male base elbow		-	-	-	
	20mm x 1/2"	,,	१३८.००	१३८.००	१३८.००	
	25mm x 3/4"	,,	१७०.००	१७०.००	१७०.००	
	Female base elbow		-	-	-	
	20mm x 1/2"	,,	१३५.००	१३५.००	१३५.००	
	25mm x 1/2"	,,	१६६.००	१६६.००	१६६.००	
	25mm x 3/4"	,,	१६३.००	१६३.००	१६३.००	
	Metal Ball valve (double)		-	-	-	
	20mmx1/2"	,,	५६६.००	५६६.००	५६६.००	
	25mmx3/4"	,,	८२९.००	८२९.००	८२९.००	
	32mmx1"	,,	१,०२४.००	१,०२४.००	१,०२४.००	
	40mmx1-1/4"	,,	२,९१५.००	२,९१५.००	२,९१५.००	
	50mmx1-1/2"	,,	४,००५.००	४,००५.००	४,००५.००	
	Metal Ball valve (Single)		-	-	-	
	20mmx1/2"	,,	५२२.००	५२२.००	५२२.००	
	25mmx3/4"	,,	८३६.००	८३६.००	८३६.००	
	32mmx1"	,,	१,१५४.००	१,१५४.००	१,१५४.००	
	Conceal Valve (Lux)		-	-	-	
	20mm	,,	९७७.००	९७७.००	९७७.००	
	Conceal Valve (Nor)		-	-	-	
	20mm	,,	८२२.००	८२२.००	८२२.००	
	Ball Valve (Plastic)		-	-	-	
	20mm	,,	८३.००	८३.००	८३.००	
	25mm	,,	११३.००	११३.००	११३.००	
	32mm	,,	१९६.००	१९६.००	१९६.००	
	40mm	,,	४१७.००	४१७.००	४१७.००	
	50mm	,,	६०५.००	६०५.००	६०५.००	
	63 mm	,,	१,०२४.००	१,०२४.००	१,०२४.००	
	Ball Valve (Brass)		-	-	-	
	20mm	,,	३००.००	३००.००	३००.००	
	25mm	,,	३७०.००	३७०.००	३७०.००	
	32mm	,,	५०३.००	५०३.००	५०३.००	
	40mm	,,	८३१.००	८३१.००	८३१.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
21	**CPVC Pipes & Fittings for hot and cold water distribution system** **CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.**		-	-	-	
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)		-	-	-	
	1/2" dia	Rm	११८.००	११८.००	११८.००	
	3/4" dia	,,	१६५.००	१६५.००	१६५.००	
	1" dia	,,	२१६.००	२१६.००	२१६.००	
	1-1/4" dia	,,	२६९.००	२६९.००	२६९.००	
	1-1/2" dia	,,	३७६.००	३७६.००	३७६.००	
	2" dia	,,	५७५.००	५७५.००	५७५.००	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)		-	-	-	
	1/2" dia	,,	१३७.००	१३७.००	१३७.००	
	3/4" dia	,,	१८३.००	१८३.००	१८३.००	
	1" dia	,,	२५६.००	२५६.००	२५६.००	
	1-1/4" dia	,,	३०९.००	३०९.००	३०९.००	
	1-1/2" dia	,,	४३०.००	४३०.००	४३०.००	
	2" dia	,,	६९८.००	६९८.००	६९८.००	
	CPVC Ball Valve (CTS Sockets)		-	-	-	
	1/2"	,,	३७६.००	३७६.००	३७६.००	
	3/4"	,,	५०१.००	५०१.००	५०१.००	
	1"	,,	६०५.००	६०५.००	६०५.००	
	1-1/4"	,,	१,४१२.००	१,४१२.००	१,४१२.००	
	1-1/2"	,,	१,६९२.००	१,६९२.००	१,६९२.००	
	2"	,,	२,१८१.००	२,१८१.००	२,१८१.००	
	CPVC Reducer Brass Coupling	गोटा	-	-	-	
	3/4" X 1/2"	,,	१४२.००	१४२.००	१४२.००	
	1" X 1/2"	,,	१८६.००	१८६.००	१८६.००	
	CPVC Tee	गोटा	-	-	-	
	1/2"	,,	३७.००	३७.००	३७.००	
	3/4"	,,	७९.००	७९.००	७९.००	
	1"	,,	१२१.००	१२१.००	१२१.००	
	1-1/4"	,,	२२७.००	२२७.००	२२७.००	
	1-1/2"	,,	३३०.००	३३०.००	३३०.००	
	2"	,,	७०७.००	७०७.००	७०७.००	
	CPVC Reducer Tee	गोटा	-	-	-	
	1/2" x 1/2" x 3/4"	,,	७३.००	७३.००	७३.००	
	3/4" x 3/4" x1/2"	,,	११०.००	११०.००	११०.००	
	3/4" x 1/2" x 3/4"	,,	१३८.००	१३८.००	१३८.००	
	3/4" x 1/2" x 1/2"	,,	१५८.००	१५८.००	१५८.००	
	1" x 1" x 3/4"	,,	१६६.००	१६६.००	१६६.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	1-1/2" x 1-1/2" x 1"	,,	२५८.००	२५८.००	२५८.००	
	2" x 2" x 1"	,,	४४९.००	४४९.००	४४९.००	
	1-1/4" x 1-1/4" x 1/2"	,,	१४६.००	१४६.००	१४६.००	
	1-1/4" x 1-1/4" x 1"	,,	१५८.००	१५८.००	१५८.००	
	2" x 2" x 1/2"	,,	४४१.००	४४१.००	४४१.००	
	1" x 1" x 1/2"	,,	१०३.००	१०३.००	१०३.००	
	CPVC Brass FPT Tee	गोटा	-	-	-	
	1/2" x 1/2" x 1/2"	,,	१२४.००	१२४.००	१२४.००	
	3/4" x 3/4" x 1/2"	,,	१२९.००	१२९.००	१२९.००	
	1" x 1" x 1/2"	,,	१४३.००	१४३.००	१४३.००	
	1-1/4" x 1-1/4" x 1-1/4"	,,	५१६.००	५१६.००	५१६.००	
	1-1/4" x 1-1/4" x 1/2"	,,	२८०.००	२८०.००	२८०.००	
	CPVC Elbow 90º	गोटा	-	-	-	
	1/2"	,,	२६.००	२६.००	२६.००	
	3/4"	,,	५४.००	५४.००	५४.००	
	1"	,,	९८.००	९८.००	९८.००	
	1-1/4"	,,	१८५.००	१८५.००	१८५.००	
	1-1/2"	,,	२७५.००	२७५.००	२७५.००	
	2"	,,	५९०.००	५९०.००	५९०.००	
	CPVC Reducer Elbow 90º		-	-	-	
	3/4" X 1/2"		५४.००	५४.००	५४.००	
	CPVC Brass FPT Elbow 90º	गोटा	-	-	-	
	1/2" x 1/2"	,,	८६.००	८६.००	८६.००	
	3/4" x 1/2"	,,	१००.००	१००.००	१००.००	
	3/4" x 3/4"	,,	११४.००	११४.००	११४.००	
	1" X 1/2"	,,	२२१.००	२२१.००	२२१.००	
	1" X 1"	,,	६१४.००	६१४.००	६१४.००	
	1-1/4" x 1-1/4"	,,	७९७.००	७९७.००	७९७.००	
	CPVC Elbow 45º	गोटा	-	-	-	
	1/2"	,,	३१.००	३१.००	३१.००	
	3/4"	,,	५६.००	५६.००	५६.००	
	1"	,,	८०.००	८०.००	८०.००	
	1-1/4"	,,	१४०.००	१४०.००	१४०.००	
	1-1/2"	,,	२०३.००	२०३.००	२०३.००	
	2"	,,	४४०.००	४४०.००	४४०.००	
	CPVC Male Adapter (CPVC Threads)	गोटा	-	-	-	
	1/2"	,,	२३.००	२३.००	२३.००	
	3/4"	,,	४०.००	४०.००	४०.००	
	1"	,,	६१.००	६१.००	६१.००	
	1-1/4"	,,	१०९.००	१०९.००	१०९.००	
	1-1/2"	,,	१५३.००	१५३.००	१५३.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	2"	,,	२९९.००	२९९.००	२९९.००	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा	-	-	-	
	3/4" x 1/2"	,,	४२.००	४२.००	४२.००	
	CPVC Male Adapters (Brass Threads)		-	-	-	
	1/2"	,,	२१२.००	२१२.००	२१२.००	
	3/4"	,,	२७५.००	२७५.००	२७५.००	
	1"	,,	४३४.००	४३४.००	४३४.००	
	1-1/4"	,,	९५३.००	९५३.००	९५३.००	
	1-1/2"	,,	१,११३.००	१,११३.००	१,११३.००	
	2"	,,	२,२९०.००	२,२९०.००	२,२९०.००	
	CPVC Reducing Male Adapter (Brass Threads)		-	-	-	
	3/4" x 1/2"	,,	२३६.००	२३६.००	२३६.००	
	CPVC Female Adapter (CPVC Threads)		-	-	-	
	1/2"		३२.००	३२.००	३२.००	
	3/4"		५३.००	५३.००	५३.००	
	1"		७९.००	७९.००	७९.००	
	CPVC Female Adapters Brass Threads	गोटा	-	-	-	
	1/2"	,,	२०४.००	२०४.००	२०४.००	
	3/4"	,,	२७७.००	२७७.००	२७७.००	
	1"	,,	३६०.००	३६०.००	३६०.००	
	1-1/4"	,,	९४५.००	९४५.००	९४५.००	
	1-1/2"	,,	१,०५०.००	१,०५०.००	१,०५०.००	
	2"	,,	२,०५४.००	२,०५४.००	२,०५४.००	
	CPVC Caps		-	-	-	
	1/2"	,,	१३.००	१३.००	१३.००	
	3/4"	,,	२५.००	२५.००	२५.००	
	1"	,,	३८.००	३८.००	३८.००	
	1-1/4"	,,	७४.००	७४.००	७४.००	
	1-1/2"	,,	१०९.००	१०९.००	१०९.००	
	2"	,,	२३२.००	२३२.००	२३२.००	
	CPVC Union		-	-	-	
	1/2"	,,	२७९.००	२७९.००	२७९.००	
	3/4"	,,	४१०.००	४१०.००	४१०.००	
	1"	,,	४८५.००	४८५.००	४८५.००	
	1-1/4"	,,	८८८.००	८८८.००	८८८.००	
	1-1/2"	,,	९७१.००	९७१.००	९७१.००	
	2"	,,	१,३९३.००	१,३९३.००	१,३९३.००	
	CPVC Cross Tee		-	-	-	
	1/2"	,,	५१.००	५१.००	५१.००	
	3/4"	,,	१०९.००	१०९.००	१०९.००	
	CPVC Step Over Bend		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	1/2"	,,	६५.००	६५.००	६५.००	
	3/4"	,,	१०७.००	१०७.००	१०७.००	
	CPVC Ball Valve (CTS Sockets)		-	-	-	
	1/2"	,,	६८१.००	६८१.००	६८१.००	
	3/4"	,,	८२९.००	८२९.००	८२९.००	
	1"	,,	९४९.००	९४९.००	९४९.००	
	1-1/4"	,,	१,९३५.००	१,९३५.००	१,९३५.००	
	1-1/2"	,,	२,४६२.००	२,४६२.००	२,४६२.००	
	2"	,,	३,१६७.००	३,१६७.००	३,१६७.००	
	CPVC Flow Guard Adhesive Solution		-	-	-	
	50ML	,,	२०५.००	२०५.००	२०५.००	
	118ML	,,	३३९.००	३३९.००	३३९.००	
	237ML	,,	५४९.००	५४९.००	५४९.००	
	473ML	,,	८६३.००	८६३.००	८६३.००	
	946ML	,,	१,५१५.००	१,५१५.००	१,५१५.००	
	Plastic Strap		-	-	-	
	1/2"	,,	५.००	५.००	५.००	
	3/4"	,,	६.००	६.००	६.००	
	1"	,,	८.००	८.००	८.००	
	1-1/4"	,,	१२.००	१२.००	१२.००	
	1-1/2"	,,	१५.००	१५.००	१५.००	
	2"	,,	१९.००	१९.००	१९.००	
	Metal Strap		-	-	-	
	1/2"	,,	१३.००	१३.००	१३.००	
	3/4"	,,	१७.००	१७.००	१७.००	
	1"	,,	२१.००	२१.००	२१.००	
	1-1/4"	,,	२५.००	२५.००	२५.००	
	1-1/2"	,,	२८.००	२८.००	२८.००	
	2"	,,	३०.००	३०.००	३०.००	
	Tee Holder		-	-	-	
	1/2" X 1/2" X 1/2"	,,	६.००	६.००	६.००	
	3/4" X 3/4" X 1/2"	,,	८.००	८.००	८.००	
	Elbow Holder		-	-	-	
	1/2" X 1/2"	,,	६.००	६.००	६.००	
	1/2" X 3/4"	,,	७.००	७.००	७.००	
	Snap Fix Repair Coupling		-	-	-	
	1/2"	,,	२३६.००	२३६.००	२३६.००	
	3/4"	,,	२५६.००	२५६.००	२५६.००	
	End plug threaded 1/2"	,,	१२.००	१२.००	१२.००	
21	**MS SEAMLESS PIPES**		-	-	-	
	PIPES: ASTM-A-106 Gr.'B'/SA-106Gr.'B'/SA-53		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	MS PIPE SEAMLESS SIZE OD (MM)	,,	-	-	-	
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	,,	४६६.००	४६६.००	४६६.००	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	,,	५५८.००	५५८.००	५५८.००	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	,,	७००.००	७००.००	७००.००	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	,,	८६४.००	८६४.००	८६४.००	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	,,	९८९.००	९८९.००	९८९.००	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	,,	१,२७०.००	१,२७०.००	१,२७०.००	
	73mm OD 3" SCH.40,5.16 .mm thickness	,,	१,९५२.००	१,९५२.००	१,९५२.००	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	,,	२,५५५.००	२,५५५.००	२,५५५.००	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	,,	३,३०१.००	३,३०१.००	३,३०१.००	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	,,	३,६३७.००	३,६३७.००	३,६३७.००	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	,,	४,९२५.००	४,९२५.००	४,९२५.००	
	168.3mm OD 4" SCH.40, 7.11 mm thickness	,,	६,३९३.००	६,३९३.००	६,३९३.००	
23	**ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)**		-	-	-	
	Single Socket (R/R)	Mtr	४६५.००	४६५.००	४६५.००	
	Single Socket (R/R)	,,	८६३.००	८६३.००	८६३.००	
	Single Socket (R/R)	,,	९३०.००	९३०.००	९३०.००	
	Single Socket Self Fit	,,	१,१९९.००	१,१९९.००	१,१९९.००	
	Single Socket Self Fit	,,	१,४६६.००	१,४६६.००	१,४६६.००	
	Single Socket Self Fit	,,	२,०१५.००	२,०१५.००	२,०१५.००	
	Single Socket Self Fit	,,	२,३७१.००	२,३७१.००	२,३७१.००	
	Single Socket Self Fit	,,	३,१६७.००	३,१६७.००	३,१६७.००	
	Single Socket Self Fit	,,	३,७७४.००	३,७७४.००	३,७७४.००	
	Long Radius Bend - 45 Degree	Pc	१,२२७.००	१,२२७.००	१,२२७.००	
	Long Radius Bend - 45 Degree	,,	२,२४०.००	२,२४०.००	२,२४०.००	
	Long Radius Bend - 45 Degree	,,	४,०४४.००	४,०४४.००	४,०४४.००	
	Long Radius Bend - 45 Degree	,,	७,८४१.००	७,८४१.००	७,८४१.००	
	Long Radius Bend - 60 Degree	,,	१,३५१.००	१,३५१.००	१,३५१.००	
	Long Radius Bend - 60 Degree	,,	२,४७७.००	२,४७७.००	२,४७७.००	
	Long Radius Bend - 60 Degree	,,	४,५४३.००	४,५४३.००	४,५४३.००	
	Long Radius Bend - 60 Degree	,,	८,६०३.००	८,६०३.००	८,६०३.००	
	Long Radius Bend - 90 Degree	,,	६६३.००	६६३.००	६६३.००	
	Long Radius Bend - 90 Degree	,,	१,६०१.००	१,६०१.००	१,६०१.००	
	Long Radius Bend - 90 Degree	,,	२,९५३.००	२,९५३.००	२,९५३.००	
	Long Radius Bend - 90 Degree	,,	५,५२२.००	५,५२२.००	५,५२२.००	
	Long Radius Bend - 90 Degree	,,	१०,१७४.००	१०,१७४.००	१०,१७४.००	
	Fab. Coupler	,,	१९१.००	१९१.००	१९१.००	
	Fab. Coupler	,,	४५७.००	४५७.००	४५७.००	
	Fab. Coupler	,,	९८५.००	९८५.००	९८५.००	
	Fab. Coupler	,,	१,९२६.००	१,९२६.००	१,९२६.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Fab. Coupler	,,	३,५४३.००	३,५४३.००	३,५४३.००	
	End Cap	,,	४०८.००	४०८.००	४०८.००	
	End Cap	,,	६७१.००	६७१.००	६७१.००	
	End Cap	,,	१,०७१.००	१,०७१.००	१,०७१.००	
	End Cap	,,	१,५६४.००	१,५६४.००	१,५६४.००	
	Equal Tee	,,	११,६७३.००	११,६७३.००	११,६७३.००	
	Equal Tee	,,	६,७१८.००	६,७१८.००	६,७१८.००	
	Equal Tee	,,	३,७२९.००	३,७२९.००	३,७२९.००	
	Gully Trap with grating	,,	१,०९०.००	१,०९०.००	१,०९०.००	
	Rodding Point	,,	६४६.००	६४६.००	६४६.००	
	Adjustable Bend 7 Degree to 37.5 Degree	,,	६८९.००	६८९.००	६८९.००	
	Adjustable Bend 7 Degree to 87.5 Degree	,,	९४५.००	९४५.००	९४५.००	
	Inspection Chamber Body	,,	३,३९९.००	३,३९९.००	३,३९९.००	
	Inspection Chamber Riser	,,	१,६८८.००	१,६८८.००	१,६८८.००	
	Inspection Chamber Lid with Cover	,,	३,२०५.००	३,२०५.००	३,२०५.००	
	Inspection Chamber Body	,,	९,३८५.००	९,३८५.००	९,३८५.००	
	Inspection Chamber Riser	,,	२,९८४.००	२,९८४.००	२,९८४.००	
	Inspection Chamber Lid with Cover	,,	४,९८०.००	४,९८०.००	४,९८०.००	
24	**GEBERIT**		-	-	-	
	Geberit Products		-	-	-	
	Concealled Cisterns 9cm	,,	७,६५४.००	७,६५४.००	७,६५४.००	
	Concealled Cisterns Kombo fix 8cm	,,	९,३७६.००	९,३७६.००	९,३७६.००	
	Dual Flush Actuator Plate Shiny Chrome	,,	३,७५५.००	३,७५५.००	३,७५५.००	
	Concealled Cisterns 12cm	,,	९,४१५.००	९,४१५.००	९,४१५.००	
	Dual Flush Actuator Plate Shiny Chrome	,,	३,७५५.००	३,७५५.००	३,७५५.००	
	Traps for Wash Basins	,,	१,०३५.००	१,०३५.००	१,०३५.००	
	Sensor for Urinal 9V DC	,,	२६,५३७.००	२६,५३७.००	२६,५३७.००	
	Sensor for Urinal 230V AC	,,	२६,५३७.००	२६,५३७.००	२६,५३७.००	
	control box for urinal sensor	,,	७,२९०.००	७,२९०.००	७,२९०.००	
	Sensor Faucet Cold / Mixed water 6V DC	,,	३३,१२४.००	३३,१२४.००	३३,१२४.००	
	Sensor Faucet Cold / Mixed water 230V AC	,,	३३,१२४.००	३३,१२४.००	३३,१२४.००	
22	**PVC Lead Free White Pipes SCHEDULE 40**		-	-	-	
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564		-	-	-	
	PVC Lead Free White Pipes SCH 40 (…... Kg/cm2)	m.	-	-	-	
	1/2" dia. (42.19 Kg/cm2)	,,	११८.००	११८.००	११८.००	
	3/4"dia. (33.75 Kg/cm2)	,,	१५१.००	१५१.००	१५१.००	
	1" dia. (31.64 Kg/cm2)		२३३.००	२३३.००	२३३.००	
	1-1/4" dia. (26.01 Kg/cm2)	,,	२८७.००	२८७.००	२८७.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	1-1/2" dia. (23.20 Kg/cm2)	,,	३५२.००	३५२.००	३५२.००	
	2" dia. (19.69 Kg/cm2)		५००.००	५००.००	५००.००	
	2-1/2" dia. (21.09 Kg/cm2)	,,	६९८.००	६९८.००	६९८.००	
	3" dia. (18.28 Kg/cm2)	,,	८८२.००	८८२.००	८८२.००	
	4" dia. (15.47 Kg/cm2)		१,२९४.००	१,२९४.००	१,२९४.००	
	6" dia. (12.66 Kg/cm2)	,,	२,६९५.००	२,६९५.००	२,६९५.००	
	PVC Tee - Soc	गोटा	-	-	-	
	1/2"	,,	३२.००	३२.००	३२.००	
	3/4"	,,	४५.००	४५.००	४५.००	
	1"	,,	७१.००	७१.००	७१.००	
	1-1/4"	,,	११२.००	११२.००	११२.००	
	1-1/2"	,,	१४७.००	१४७.००	१४७.००	
	2"	,,	२२७.००	२२७.००	२२७.००	
	2-1/2"	,,	६५२.००	६५२.००	६५२.००	
	3"	,,	८५६.००	८५६.००	८५६.००	
	4"	,,	१,५४८.००	१,५४८.००	१,५४८.००	
	6"	,,	८,५८६.००	८,५८६.००	८,५८६.००	
	PVC Reducer Tee - Soc	गोटा	-	-	-	
	3/4 x 1/2	,,	६५.००	६५.००	६५.००	
	1 x 1/2	,,	१००.००	१००.००	१००.००	
	1 x 3/4	,,	१००.००	१००.००	१००.००	
	1-1/2 X 1/2	,,	३३९.००	३३९.००	३३९.००	
	1-1/2 X 3/4	,,	३३९.००	३३९.००	३३९.००	
	1-1/2 X 1	,,	३३९.००	३३९.००	३३९.००	
	1-1/2 X 1-1/4	,,	३३९.००	३३९.००	३३९.००	
	2 X 1/2	,,	४१८.००	४१८.००	४१८.००	
	2 X 3/4	,,	४१८.००	४१८.००	४१८.००	
	2 X 1	,,	४१८.००	४१८.००	४१८.००	
	2 X 1-1/4	,,	४१८.००	४१८.००	४१८.००	
	2 X 1-1/2	,,	४१८.००	४१८.००	४१८.००	
	2-1/2 X 1/2	,,	१,०७४.००	१,०७४.००	१,०७४.००	
	2-1/2 X 3/4	,,	१,०७४.००	१,०७४.००	१,०७४.००	
	2-1/2 X 1	,,	१,०७४.००	१,०७४.००	१,०७४.००	
	2-1/2 X 1-1/4	,,	१,०७४.००	१,०७४.००	१,०७४.००	
	2-1/2 X 1-1/2	,,	१,०७४.००	१,०७४.००	१,०७४.००	
	2-1/2 X 2	,,	१,०७४.००	१,०७४.००	१,०७४.००	
	3 X 1/2	,,	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 3/4	,,	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 1	,,	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 1-1/4	,,	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 1-1/2	,,	१,५६८.००	१,५६८.००	१,५६८.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	3 X 2	,,	१,५६८.००	१,५६८.००	१,५६८.००	
	3 X 2-1/2	,,	१,५६८.००	१,५६८.००	१,५६८.००	
	6 X 1-1/4	,,	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 1-1/2	,,	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 2	,,	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 2-1/2	,,	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 3	,,	८,२४८.००	८,२४८.००	८,२४८.००	
	6 X 4	,,	८,२४८.००	८,२४८.००	८,२४८.००	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"		१६६.००	१६६.००	१६६.००	
	3/4"		३००.००	३००.००	३००.००	
	3/4" X 1/2"		२४४.००	२४४.००	२४४.००	
	1" X 1/2"		४३३.००	४३३.००	४३३.००	
	PVC 90º Elbow - Soc	गोटा	-	-	-	
	1/2"	,,	२७.००	२७.००	२७.००	
	3/4"	,,	३१.००	३१.००	३१.००	
	1"	,,	५५.००	५५.००	५५.००	
	1-1/4"	,,	९५.००	९५.००	९५.००	
	1-1/2"	,,	११२.००	११२.००	११२.००	
	2"	,,	१७२.००	१७२.००	१७२.००	
	2-1/2"	,,	५११.००	५११.००	५११.००	
	3"	,,	६१२.००	६१२.००	६१२.००	
	4"	,,	१,२५२.००	१,२५२.००	१,२५२.००	
	6"	,,	५,२७५.००	५,२७५.००	५,२७५.००	
	PVC Brass 90º Elbow Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"	,,	१७८.००	१७८.००	१७८.००	
	3/4"	,,	२४९.००	२४९.००	२४९.००	
	3/4" X 1/2"	,,	२५८.००	२५८.००	२५८.००	
	PVC 45º Elbow - Soc	गोटा	-	-	-	
	1/2"	,,	५७.००	५७.००	५७.००	
	3/4"	,,	८८.००	८८.००	८८.००	
	1"	,,	१०५.००	१०५.००	१०५.००	
	1-1/4"	,,	१४७.००	१४७.००	१४७.००	
	1-1/2"	,,	१८५.००	१८५.००	१८५.००	
	2"	,,	२४१.००	२४१.००	२४१.००	
	2-1/2"	,,	६८९.००	६८९.००	६८९.००	
	3"	,,	१,०७१.००	१,०७१.००	१,०७१.००	
	4"	,,	१,९२२.००	१,९२२.००	१,९२२.००	
	6"	,,	५,२८९.००	५,२८९.००	५,२८९.००	
	PVC Coupling - Soc	गोटा	-	-	-	
	1/2"	,,	१८.००	१८.००	१८.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	3/4"	,,	२७.००	२७.००	२७.००	
	1"	,,	४३.००	४३.००	४३.००	
	1-1/4"	,,	५७.००	५७.००	५७.००	
	1-1/2"	,,	७८.००	७८.००	७८.००	
	2"	,,	१२१.००	१२१.००	१२१.००	
	2-1/2"	,,	२५४.००	२५४.००	२५४.००	
	3"	,,	३९८.००	३९८.००	३९८.००	
	4"	,,	६२२.००	६२२.००	६२२.००	
	6"	,,	२,४९३.००	२,४९३.००	२,४९३.००	
	PVC Reducer Coupling - Soc	गोटा	-	-	-	
	3/4 X 1/2	,,	४४.००	४४.००	४४.००	
	1 X 3/4	,,	७५.००	७५.००	७५.००	
	1-1/2 X 1-1/4	,,	१३४.००	१३४.००	१३४.००	
	2 X 1-1/2	,,	२१४.००	२१४.००	२१४.००	
	4 x 2	,,	१,४३४.००	१,४३४.००	१,४३४.००	
	4 X 3	,,	१,४३४.००	१,४३४.००	१,४३४.००	
	6 X 4	,,	२,९८२.००	२,९८२.००	२,९८२.००	
	PVC Reducer Bushing - (Flush Style)	गोटा	-	-	-	
	3/4 X 1/2	,,	३६.००	३६.००	३६.००	
	1 X 1/2	,,	५१.००	५१.००	५१.००	
	1 X 3/4	,,	५१.००	५१.००	५१.००	
	1-1/4 X 1/2	,,	८८.००	८८.००	८८.००	
	1-1/4 X 3/4	,,	८८.००	८८.००	८८.००	
	1-1/4 X 1	,,	८८.००	८८.००	८८.००	
	1-1/2 X 1/2	,,	९३.००	९३.००	९३.००	
	1-1/2 X 3/4	,,	९३.००	९३.००	९३.००	
	1-1/2 X 1	,,	९३.००	९३.००	९३.००	
	1-1/2 X 1-1/4	,,	९३.००	९३.००	९३.००	
	2 X 1/2	,,	१७०.००	१७०.००	१७०.००	
	2 X 3/4	,,	१७०.००	१७०.००	१७०.००	
	2 X 1	,,	१७०.००	१७०.००	१७०.००	
	2 X 1-1/4	,,	१७०.००	१७०.००	१७०.००	
	2 X 1-1/2	,,	१७०.००	१७०.००	१७०.००	
	2-1/2 X 1-1/4	,,	२३९.००	२३९.००	२३९.००	
	2-1/2 X 1-1/2	,,	२३९.००	२३९.००	२३९.००	
	2-1/2 X 2	,,	२३९.००	२३९.००	२३९.००	
	3 X1-1/2	,,	३५४.००	३५४.००	३५४.००	
	3 X2	,,	३५४.००	३५४.००	३५४.००	
	3 X2-1/2	,,	३५४.००	३५४.००	३५४.००	
	4 X 2	,,	६९६.००	६९६.००	६९६.००	
	4 X 3	,,	६९६.००	६९६.००	६९६.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	6 X 2	,,	२,३३९.००	२,३३९.००	२,३३९.००	
	6 X 3	,,	२,३३९.००	२,३३९.००	२,३३९.००	
	6 X 4	,,	२,३३९.००	२,३३९.००	२,३३९.००	
	PVC Cap - Soc	गोटा	-	-	-	
	1/2"	,,	२५.००	२५.००	२५.००	
	3/4"	,,	३१.००	३१.००	३१.००	
	1"	,,	४४.००	४४.००	४४.००	
	1-1/4"	,,	६२.००	६२.००	६२.००	
	1-1/2"	,,	६८.००	६८.००	६८.००	
	2"	,,	८२.००	८२.००	८२.००	
	2-1/2"	,,	२६१.००	२६१.००	२६१.००	
	3"	,,	२८६.००	२८६.००	२८६.००	
	4"	,,	६५२.००	६५२.००	६५२.००	
	6"	,,	२,५७३.००	२,५७३.००	२,५७३.००	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा	-	-	-	
	1/2"	,,	२६१.००	२६१.००	२६१.००	
	3/4"	,,	२९९.००	२९९.००	२९९.००	
	1"	,,	३०७.००	३०७.००	३०७.००	
	1-1/4"	,,	९८९.००	९८९.००	९८९.००	
	1-1/2"	,,	१,०३१.००	१,०३१.००	१,०३१.००	
	2"	,,	१,३९१.००	१,३९१.००	१,३९१.००	
	2-1/2"	,,	१,९४६.००	१,९४६.००	१,९४६.००	
	3"	,,	३,१०८.००	३,१०८.००	३,१०८.००	
	4"		४,३०३.००	४,३०३.००	४,३०३.००	
	PVC Male Adaptor - Soc x MBSP	गोटा	-	-	-	
	1/2"	,,	४७.००	४७.००	४७.००	
	3/4"	,,	५६.००	५६.००	५६.००	
	1"	,,	७३.००	७३.००	७३.००	
	1-1/4"	,,	९०.००	९०.००	९०.००	
	1-1/2"	,,	१२४.००	१२४.००	१२४.००	
	2"	,,	१६०.००	१६०.००	१६०.००	
	2-1/2"	,,	५६२.००	५६२.००	५६२.००	
	3"	,,	६६७.००	६६७.००	६६७.००	
	4"	,,	१,०५६.००	१,०५६.००	१,०५६.००	
	6"	,,	२,४३०.००	२,४३०.००	२,४३०.००	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा	-	-	-	
	1/2"	,,	२७०.००	२७०.००	२७०.००	
	3/4"	,,	३६१.००	३६१.००	३६१.००	
	1"	,,	५४२.००	५४२.००	५४२.००	
	PVC Female Adaptor - Soc x FBSP	गोटा	-	-	-	
	1/2"	,,	६१.००	६१.००	६१.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	3/4"	,,	६३.००	६३.००	६३.००	
	1"	,,	६६.००	६६.००	६६.००	
	1-1/4"	,,	१७१.००	१७१.००	१७१.००	
	1-1/2"	,,	२५२.००	२५२.००	२५२.००	
	2"	,,	२४५.००	२४५.००	२४५.००	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा	-	-	-	
	1/2"	,,	२२६.००	२२६.००	२२६.००	
	3/4"	,,	३२१.००	३२१.००	३२१.००	
	1"	,,	४११.००	४११.००	४११.००	
	PVC Ball Valve - Soc	गोटा	-	-	-	
	1/2"	,,	९०८.००	९०८.००	९०८.००	
	3/4"	,,	१,०७९.००	१,०७९.००	१,०७९.००	
	1"	,,	१,५१०.००	१,५१०.००	१,५१०.००	
	1-1/4"	,,	२,०४४.००	२,०४४.००	२,०४४.००	
	1-1/2"	,,	३,११८.००	३,११८.००	३,११८.००	
	2"	,,	३,९४३.००	३,९४३.००	३,९४३.००	
	2-1/2"	,,	६,५१३.००	६,५१३.००	६,५१३.००	
	3"	,,	१०,३१८.००	१०,३१८.००	१०,३१८.००	
	4"	,,	१७,०५२.००	१७,०५२.००	१७,०५२.००	
	6"	,,	३७,०४०.००	३७,०४०.००	३७,०४०.००	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा	-	-	-	
	118ML	,,	३१५.००	३१५.००	३१५.००	
	237ML	,,	४५२.००	४५२.००	४५२.००	
	473ML	,,	८१९.००	८१९.००	८१९.००	
	946ML	,,	१,३४७.००	१,३४७.००	१,३४७.००	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा	-	-	-	
	118ML	,,	५०७.००	५०७.००	५०७.००	
	237ML	,,	६६८.००	६६८.००	६६८.००	
	473ML	,,	१,१७२.००	१,१७२.००	१,१७२.००	
	946ML	,,	२,०२८.००	२,०२८.००	२,०२८.००	
23	**Rainwater Collection System sintex or Prince Brand Roof)**		-	-	-	
	140 mm Dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	१६४.००	१६४.००	१६४.००	
	JOINT BRACKET To connect two lengths of roof water	Pc.	२६४.००	२६४.००	२६४.००	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	३६२.००	३६२.००	३६२.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	४४५.००	४४५.००	४४५.००	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	४४५.००	४४५.००	४४५.००	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	९८.००	९८.००	९८.००	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	३१४.००	३१४.००	३१४.००	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	७९.००	७९.००	७९.००	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	५२.००	५२.००	५२.००	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	३२.००	३२.००	३२.००	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	८०.००	८०.००	८०.००	
	RUBBER GASKET To provide leak proof joints.	Pc.	३१.००	३१.००	३१.००	
	75 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	६५.००	६५.००	६५.००	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	३९.००	३९.००	३९.००	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	१३०.००	१३०.००	१३०.००	
	180 mm dia.		-	-	-	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	३११.००	३११.००	३११.००	
	JOINT BRACKET To connect two lengths of roof water	Pc.	३६९.००	३६९.००	३६९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	५३३.००	५३३.००	५३३.००	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	६१०.००	६१०.००	६१०.००	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	६१०.००	६१०.००	६१०.००	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	१४५.००	१४५.००	१४५.००	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	४३७.००	४३७.००	४३७.००	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	१११.००	१११.००	१११.००	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	९४.००	९४.००	९४.००	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	५३.००	५३.००	५३.००	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	११३.००	११३.००	११३.००	
	RUBBER GASKET To provide leak proof joints.	Pc.	४२.००	४२.००	४२.००	
	110 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	७०.००	७०.००	७०.००	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	४५.००	४५.००	४५.००	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	२५०.००	२५०.००	२५०.००	
	250 mm dia.		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	६०३.००	६०३.००	६०३.००	
	JOINT BRACKET To connect two lengths of roof water	Pc.	६३२.००	६३२.००	६३२.००	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	९९४.००	९९४.००	९९४.००	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	१,४२९.००	१,४२९.००	१,४२९.००	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	१,४२९.००	१,४२९.००	१,४२९.००	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	३११.००	३११.००	३११.००	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	८२६.००	८२६.००	८२६.००	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	३०९.००	३०९.००	३०९.००	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	१६९.००	१६९.००	१६९.००	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	१२५.००	१२५.००	१२५.००	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	३२७.००	३२७.००	३२७.००	
	RUBBER GASKET To provide leak proof joints.	Pc.	१७१.००	१७१.००	१७१.००	
	160 mm dia.		-	-	-	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	८४.००	८४.००	८४.००	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	१९७.००	१९७.००	१९७.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	४५१.००	४५१.००	४५१.००	
			-	-	-	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems		-	-	-	
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY		-	-	-	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	२५४.००	२५४.००	२५४.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	४५१.००	४५१.००	४५१.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	२७०.००	२७०.००	२७०.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	४८४.००	४८४.००	४८४.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	४६१.००	४६१.००	४६१.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	६९३.००	६९३.००	६९३.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	४८७.००	४८७.००	४८७.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	७१७.००	७१७.००	७१७.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	९८८.००	९८८.००	९८८.००	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	१,२३२.००	१,२३२.००	१,२३२.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	१,०५२.००	१,०५२.००	१,०५२.००	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	१,३९१.००	१,३९१.००	१,३९१.००	
			-	-	-	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY		-	-	-	
	DWV Bend 45 Degree **75 mm size**	pcs	१४४.००	१४४.००	१४४.००	
	DWV Bend 87.5 Degree	"	१८३.००	१८३.००	१८३.००	
	DWV Bend 87.5 Degree with Door	"	८४.००	८४.००	८४.००	
	DWV Socket Plug	"	१९५.००	१९५.००	१९५.००	
	DWV Cleansing Pipe	"	११७.००	११७.००	११७.००	
	DWV Coupler	"	२०८.००	२०८.००	२०८.००	
	DWV Single Tee	"	२२८.००	२२८.००	२२८.००	
	DWV Single Tee with Door	"	३६०.००	३६०.००	३६०.००	
	DWV Cross Tee	"	५०६.००	५०६.००	५०६.००	
	DWV Cross Tee with Door	"	३७२.००	३७२.००	३७२.००	
	DWV Double 'Y'	"	४९६.००	४९६.००	४९६.००	
	DWV Double 'Y' with Door	"	२३२.००	२३२.००	२३२.००	
	DWV Single 'Y'	"	२९७.००	२९७.००	२९७.००	
	DWV Single 'Y' with Door	"	१२.००	१२.००	१२.००	
	DWV Pipe Clip	"	२५.००	२५.००	२५.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	DWV Vent Cowel	"	२३७.००	२३७.००	२३७.००	
	DWV Bend 45 Degree **110mm size**	"	२९१.००	२९१.००	२९१.००	
	DWV Bend 87.5 Degree	"	३३२.००	३३२.००	३३२.००	
	DWV Bend 87.5 Degree with Door	"	१०६.००	१०६.००	१०६.००	
	DWV Socket Plug	"	३८१.००	३८१.००	३८१.००	
	DWV Cleansing Pipe	"	२१२.००	२१२.००	२१२.००	
	DWV Coupler	"	७०५.००	७०५.००	७०५.००	
	DWV Double 'Y'	"	८३२.००	८३२.००	८३२.००	
	DWV Double 'Y' with Door	"	५८३.००	५८३.००	५८३.००	
	DWV Cross Tee	"	६६१.००	६६१.००	६६१.००	
	DWV Cross Tee with Door	"	३८१.००	३८१.००	३८१.००	
	DWV Single Tee	"	४५०.००	४५०.००	४५०.००	
	DWV Single Tee with Door	"	४६७.००	४६७.००	४६७.००	
	DWV Single 'Y'	"	४८९.००	४८९.००	४८९.००	
	DWV Single 'Y' with Door	"	४८.००	४८.००	४८.००	
	DWV Vent Cowel	"	१६६.००	१६६.००	१६६.००	
	DWV Reducer 110*75 mm	"	३७.००	३७.००	३७.००	
	DWV Pipe Clip 110mm size	"	४४९.००	४४९.००	४४९.००	
	DWV W.C. Connectore (Straight type)	"	३५९.००	३५९.००	३५९.००	
	DWV W.C. Connectore (Bend type)	"	१७९.००	१७९.००	१७९.००	
	DWV Nahani Trap - 3" Height without Jali75 mm	"	२४.००	२४.००	२४.००	
	DWV Nahani Trap Jali	"	५५५.००	५५५.००	५५५.००	
	DWV P-Trap with Leap Ring 10*110 mm	"	७९६.००	७९६.००	७९६.००	
	DWV P-Trap with Leap Ring 25*110 mm	"	२३९.००	२३९.००	२३९.००	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	४८४.००	४८४.००	४८४.००	
	DWV Reducer 60*110 mm	"	४६३.००	४६३.००	४६३.००	
	DWV Coupler **160mm size**	"	१,१०९.००	१,१०९.००	१,१०९.००	
	DWV Single Tee	"	१,१९२.००	१,१९२.००	१,१९२.००	
	DWV Single Tee with Door	"	२,०७६.००	२,०७६.००	२,०७६.००	
	DWV Single 'Y'	"	२,१८१.००	२,१८१.००	२,१८१.००	
	DWV Single 'Y' with Door	"	७६४.००	७६४.००	७६४.००	
	DWV Bend 87.5 Degree	"	१,०१८.००	१,०१८.००	१,०१८.००	
	DWV Bend 87.5 Degree with Door	"	८९०.००	८९०.००	८९०.००	
	DWV Bend 45 Degree	"	-	-	-	
	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR		-	-	-	
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	६०२.००	६०२.००	६०२.००	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	६२४.००	६२४.००	६२४.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	६४९.००	६४९.००	६४९.००	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	६११.००	६११.००	६११.००	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	६२२.००	६२२.००	६२२.००	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	१,११०.००	१,११०.००	१,११०.००	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	१,१५३.००	१,१५३.००	१,१५३.००	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	१,१९८.००	१,१९८.००	१,१९८.००	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	१,१२९.००	१,१२९.००	१,१२९.००	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	१,१४९.००	१,१४९.००	१,१४९.००	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	१,७३९.००	१,७३९.००	१,७३९.००	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	१,७६९.००	१,७६९.००	१,७६९.००	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	१,७९९.००	१,७९९.००	१,७९९.००	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	२,८८५.००	२,८८५.००	२,८८५.००	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	२,९३५.००	२,९३५.००	२,९३५.००	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	२,९८६.००	२,९८६.००	२,९८६.००	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	३,८२०.००	३,८२०.००	३,८२०.००	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	३,८८६.००	३,८८६.००	३,८८६.००	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	३,९५३.००	३,९५३.००	३,९५३.००	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	४,७२०.००	४,७२०.००	४,७२०.००	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	४,८०३.००	४,८०३.००	४,८०३.००	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	४,८८५.००	४,८८५.००	४,८८५.००	
		"	-	-	-	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	६०१.००	६०१.००	६०१.००	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	६१६.००	६१६.००	६१६.००	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	६३१.००	६३१.००	६३१.००	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	६१२.००	६१२.००	६१२.००	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	६२३.००	६२३.००	६२३.००	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	१,१०९.००	१,१०९.००	१,१०९.००	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	१,१४२.००	१,१४२.००	१,१४२.००	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	१,१७४.००	१,१७४.००	१,१७४.००	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	१,१३०.००	१,१३०.००	१,१३०.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	१,१४९.००	१,१४९.००	१,१४९.००	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	१,७३९.००	१,७३९.००	१,७३९.००	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	१,७६९.००	१,७६९.००	१,७६९.००	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	१,८००.००	१,८००.००	१,८००.००	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	२,८८५.००	२,८८५.००	२,८८५.००	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	२,९३५.००	२,९३५.००	२,९३५.००	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	२,९८५.००	२,९८५.००	२,९८५.००	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	३,८२०.००	३,८२०.००	३,८२०.००	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	३,८८६.००	३,८८६.००	३,८८६.००	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	३,९५३.००	३,९५३.००	३,९५३.००	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	४,७२०.००	४,७२०.००	४,७२०.००	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	४,८०३.००	४,८०३.००	४,८०३.००	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	४,८८५.००	४,८८५.००	४,८८५.००	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR		-	-	-	
	DWV Coupler SN-8 110mm	per pc	३०३.००	३०३.००	३०३.००	
	DWV Coupler SN-4 160 mm	"	७२९.००	७२९.००	७२९.००	
	DWV Coupler SN-4 200 mm	"	१,४९१.००	१,४९१.००	१,४९१.००	
	DWV Coupler SN-4 250 mm	"	२,७७८.००	२,७७८.००	२,७७८.००	
	DWV Coupler SN-2 315mm	"	४,४६८.००	४,४६८.००	४,४६८.००	
	DWV Coupler SN-4 315 mm	"	४,८७८.००	४,८७८.००	४,८७८.००	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	१,०३१.००	१,०३१.००	१,०३१.००	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	२,८७०.००	२,८७०.००	२,८७०.००	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	५,३६१.००	५,३६१.००	५,३६१.००	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	१२,०१८.००	१२,०१८.००	१२,०१८.००	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	२८,५३६.००	२८,५३६.००	२८,५३६.००	
24	**Multilayer Composite Pipe (Sanghai, or eqv.)**		-	-	-	
	Cold Water Pipe (White)		-	-	-	
	12-16 mm ½"	Rm	१०४.००	१०४.००	१०४.००	
	14-18 mm ½"	"	११४.००	११४.००	११४.००	
	16-20 mm ½"	"	१२२.००	१२२.००	१२२.००	
	20-25 mm ¾"	"	१८६.००	१८६.००	१८६.००	
	26-32 mm 1"	"	२९०.००	२९०.००	२९०.००	
	32-40 mm 1¼"	"	४५९.००	४५९.००	४५९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	41-50 mm 1½"	"	६७३.००	६७३.००	६७३.००	
	Hot Water Pipe (Orange)		-	-	-	
	12-16 mm ½"	Rm	११४.००	११४.००	११४.००	
	14-18 mm ½"	"	१२६.००	१२६.००	१२६.००	
	16-20 mm ½"	"	१४५.००	१४५.००	१४५.००	
	20-25 mm ¾"	"	२१४.००	२१४.००	२१४.००	
	26-32 mm 1"	"	३११.००	३११.००	३११.००	
	32-40 mm 1¼"	"	४७९.००	४७९.००	४७९.००	
	Gas Lines Pipe (Yellow)		-	-	-	
	12-16 mm ½"	Rm	९०.००	९०.००	९०.००	
	14-18 mm ½"	"	९०.००	९०.००	९०.००	
	MULTILAYER COMPOSITE Fittings		-	-	-	
	a. Equal Straight Union		-	-	-	
	½"ø (16mm ø)	गोटा	१३७.००	१३७.००	१३७.००	
	½"ø (18mm ø)	"	१४५.००	१४५.००	१४५.००	
	½"ø (20mm ø)	"	१५९.००	१५९.००	१५९.००	
	¾" ø (25 mm ø)	"	२३२.००	२३२.००	२३२.००	
	1" ø (32 mm ø)	"	३६२.००	३६२.००	३६२.००	
	1¼" ø (40 mm ø)	"	१,३३५.००	१,३३५.००	१,३३५.००	
	1½" ø (50 mm ø)	"	२,०१६.००	२,०१६.००	२,०१६.००	
	b. Unequal Straight Union		-	-	-	
	25 - 16 mm ø	"	२६०.००	२६०.००	२६०.००	
	25 - 18 mm ø	"	२६९.००	२६९.००	२६९.००	
	25 - 20 mm ø	"	२८३.००	२८३.००	२८३.००	
	32 - 16 mm ø	"	३४८.००	३४८.००	३४८.००	
	32 - 18 mm ø	"	३६६.००	३६६.००	३६६.००	
	32 - 20 mm ø	"	३९४.००	३९४.००	३९४.००	
	32 - 25 mm ø	"	४२२.००	४२२.००	४२२.००	
	40 - 32 mm ø	"	१,१५४.००	१,१५४.००	१,१५४.००	
	50 - 20 mm ø	"	१,६८३.००	१,६८३.००	१,६८३.००	
	50 - 32 mm ø	"	२,०१६.००	२,०१६.००	२,०१६.००	
	50 - 40 mm ø	"	१,९००.००	१,९००.००	१,९००.००	
	c. Male Union		-	-	-	
	16mm x ½"M	गोटा	९७.००	९७.००	९७.००	
	18mm x ½"M	"	११३.००	११३.००	११३.००	
	20mm x ½"M	"	१३०.००	१३०.००	१३०.००	
	25mm x ½"M	"	१५८.००	१५८.००	१५८.००	
	25mm x ¾"M	"	१९९.००	१९९.००	१९९.००	
	25mm x 1"M	"	२५५.००	२५५.००	२५५.००	
	32mm x ¾"M	"	२९२.००	२९२.००	२९२.००	
	32mm x 1"M	"	३२०.००	३२०.००	३२०.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	32mm x 1½"M	"	३२४.००	३२४.००	३२४.००	
	40mm x 1"M	"	१,०२४.००	१,०२४.००	१,०२४.००	
	40mm x 1½"M	"	१,०६०.००	१,०६०.००	१,०६०.००	
	50mm x 1"M	"	१,६१०.००	१,६१०.००	१,६१०.००	
	50mm x 1¼"M	"	१,६३८.००	१,६३८.००	१,६३८.००	
	50mm x 1½"M	"	२,२२५.००	२,२२५.००	२,२२५.००	
	50mm x 2"M	"	१,६७१.००	१,६७१.००	१,६७१.००	
	d. Female Straight Union		-	-	-	
	16mm x ½"F	गोटा	१०७.००	१०७.००	१०७.००	
	18mm x ½"F	"	११६.००	११६.००	११६.००	
	20mm x ½"F	"	१२६.००	१२६.००	१२६.००	
	25mm x ½"F	"	१६७.००	१६७.००	१६७.००	
	25mm x ¾"F	"	१९९.००	१९९.००	१९९.००	
	25mm x 1"F	"	२०४.००	२०४.००	२०४.००	
	32mm x ½"F	"	२०९.००	२०९.००	२०९.००	
	32mm x ¾"F	"	२१३.००	२१३.००	२१३.००	
	32mm x 1"F	"	३०१.००	३०१.००	३०१.००	
	40mm x 1½"F	"	१,२०३.००	१,२०३.००	१,२०३.००	
	50mm x 1¼"F	"	१,६२२.००	१,६२२.००	१,६२२.००	
	50mm x 1½"F	"	२,२२५.००	२,२२५.००	२,२२५.००	
	50mm x 2"F	"	१,६८७.००	१,६८७.००	१,६८७.००	
	e. Equal Elbow		-	-	-	
	½"ø (16mm ø)	गोटा	१३०.००	१३०.००	१३०.००	
	½"ø (18mm ø)	"	१५८.००	१५८.००	१५८.००	
	½"ø (20mm ø)	"	२१३.००	२१३.००	२१३.००	
	¾" ø (25 mm ø)	"	३२४.००	३२४.००	३२४.००	
	1" ø (32 mm ø)	"	५२४.००	५२४.००	५२४.००	
	1¼" ø (40 mm ø)	"	१,७०६.००	१,७०६.००	१,७०६.००	
	1½" ø (50 mm ø)	"	२,६४२.००	२,६४२.००	२,६४२.००	
	f. Unequal Elbow		-	-	-	
	40 - 32 mm ø	"	१,८९१.००	१,८९१.००	१,८९१.००	
	50 - 20 mm ø	"	२,१७८.००	२,१७८.००	२,१७८.००	
	50 - 40 mm ø	"	२,२२०.००	२,२२०.००	२,२२०.००	
	g. Female Elbow		-	-	-	
	16mm x ½"F	गोटा	१७१.००	१७१.००	१७१.००	
	18mm x ½"F	"	१९०.००	१९०.००	१९०.००	
	20mm x ½"F	"	२०९.००	२०९.००	२०९.००	
	25mm x ½"F	"	२३२.००	२३२.००	२३२.००	
	25mm x ¾"F	"	२८७.००	२८७.००	२८७.००	
	25mm x 1"F	"	३१५.००	३१५.००	३१५.००	
	32mm x ¾"F	"	३३९.००	३३९.००	३३९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	32mm x 1"F	"	४२२.००	४२२.००	४२२.००	
	50mm x 1¼"F	"	२,१७८.००	२,१७८.००	२,१७८.००	
	h. Male Elbow		-	-	-	
	25mm x ¾"M	"	२३२.००	२३२.००	२३२.००	
	25mm x 1"M	"	३०१.००	३०१.००	३०१.००	
	32mm x ¾"M	"	२२८.००	२२८.००	२२८.००	
	32mm x 1"M	"	३८५.००	३८५.००	३८५.००	
	40mm x 1"M	"	१,२५१.००	१,२५१.००	१,२५१.००	
	50mm x 1"M	"	१,७८४.००	१,७८४.००	१,७८४.००	
	i. Equal Tee		-	-	-	
	½"ø (16mm ø)	गोटा	२३२.००	२३२.००	२३२.००	
	½"ø (18mm ø)	"	२६०.००	२६०.००	२६०.००	
	½"ø (20mm ø)	"	३२४.००	३२४.००	३२४.००	
	¾" ø (25 mm ø)	"	४६८.००	४६८.००	४६८.००	
	1" ø (32 mm ø)	"	७३२.००	७३२.००	७३२.००	
	1¼" ø (40 mm ø)	"	२,७३७.००	२,७३७.००	२,७३७.००	
	1½" ø (50 mm ø)	"	४,०००.००	४,०००.००	४,०००.००	
	j. Unequal Tee		-	-	-	
	20 mm x 16 mm x 20 mm	"	२०९.००	२०९.००	२०९.००	
	20 mm x 18 mm x 20 mm	"	२३२.००	२३२.००	२३२.००	
	25 mm x 16 mm x 25 mm	"	३४८.००	३४८.००	३४८.००	
	25 mm x 18 mm x 25 mm	"	३९४.००	३९४.००	३९४.००	
	25 mm x 20 mm x 25 mm	"	४०८.००	४०८.००	४०८.००	
	32 mm x 16 mm x 32 mm	"	६७२.००	६७२.००	६७२.००	
	32 mm x 18 mm x 32 mm	"	६९५.००	६९५.००	६९५.००	
	32 mm x 20 mm x 32 mm	"	७२३.००	७२३.००	७२३.००	
	32 mm x 25 mm x 32 mm	"	७४२.००	७४२.००	७४२.००	
	40 mm x 32 mm x 32 mm	"	२,०२५.००	२,०२५.००	२,०२५.००	
	40 mm x 32 mm x 40 mm	"	२,३४६.००	२,३४६.००	२,३४६.००	
	50 mm x 20 mm x 50 mm	"	३,१९८.००	३,१९८.००	३,१९८.००	
	50 mm x 32 mm x 32 mm	"	२,१०८.००	२,१०८.००	२,१०८.००	
	50 mm x 32 mm x 50 mm	"	३,२३१.००	३,२३१.००	३,२३१.००	
	50 mm x 40 mm x 40 mm	"	३,२४२.००	३,२४२.००	३,२४२.००	
	50 mm x 40 mm x 50 mm	"	३,७०२.००	३,७०२.००	३,७०२.००	
	k. Female Tee		-	-	-	
	16mm x ½"F x 16mm	गोटा	२३२.००	२३२.००	२३२.००	
	18mm x ½"F x 18mm	"	२४१.००	२४१.००	२४१.००	
	20mm x ½"F x 20mm	"	२६०.००	२६०.००	२६०.००	
	25mm x ½"F x 25mm	"	२४४.००	२४४.००	२४४.००	
	25mm x ¾"F x 25mm	"	२६९.००	२६९.००	२६९.००	
	25mm x 1"F x 25mm	"	३४९.००	३४९.००	३४९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	32mm x ½"F x 32mm	"	३७५.००	३७५.००	३७५.००	
	32mm x ¾"F x 32mm	"	३८५.००	३८५.००	३८५.००	
	32mm x 1"F x 32mm	"	५२२.००	५२२.००	५२२.००	
	40mm x ¾"F x 32mm	"	१,५४१.००	१,५४१.००	१,५४१.००	
	50mm x ¾"F x 40mm	"	२,२८६.००	२,२८६.००	२,२८६.००	
	l. Equal Ball Valve Union		-	-	-	
	½"ø (16mm ø)	गोटा	२७०.००	२७०.००	२७०.००	
	½"ø (18mm ø)	"	२९९.००	२९९.००	२९९.००	
	½"ø (20mm ø)	"	३९४.००	३९४.००	३९४.००	
	¾" ø (25 mm ø)	"	६५४.००	६५४.००	६५४.००	
	1" ø (32 mm ø)	"	९०८.००	९०८.००	९०८.००	
	1¼" ø (40 mm ø)	"	२,९६८.००	२,९६८.००	२,९६८.००	
	1½" ø (50 mm ø)	"	४,२८४.००	४,२८४.००	४,२८४.००	
	m. Female Ball Valve Union		-	-	-	
	16mm x ½"F	गोटा	२५१.००	२५१.००	२५१.००	
	18mm x ½"F	"	२८८.००	२८८.००	२८८.००	
	20mm x ½"F	"	३२३.००	३२३.००	३२३.००	
	20mm x ¾"F	"	३६२.००	३६२.००	३६२.००	
	25mm x ¾"F	"	६७२.००	६७२.००	६७२.००	
	25mm x 1"F	"	६८६.००	६८६.००	६८६.००	
	32mm x 1"F	"	७२३.००	७२३.००	७२३.००	
	n. Plug		-	-	-	
	1¼" ø (40 mm ø)	"	१,४८३.००	१,४८३.००	१,४८३.००	
	1½" ø (50 mm ø)	"	२,०३९.००	२,०३९.००	२,०३९.००	
	p. Wall Plated Female Elbow		-	-	-	
	16mm x ½"F	गोटा	१९५.००	१९५.००	१९५.००	
	18mm x ½"F	"	२१३.००	२१३.००	२१३.००	
	20mm x ½"F	"	२३२.००	२३२.००	२३२.००	
	q. Nipple		-	-	-	
	N 1/2F*1/2F	गोटा	५०.००	५०.००	५०.००	
	N 1/2M*1/2M	"	५०.००	५०.००	५०.००	
	N 3/4F*1/2F	"	७०.००	७०.००	७०.००	
	N 1F*1/2F	"	८०.००	८०.००	८०.००	
	N 1F*3/4F	"	९०.००	९०.००	९०.००	
	N 3/4M*1/2M	"	७०.००	७०.००	७०.००	
	N 1M*1/2M	"	८०.००	८०.००	८०.००	
	N 1M*3/4M	"	९०.००	९०.००	९०.००	
	N 1/2F*1/2M	"	६०.००	६०.००	६०.००	
	N 1/2F*3/4M	"	७०.००	७०.००	७०.००	
	N 1/2F*1M	"	११०.००	११०.००	११०.००	
	N 1/2M*3/4F	"	७०.००	७०.००	७०.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	N 1/2M*1F	"	११५.००	११५.००	११५.००	
	N 3/4F*3/4M	"	९०.००	९०.००	९०.००	
	N 3/4F*1M	"	९९.००	९९.००	९९.००	
	N 3/4M*1F	"	१३१.००	१३१.००	१३१.००	
25	**Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually**		-	-	-	
	a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	५०१.००	५०१.००	५०१.००	
	a.2) Failure chagre per well	संख्या	१,३९१.००	१,३९१.००	१,३९१.००	
	b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	७१४.००	७१४.००	७१४.००	
	b.2) Failure chagre per well	संख्या	३,७०८.००	३,७०८.००	३,७०८.००	
	c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	१,३६३.००	१,३६३.००	१,३६३.००	
	c.2) Failure chagre per well	संख्या	४,८२०.००	४,८२०.००	४,८२०.००	
	d.1) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	१,९२८.००	१,९२८.००	१,९२८.००	
	d.2) Failure chagre per well	संख्या	५,५६२.००	५,५६२.००	५,५६२.००	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	१,६२२.००	१,६२२.००	१,६२२.००	
26	**R.C.C. Hume Pipe & Hume Pipe Collar**		-	-	-	
	PIPES		-	-	-	
	a) NP-2		-	-	-	
	150 mm dia.	र.मि	५९६.००	५९६.००	५९६.००	
	200 mm dia.	,,	७८५.००	७८५.००	७८५.००	
	250 mm dia.	,,	९८३.००	९८३.००	९८३.००	
	300 mm dia.	,,	१,३३०.००	१,३३०.००	१,३३०.००	
	350 mm dia.	,,	१,४७०.००	१,४७०.००	१,४७०.००	
	375 mm dia.	,,	१,६१०.००	१,६१०.००	१,६१०.००	
	400 mm dia.	,,	१,८५२.००	१,८५२.००	१,८५२.००	
	450 mm dia.	,,	१,९६०.००	१,९६०.००	१,९६०.००	
	500 mm dia.	,,	२,२००.००	२,२००.००	२,२००.००	
	600 mm dia.	,,	३,०७७.००	३,०७७.००	३,०७७.००	
	700 mm dia.	,,	३,७८५.००	३,७८५.००	३,७८५.००	
	750 mm dia.	,,	४,०९२.००	४,०९२.००	४,०९२.००	
	800 mm dia.	,,	४,५६७.००	४,५६७.००	४,५६७.००	
	900 mm dia.	,,	६,१७२.००	६,१७२.००	६,१७२.००	
	1000 mm dia.	,,	७,१८५.००	७,१८५.००	७,१८५.००	
	1200 mm dia.	,,	८,७७६.००	८,७७६.००	८,७७६.००	
	1500 mm dia.	,,	१८,४५०.००	१८,४५०.००	१८,४५०.००	
	b) NP-3		-	-	-	
	150 mm dia.	र.मि	१,२९१.००	१,३१०.००	१,३१०.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	200 mm dia.	,,	१,७२०.००	१,७४५.००	१,७४५.००	
	250 mm dia.	,,	२,१४९.००	२,१८५.००	२,१८५.००	
	300 mm dia.	,,	३,०८८.००	३,१४०.००	३,१४०.००	
	350 mm dia.	,,	३,४६४.००	३,५२०.००	३,५२०.००	
	375 mm dia.	,,	३,७०२.००	३,७६०.००	३,७६०.००	
	400 mm dia.	,,	३,९४८.००	४,०१०.००	४,०१०.००	
	450 mm dia.	,,	४,४३२.००	४,५००.००	४,५००.००	
	500 mm dia.	,,	४,९४०.००	५,०२०.००	५,०२०.००	
	600 mm dia.	,,	६,१०४.००	६,२००.००	६,२००.००	
	700 mm dia.	,,	७,३७२.००	७,४८५.००	७,४८५.००	
	750 mm dia.	,,	८,४६७.००	८,६००.००	८,६००.००	
	800 mm dia.	,,	९,२४०.००	९,३८५.००	९,३८५.००	
	900 mm dia.	,,	११,९८५.००	१२,१७२.००	१२,१७२.००	
	1000 mm dia.	,,	१३,३१२.००	१३,५२५.००	१३,५२५.००	
	1200 mm dia.	,,	१५,८४७.००	१६,१००.००	१६,१००.००	
	1500 mm dia.	,,	२४,८९४.००	२५,३००.००	२५,३००.००	
	R.C.C. Hume Pipe Collar		-	-	-	
	a) NP-2		-	-	-	
	150 mm dia.	गोटा	१६५.००	१६५.००	१६५.००	
	200 mm dia.	,,	१९५.००	१९५.००	१९५.००	
	250 mm dia.	,,	२४५.००	२४५.००	२४५.००	
	300 mm dia.	,,	३३२.००	३३२.००	३३२.००	
	350 mm dia.	,,	३६५.००	३६५.००	३६५.००	
	375 mm dia.	,,	३६५.००	३६५.००	३६५.००	
	400 mm dia.	,,	४६३.००	४६३.००	४६३.००	
	450 mm dia.	,,	४९०.००	४९०.००	४९०.००	
	500 mm dia.	,,	५५०.००	५५०.००	५५०.००	
	600 mm dia.	,,	७६९.००	७६९.००	७६९.००	
	700 mm dia.	,,	९४६.००	९४६.००	९४६.००	
	750 mm dia.	,,	१,०२३.००	१,०२३.००	१,०२३.००	
	800 mm dia.	,,	१,१४१.००	१,१४१.००	१,१४१.००	
	900 mm dia.	,,	१,५४३.००	१,५४३.००	१,५४३.००	
	1000 mm dia.	,,	१,७९९.००	१,७९९.००	१,७९९.००	
	1200 mm dia.	,,	२,१९६.००	२,१९६.००	२,१९६.००	
	1500 mm dia.	,,	४,६१५.००	४,६१५.००	४,६१५.००	
	b) NP-3		-	-	-	
	150 mm dia.	,,	३२३.००	३२७.००	३२७.००	
	200 mm dia.	,,	४२९.००	४३६.००	४३६.००	
	250 mm dia.	,,	५३७.००	५४४.००	५४४.००	
	300 mm dia.	,,	७७१.००	७८३.००	७८३.००	
	350 mm dia.		८६५.००	८७९.००	८७९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	375 mm dia.		९२४.००	९४०.००	९४०.००	
	400 mm dia.	,,	९८६.००	१,०००.००	१,०००.००	
	450 mm dia.	,,	१,१०७.००	१,१२५.००	१,१२५.००	
	500 mm dia.	,,	१,२३४.००	१,२५५.००	१,२५५.००	
	600 mm dia.	,,	१,५२६.००	१,५५०.००	१,५५०.००	
	700 mm dia.	,,	१,८४३.००	१,८७१.००	१,८७१.००	
	750 mm dia.	,,	२,११६.००	२,१५०.००	२,१५०.००	
	800 mm dia.	,,	२,३०९.००	२,३४४.००	२,३४४.००	
	900 mm dia.	,,	२,९९६.००	३,०४२.००	३,०४२.००	
	1000 mm dia.	,,	३,३२७.००	३,३८२.००	३,३८२.००	
	1200 mm dia.	,,	३,९६१.००	४,०२४.००	४,०२४.००	
	1500 mm dia.	,,	६,२२३.००	६,३३४.००	६,३३४.००	
	R.C.C.Spigot Pipes (Socket System)		-	-	-	
	a) NP-2		-	-	-	
	150 mm dia.	र.मि	७६६.००	७६६.००	७६६.००	
	200 mm dia.	,,	९७६.००	९७६.००	९७६.००	
	250 mm dia.	,,	१,२२१.००	१,२२१.००	१,२२१.००	
	300 mm dia.	,,	१,६५६.००	१,६५६.००	१,६५६.००	
	350 mm dia.	,,	२,००७.००	२,००७.००	२,००७.००	
	400 mm dia.	,,	२,३००.००	२,३००.००	२,३००.००	
	450 mm dia.	,,	२,४३८.००	२,४३८.००	२,४३८.००	
	500 mm dia.	,,	२,७३६.००	२,७३६.००	२,७३६.००	
	600 mm dia.	,,	३,६०८.००	३,६०८.००	३,६०८.००	
	700 mm dia.	,,	४,७०९.००	४,७०९.००	४,७०९.००	
	750 mm dia.	,,	५,०९०.००	५,०९०.००	५,०९०.००	
	800 mm dia.	,,	५,६८४.००	५,६८४.००	५,६८४.००	
	900 mm dia.	,,	७,३३९.००	७,३३९.००	७,३३९.००	
	1000 mm dia.	,,	८,४८१.००	८,४८१.००	८,४८१.००	
	1200 mm dia.	,,	१०,२७४.००	१०,२७४.००	१०,२७४.००	
	b) NP-3		-	-	-	
	150 mm dia.	र.मि	१,६०३.००	१,६०३.००	१,६०३.००	
	200 mm dia.	,,	२,१३९.००	२,१३९.००	२,१३९.००	
	250 mm dia.	,,	२,६७४.००	२,६७४.००	२,६७४.००	
	300 mm dia.	,,	३,८४२.००	३,८४२.००	३,८४२.००	
	350 mm dia.	,,	४,३१३.००	४,३१३.००	४,३१३.००	
	400 mm dia.	,,	४,९१३.००	४,९१३.००	४,९१३.००	
	450 mm dia.	,,	५,५१३.००	५,५१३.००	५,५१३.००	
	500 mm dia.	,,	६,१४१.००	६,१४१.००	६,१४१.००	
	600 mm dia.	,,	७,५९२.००	७,५९२.००	७,५९२.००	
	700 mm dia.	,,	९,१६९.००	९,१६९.००	९,१६९.००	
	800 mm dia.	,,	११,४९३.००	११,४९३.००	११,४९३.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	900 mm dia.	,,	१४,९०७.००	१४,९०७.००	१४,९०७.००	
	1000 mm dia.	,,	१६,५६४.००	१६,५६४.००	१६,५६४.००	
	1200 mm dia.	,,	१९,५०६.००	१९,५०६.००	१९,५०६.००	
	1500 mm dia.	,,	३०,८३५.००	३०,८३५.००	३०,८३५.००	
	1600 mm dia.	,,	३५,५६६.००	३५,५६६.००	३५,५६६.००	
	1800 mm dia.	,,	४७,३३९.००	४७,३३९.००	४७,३३९.००	
27	**High Density Polythene Pipe NS-40**		-	-	-	
	Pipes of different sizes, series & pressure	Kg	२८१.००	२८७.००	२८७.००	
	HDP Pipe					
27.1	**2.5Kg/cm^2 Series II**					
	63 mm (0.403 Avg.wt. Kg/m)	Rm	११३.२०	११३.२०	११३.२०	
	75 mm (0.557 Avg.wt Kg/m)	,,	१५६.४६	१५६.४६	१५६.४६	
	90 mm (0.799 Avg.wt Kg/m)	,,	२२४.४३	२२४.४३	२२४.४३	
	110 mm (1.185 Avg.wt Kg/m)	,,	३३२.८६	३३२.८६	३३२.८६	
	125 mm (1.530 Avg.wt Kg/m)	,,	४२९.७८	४२९.७८	४२९.७८	
	140 mm (1.897 Avg.wt Kg/m)	,,	५३२.८६	५३२.८६	५३२.८६	
	160 mm (2.453 Avg.wt Kg/m)	,,	६८९.०४	६८९.०४	६८९.०४	
	180 mm (3.148 Avg.wt Kg/m)	,,	८८४.२७	८८४.२७	८८४.२७	
	200 mm (3.875 Avg.wt Kg/m)	,,	१,०८८.४८	१,०८८.४८	१,०८८.४८	
	225 mm (4.822 Avg.wt Kg/m)	,,	१,३५४.५०	१,३५४.५०	१,३५४.५०	
	250 mm (6.012 Avg.wt Kg/m)	,,	१,६८८.७७	१,६८८.७७	१,६८८.७७	
	280 mm (7.471 Avg.wt Kg/m)	,,	२,०९८.६०	२,०९८.६०	२,०९८.६०	
	315 mm (9.417 Avg.wt Kg/m)	,,	२,६६०.४०	२,६६०.४०	२,६६०.४०	
	355 mm (11.957 Avg.wt Kg/m)	,,	३,३५८.७२	३,३५८.७२	३,३५८.७२	
	400 mm (15.221 Avg.wt Kg/m)	,,	४,२७५.५७	४,२७५.५७	४,२७५.५७	
	450 mm (19.163 Avg.wt Kg/m)	,,	५,४८४.४५	५,४८४.४५	५,४८४.४५	
	500 mm (23.836 Avg.wt Kg/m)	,,	६,८२१.८६	६,८२१.८६	६,८२१.८६	
27.2	**4 Kg/cm^2 Series III**		-	-	-	
	40 mm (0.251 Avg.wt Kg/m)	Rm	७०.५०	७०.५०	७०.५०	
	50 mm (0.378 Avg.wt Kg/m)	,,	१०६.१८	१०६.१८	१०६.१८	
	63 mm (0.585 Avg.wt Kg/m)	,,	१६४.३२	१६४.३२	१६४.३२	
	75 mm (0.846 Avg.wt Kg/m)	,,	२३७.६४	२३७.६४	२३७.६४	
	90 mm (1.220 Avg.wt Kg/m)	,,	३४२.७०	३४२.७०	३४२.७०	
	110 mm (1.703 Avg.wt Kg/m)	,,	४७८.३७	४७८.३७	४७८.३७	
	125 mm (2.289 Avg.wt Kg/m)	,,	६४२.९७	६४२.९७	६४२.९७	
	140 mm (2.901 Avg.wt Kg/m)	,,	८१४.८९	८१४.८९	८१४.८९	
	160 mm (3.773 Avg.wt Kg/m)	,,	१,०५९.८३	१,०५९.८३	१,०५९.८३	
	180 mm (4.762 Avg.wt Kg/m)	,,	१,३३७.६५	१,३३७.६५	१,३३७.६५	
	200 mm (5.890 Avg.wt Kg/m)	,,	१,६५४.५०	१,६५४.५०	१,६५४.५०	
	225 mm (7.445 Avg.wt Kg/m)	,,	२,०९१.३०	२,०९१.३०	२,०९१.३०	
	250 mm (9.187 Avg.wt Kg/m)	,,	२,५८०.६२	२,५८०.६२	२,५८०.६२	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	280 mm (11.455 Avg.wt Kg/m)	,,	३,२१७.७०	३,२१७.७०	३,२१७.७०	
	315 mm (14.508 Avg.wt Kg/m)	,,	४,०७५.३०	४,०७५.३०	४,०७५.३०	
	355 mm (18.382 Avg.wt Kg/m)	,,	५,१६३.५०	५,१६३.५०	५,१६३.५०	
	400 mm (23.343 Avg.wt Kg/m)	,,	६,५५७.०४	६,५५७.०४	६,५५७.०४	
	450mm (29.351Avg.wt Kg/m)	,,	८,४००.२६	८,४००.२६	८,४००.२६	
	500mm (36.406 Avg.wt Kg/m)	,,	१०,४१७.६८	१०,४१७.६८	१०,४१७.६८	
27.3	**6 Kg/cm^2 Series IV**		-	-	-	
	32 mm (0.226 Avg.wt Kg/m)	Rm	६३.४८	६३.४८	६३.४८	
	40 mm (0.350 Avg.wt Kg/m)	,,	९८.३२	९८.३२	९८.३२	
	50 mm (0.542 Avg.wt Kg/m)	,,	१५२.२५	१५२.२५	१५२.२५	
	63 mm (0.850 Avg.wt Kg/m)	,,	२३८.७७	२३८.७७	२३८.७७	
	75 mm (1.191 Avg.wt Kg/m)	,,	३३४.५५	३३४.५५	३३४.५५	
	90 mm (1.717 Avg.wt Kg/m)	,,	४८२.३०	४८२.३०	४८२.३०	
	110 mm (2.545 Avg.wt Kg/m)	,,	७१४.८९	७१४.८९	७१४.८९	
	125 mm (3.293 Avg.wt Kg/m)	,,	९२५.००	९२५.००	९२५.००	
	140 mm (4.150 Avg.wt Kg/m)	,,	१,१६५.७४	१,१६५.७४	१,१६५.७४	
	160 mm (5.355 Avg.wt Kg/m)	,,	१,५०४.२१	१,५०४.२१	१,५०४.२१	
	180 mm (6.800 Avg.wt Kg/m)	,,	१,९१०.१२	१,९१०.१२	१,९१०.१२	
	200 mm (8.391 Avg.wt Kg/m)	,,	२,३५७.०३	२,३५७.०३	२,३५७.०३	
	225 mm (10.544 Avg.wt Kg/m)	,,	२,९६१.८१	२,९६१.८१	२,९६१.८१	
	250 mm (13.041 Avg.wt Kg/m)	,,	३,६६३.२१	३,६६३.२१	३,६६३.२१	
	280 mm (16.327 Avg.wt Kg/m)	,,	४,५८६.२५	४,५८६.२५	४,५८६.२५	
	315 mm (20.694 Avg.wt Kg/m)	,,	५,८१२.९४	५,८१२.९४	५,८१२.९४	
	355 mm (26.243 Avg.wt Kg/m)	,,	७,३७१.६५	७,३७१.६५	७,३७१.६५	
	400 mm (33.309 Avg.wt Kg/m)	,,	९,३५६.४९	९,३५६.४९	९,३५६.४९	
	450 mm (42.065 Avg.wt Kg/m)	,,	१२,०३९.००	१२,०३९.००	१२,०३९.००	
	500 mm (51.900 Avg.wt Kg/m)	,,	१४,८५३.७८	१४,८५३.७८	१४,८५३.७८	
27.4	**PN-10 HDPE pipe**		-	-	-	
	63 mm (1.269 Avg.wt Kg/m)	rm	३५६.४६	३४२.६३	३४२.६३	
	75 mm (1.782 Avg.wt Kg/m)	,,	५००.५६	४८१.१४	४८१.१४	
	90 mm (2.568 Avg.wt Kg/m)	,,	७२१.३५	६९३.३६	६९३.३६	
	110 mm (3.801 Avg.wt Kg/m)	,,	१,०६७.७०	१,०२६.२७	१,०२६.२७	
	125 mm (4.962 Avg.wt Kg/m)	,,	१,३९३.८३	१,३३९.७४	१,३३९.७४	
	140 mm (6.209 Avg.wt Kg/m)	,,	१,७४४.१०	१,६७६.४३	१,६७६.४३	
	160 mm (8.079 Avg.wt Kg/m)	,,	२,२६९.३९	२,१८१.३३	२,१८१.३३	
	180 mm (10.256 Avg.wt Kg/m)	,,	२,८८०.९१	२,७६९.१२	२,७६९.१२	
	200 mm (12.520 Avg.wt Kg/m)	,,	३,५१६.८७	३,३८०.४०	३,३८०.४०	
27.5	**PN-16 HDPE pipe**		-	-	-	
	63 mm (1.496 Avg.wt Kg/m)	rm		३४२.६३	३४२.६३	
	75 mm (2.126 Avg.wt Kg/m)	,,		४८१.१४	४८१.१४	
	90 mm (3.061 Avg.wt Kg/m)	,,		६९३.३६	६९३.३६	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	110 mm (4.523 Avg.wt Kg/m)	,,		१,२२१.२१	१,२२१.२१	
	125 mm (5.875 Avg.wt Kg/m)	,,		१,३३९.७४	१,३३९.७४	
	140 mm (7.37 Avg.wt Kg/m)	,,		१,६७६.४३	१,६७६.४३	
	160 mm (8.113 Avg.wt Kg/m)	,,		२,१८१.३३	२,१८१.३३	
	180 mm (10.230 Avg.wt Kg/m)	,,		२,७६९.१२	२,७६९.१२	
	200 mm (12.630 Avg.wt Kg/m)	,,		३,३८०.४०	३,३८०.४०	
	250 mm (19.707 Avg.wt Kg/m)	,,		६,२८३.१७	६,२८३.१७	
	110mm HDPE OD Flange	,,		२,७७५.००	२,७७५.००	
	250mm HDPE OD Flange	,,		११,७४७.००	११,७४७.००	
28	**UPVC (Pipe NS 206/046**					
28.1	**A) pipe 2.5 kg /cm^2 pressure**					
	a) 90 mm	र.मी	१४१.००	१४१.००	१४१.००	
	b) 110 mm	"	२११.००	२११.००	२११.००	
	c) 125 mm	"	२६८.००	२६८.००	२६८.००	
	d) 140 mm	"	३३१.००	३३१.००	३३१.००	
	e) 160 mm	"	४३२.००	४३२.००	४३२.००	
	f) 180 mm	"	५५३.००	५५३.००	५५३.००	
	g) 200 mm	"	६७६.००	६७६.००	६७६.००	
28.2	**B) UPVC Pipe 4 kg / cm^2**		-	-	-	
	a) 63mm	र.मी	११२.००	११२.००	११२.००	
	b) 75 mm	"	१५५.००	१५५.००	१५५.००	
	c) 90 mm	"	२२१.००	२२१.००	२२१.००	
	d) 110 mm	"	३०४.००	३०४.००	३०४.००	
	e) 125 mm	"	४१८.००	४१८.००	४१८.००	
	f) 140 mm	"	५३१.००	५३१.००	५३१.००	
	g) 160 mm	"	६८७.००	६८७.००	६८७.००	
	h) 180 mm	"	८८३.००	८८३.००	८८३.००	
	i) 200 mm	"	१,०७२.००	१,०७२.००	१,०७२.००	
28.3	**C) UPVC Pipe 6 Kg/ cm^2 pressure**		-	-	-	
	a) 40 mm	र.मी	६६.००	६६.००	६६.००	
	b) 50 mm	"	१००.००	१००.००	१००.००	
	c) 63 mm	"	१६०.००	१६०.००	१६०.००	
	d) 75 mm	"	२२३.००	२२३.००	२२३.००	
	e) 90 mm	"	३२२.००	३२२.००	३२२.००	
	f) 110 mm	"	४६६.००	४६६.००	४६६.००	
	g) 125 mm	"	६२०.००	६२०.००	६२०.००	
	h) 140 mm	"	७७२.००	७७२.००	७७२.००	
	i) 160 mm	"	९८९.००	९८९.००	९८९.००	
	j) 180 mm	र.मी	१,२६२.००	१,२६२.००	१,२६२.००	
	k) 200 mm	,,	१,५४५.००	१,५४५.००	१,५४५.००	
28.4	**C) UPVC Pipe 10 Kg/ cm^2 pressure**		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	a) 20 mm	र.मी	२६.००	२६.००	२६.००	
	b) 25 mm	,,	४०.००	४०.००	४०.००	
	c) 32mm	,,	६६.००	६६.००	६६.००	
	a) 40 mm	,,	९९.००	९९.००	९९.००	
	b) 50 mm	,,	१५६.००	१५६.००	१५६.००	
	c) 63 mm	,,	२४८.००	२४८.००	२४८.००	
	d) 75 mm	,,	३३५.००	३३५.००	३३५.००	
	e) 90 mm	,,	५०४.००	५०४.००	५०४.००	
	f) 110 mm	,,	७४७.००	७४७.००	७४७.००	
	g) 125 mm	,,	९५७.००	९५७.००	९५७.००	
	h) 140 mm	,,	१,२०८.००	१,२०८.००	१,२०८.००	
	i) 160 mm	,,	१,५५४.००	१,५५४.००	१,५५४.००	
	j) 180 mm	,,	१,९८१.००	१,९८१.००	१,९८१.००	
	k) 200 mm	,,	२,४४९.००	२,४४९.००	२,४४९.००	
28.5	**UPVC fittings :**		-	-	-	
	Coupler		-	-	-	
	50 mm	गोटा	३२.००	३२.००	३२.००	
	75 mm	"	७७.००	७७.००	७७.००	
	110 mm	"	१३१.००	१३१.००	१३१.००	
	Bend 87.5 degree		-	-	-	
	50 mm	गोटा	४७.००	४७.००	४७.००	
	75 mm	"	११२.००	११२.००	११२.००	
	110 mm	"	२०६.००	२०६.००	२०६.००	
	Bend 45 degree		-	-	-	
	50 mm	गोटा	४६.००	४६.००	४६.००	
	75 mm	"	९१.००	९१.००	९१.००	
	110 mm	"	१६३.००	१६३.००	१६३.००	
	Single Tee		-	-	-	
	50 mm	गोटा	७०.००	७०.००	७०.००	
	75 mm	"	१५१.००	१५१.००	१५१.००	
	110 mm	"	२८७.००	२८७.००	२८७.००	
	Pipe clip		-	-	-	
	50 mm	गोटा	१५.००	१५.००	१५.००	
	75 mm	"	२९.००	२९.००	२९.००	
	110 mm	"	३८.००	३८.००	३८.००	
	Bend 87.5 degree with door		-	-	-	
	75 mm	गोटा	१४३.००	१४३.००	१४३.००	
	110 mm	"	२४९.००	२४९.००	२४९.००	
	Single Tee with door		-	-	-	
	75 mm	गोटा	२०४.००	२०४.००	२०४.००	
	110 mm	"	३८०.००	३८०.००	३८०.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
			-	-	-	
	Double Tee		-	-	-	
	75 mm	गोटा	३३२.००	३३२.००	३३२.००	
	110 mm	"	५२५.००	५२५.००	५२५.००	
	Double Tee with door		-	-	-	
	75 mm	गोटा	४४०.००	४४०.००	४४०.००	
	110 mm	"	६८२.००	६८२.००	६८२.००	
	Vent cowl		-	-	-	
	75 mm	गोटा	५४.००	५४.००	५४.००	
	110 mm	"	९०.००	९०.००	९०.००	
	Socket plug		-	-	-	
	75 mm	गोटा	६८.००	६८.००	६८.००	
	110 mm	"	१११.००	१११.००	१११.००	
	Single "Y"		-	-	-	
	75 mm	गोटा	१७३.००	१७३.००	१७३.००	
	110 mm	"	३७४.००	३७४.००	३७४.००	
	Single "Y" with door		-	-	-	
	75 mm	गोटा	२३७.००	२३७.००	२३७.००	
	110 mm	"	४५१.००	४५१.००	४५१.००	
	Double "Y"		-	-	-	
	75 mm	गोटा	२६१.००	२६१.००	२६१.००	
	110 mm	"	५१४.००	५१४.००	५१४.००	
	Double "Y" with door		-	-	-	
	75 mm	गोटा	३३४.००	३३४.००	३३४.००	
	110 mm	"	५३९.००	५३९.००	५३९.००	
	Cleaning pipe		-	-	-	
	75 mm	,,	१५२.००	१५२.००	१५२.००	
	110 mm	,,	२९३.००	२९३.००	२९३.००	
	Reducer		-	-	-	
	110x 75 mm	,,	१३५.००	१३५.००	१३५.००	
	75X50 mm	,,	७१.००	७१.००	७१.००	
	P -Trap		-	-	-	
	125mmx110mm	,,	५५५.००	५५५.००	५५५.००	
	110mmx110mm	,,	५२१.००	५२१.००	५२१.००	
	75mmx75mm	,,	१९९.००	१९९.००	१९९.००	
	Multi-Floor -Trap		-	-	-	
	110mmx75mm	,,	२८८.००	२८८.००	२८८.००	
	Nahani-Trap		-	-	-	
	110mmx75mm	,,	२६३.००	२६३.००	२६३.००	
	W.C. Connector (bent type)	,,	२६९.००	२६९.००	२६९.००	
	Square tile with jali	,,	८६.००	८६.००	८६.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	Round jali	,,	४०.००	४०.००	४०.००	
	End cap 50mm	,,	२६.००	२६.००	२६.००	
29.0	**G.I Pipe threaded , 6 m. length With Cap**		-	-	-	
	a) Light class		-	-	-	
	i. ½ " (15 mm)	र.मी	१५२.००	१७०.००	१७०.००	
	ii. ¾" (20 mm)	"	२०८.००	२३२.००	२३२.००	
	iii. 1" (25 mm)	"	२८८.००	३२२.००	३२२.००	
	iv. 1 ¼" (32 mm)	"	३६९.००	४११.००	४११.००	
	v. 1 ½ " (40 mm)	"	४५५.००	५०८.००	५०८.००	
	vi. 2" (50 mm)	"	५७५.००	६४१.००	६४१.००	
	vii. 2 ½ " (65 mm)	"	७९३.००	८८५.००	८८५.००	
	viii. 3" (80 mm)	"	९३०.००	१,०३८.००	१,०३८.००	
	ix. 4" (100 mm)	"	१,३३०.००	१,४८५.००	१,४८५.००	
	x. 5" (125 mm)	"	२,१२९.००	२,३७७.००	२,३७७.००	
	xi. 6" (150 mm)	"	२,५२९.००	२,८२३.००	२,८२३.००	
	xii. 8" (200 mm)	"	३,६२९.००	४,०५१.००	४,०५१.००	
	b) Medium class		-	-	-	
	i. ½ " (15 mm)	र.मी	१७६.००	१८१.००	१८१.००	
	ii. ¾" (20 mm)	"	२२७.००	२२५.००	२२५.००	
	iii. 1" (25 mm)	"	३३८.००	३४४.००	३४४.००	
	iv. 1 ¼" (32 mm)	"	४३९.००	४४७.००	४४७.००	
	v. 1 ½ " (40 mm)	र.मि	५०५.००	५१४.००	५१४.००	
	vi. 2" (50 mm)	"	६९०.००	७०६.००	७०६.००	
	vii. 2 ½ " (65 mm)	"	८८१.००	९०१.००	९०१.००	
	viii. 3" (80 mm)	"	१,०९२.००	१,१२२.००	१,१२२.००	
	ix. 4" (100 mm)	"	१,६२०.००	१,६८०.००	१,६८०.००	
	x. 5" (125 mm)	"	२,२४५.००	२,१९६.००	२,१९६.००	
	xi. 6" (150 mm)	"	२,७१२.००	२,६५६.००	२,६५६.००	
	xii. 8" (200 mm)	"	४,१२३.००	४,५९६.००	४,५९६.००	
	c) Heavy duty		-	-	-	
	i. ½ " (15 mm)	र.मि	२०९.००	२१२.००	२१२.००	
	ii. ¾" (20 mm)	"	२६४.००	२६५.००	२६५.००	
	iii. 1" (25 mm)	"	३९५.००	३९६.००	३९६.००	
	iv. 1 ¼" (32 mm)	"	५०५.००	४६८.००	४६८.००	
	v. 1 ½ " (40 mm)	"	५८२.००	५९३.००	५९३.००	
	vi. 2" (50 mm)	"	८४८.००	८७२.००	८७२.००	
	vii. 2 ½ " (65 mm)	"	१,०६३.००	९९२.००	९९२.००	
	viii. 3" (80 mm)	"	१,२५१.००	१,२८५.००	१,२८५.००	
	ix. 4" (100 mm)	"	१,९४०.००	२,२०८.००	२,२०८.००	
	x. 5" (125 mm)	"	२,५१३.००	२,५०३.००	२,५०३.००	
	xi. 6" (150 mm)	"	२,८५०.००	२,८०३.००	२,८०३.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	xii. 8" (200 mm)	"	४,३७१.००	५,०८३.००	५,०८३.००	
			-	-	-	
30.0	**G.I. Pipe fittings ISI or NS Standard**		-	-	-	
	a) G.M. Gate valve		-	-	-	
	i. ½ "	गोटा	९९१.००	७५०.००	७५०.००	
	ii. ¾"	"	१,२३४.००	१,०५०.००	१,०५०.००	
	iii. 1"	"	१,९८८.००	१,६००.००	१,६००.००	
	iv. 1 ¼"	"	२,८३६.००	२,३५०.००	२,३५०.००	
	v. 1 ½ "	"	३,५७१.००	३,१३३.००	३,१३३.००	
	vi. 2"	"	५,६८५.००	४,८८३.००	४,८८३.००	
	vii. 2 ½ "	,,	११,७५३.००	८,७७२.००	८,७७२.००	
	viii. 3"	,,	१४,६१४.००	१२,०५०.००	१२,०५०.००	
	ix. 4"	,,	२३,९३५.००	२०,५९०.००	२०,५९०.००	
	b) G.M Check valve		-	-	-	
	i. ½ "	गोटा	९२०.००	८९३.००	८९३.००	
	ii. ¾"	,,	१,२३६.००	१,२००.००	१,२००.००	
	iii. 1"	,,	१,८२८.००	१,७७५.००	१,७७५.००	
	iv. 1 ¼"	,,	२,७०२.००	२,६२३.००	२,६२३.००	
	v. 1 ½ "	,,	३,१२६.००	३,०३५.००	३,०३५.००	
	vi. 2"	,,	५,१८४.००	५,३००.००	५,३००.००	
	vii. 2 ½ "	,,	१०,५३२.००	१०,२२५.००	१०,२२५.००	
	viii. 3"	,,	१४,०६७.००	१६,३३५.००	१६,३३५.००	
	ix. 4"	,,	१९,८८०.००	१९,३०१.००	१९,३०१.००	
	c) G.I. Ebow		-	-	-	
	i. ½ "	गोटा	५४.००	४२.००	४२.००	
	ii. ¾"	,,	९७.००	६६.००	६६.००	
	iii. 1"	,,	१४९.००	१०५.००	१०५.००	
	iv. 1 ¼"	,,	२२७.००	१६२.००	१६२.००	
	v. 1 ½ "	,,	३१७.००	२२३.००	२२३.००	
	vi. 2"	,,	४७८.००	३४४.००	३४४.००	
	vii. 2 ½ "	,,	८२९.००	६५३.००	६५३.००	
	viii. 3"	,,	१,२९१.००	८८०.००	८८०.००	
	ix. 4"	,,	२,२२४.००	१,५७०.००	१,५७०.००	
	x. 5"	,,	५,५०२.००	२,१०४.००	२,१०४.००	
	xi. 6"	,,	६,६२३.००	२,५२४.००	२,५२४.००	
	d) G.I. Tee		-	-	-	
	i. ½ "	गोटा	८२.००	६६.००	६६.००	
	ii. ¾"	,,	१३१.००	१०४.००	१०४.००	
	iii. 1"	,,	१९१.००	१४२.००	१४२.००	
	iv. 1 ¼"	,,	३०५.००	२१९.००	२१९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	v. 1 ½ "	,,	४२२.००	२८२.००	२८२.००	
	vi. 2"	,,	६९१.००	४९२.००	४९२.००	
	vii. 2 ½ "	,,	१,०८६.००	८२८.००	८२८.००	
	viii. 3"	,,	१,४६७.००	१,१८७.००	१,१८७.००	
	ix. 4"	”	२,६६५.००	१,९५३.००	१,९५३.००	
	x. 5"	”	७,३७५.००	२,४६५.००	२,४६५.००	
	xi. 6"	”	८,५४७.००	२,९६०.००	२,९६०.००	
	e) G.I Union		-	-	-	
	i. ½ "	गोटा	१७४.००	११३.००	११३.००	
	ii. ¾"	,,	२४५.००	१५३.००	१५३.००	
	iii. 1"	,,	३५९.००	२१०.००	२१०.००	
	iv. 1 ¼"	,,	४९४.००	३२९.००	३२९.००	
	v. 1 ½ "	,,	६१२.००	४०१.००	४०१.००	
	vi. 2"	,,	९११.००	६११.००	६११.००	
	vii. 2 ½ "	,,	१,८६२.००	१,१३८.००	१,१३८.००	
	viii. 3"	,,	२,५०९.००	१,५८६.००	१,५८६.००	
	ix. 4"	,,	३,३०६.००	२,२०५.००	२,२०५.००	
	x. 5"	”	७,३७५.००	२,७७०.००	२,७७०.००	
	xi. 6"	”	८,९२३.००	३,०२४.००	३,०२४.००	
	f) G.I. Socket		-	-	-	
	i. ½ "	गोटा	४८.००	३८.००	३८.००	
	ii. ¾"	,,	७५.००	५७.००	५७.००	
	iii. 1"	,,	१०३.००	७५.००	७५.००	
	iv. 1 ¼"	,,	१५९.००	११५.००	११५.००	
	v. 1 ½ "	,,	२१४.००	१४४.००	१४४.००	
	vi. 2"	,,	३१५.००	२४१.००	२४१.००	
	vii. 2 ½ "	,,	५७१.००	५७१.००	५७१.००	
	viii. 3"	,,	८४२.००	५८६.००	५८६.००	
	ix. 4"	,,	१,४५७.००	९५१.००	९५१.००	
	x. 5"	”	३,६४०.००	१,१४०.००	१,१४०.००	
	xi. 6"	”	४,८९५.००	१,३६८.००	१,३६८.००	
	g) C.I. Plug		-	-	-	
	i. ½ "	गोटा	३१.००	३०.००	३०.००	
	ii. ¾"	,,	४१.००	४०.००	४०.००	
	iii. 1"	,,	५०.००	४९.००	४९.००	
	iv. 1 ¼"	,,	१०१.००	९८.००	९८.००	
	v. 1 ½ "	,,	१२८.००	१२४.००	१२४.००	
	vi. 2"	,,	१५३.००	१४९.००	१४९.००	
	vii. 2 ½ "	,,	२२०.००	२१४.००	२१४.००	
	viii. 3"	,,	४५०.००	४३७.००	४३७.००	
	ix. 4"	,,	८६३.००	८३८.००	८३८.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	h) Hex Nipple		-	-	-	
	i. ½ "	गोटा	५८.००	५६.००	५६.००	
	ii. ¾"	,,	८९.००	८६.००	८६.००	
	iii. 1"	,,	१४३.००	१३९.००	१३९.००	
	iv. 1 ¼"	,,	२२४.००	२१७.००	२१७.००	
	v. 1 ½ "	,,	२८३.००	२७५.००	२७५.००	
	vi. 2"	,,	४२१.००	४०९.००	४०९.००	
	vii. 2 ½ "	,,	७७३.००	७५०.००	७५०.००	
	viii. 3"	,,	९९७.००	९६८.००	९६८.००	
	ix. 4"	,,	१,५२९.००	१,४८४.००	१,४८४.००	
	i) Reducing Tee		-			
	i. ¾"	गोटा	१४३.००	१२०.००	१२०.००	
	ii. 1"	,,	२१०.००	१४८.००	१४८.००	
	iii. 1 ¼"	,,	३३५.००	१६२.००	१६२.००	
	iv. 1 ½ "	,,	४६५.००	३२५.००	३२५.००	
	v. 2"	,,	७५९.००	५१७.००	५१७.००	
	vi. 2 ½ "	,,	१,१९५.००	९१८.००	९१८.००	
	vii. 3"	,,	१,६१५.००	१,४५०.००	१,४५०.००	
	viii. 4"	,,	२,९५२.००	२,७५०.००	२,७५०.००	
	x. 5"	”	८,१२१.००	३,३००.००	३,३००.००	
	xi. 6"	”	९,४००.००	३,९८०.००	३,९८०.००	
	i) Reducing Elbow		-			
	i. ¾"	गोटा	१०६.००	१०३.००	१०३.००	
	ii. 1"	,,	१६५.००	१६०.००	१६०.००	
	iii. 1 ¼"	,,	२५१.००	२४४.००	२४४.००	
	iv. 1 ½ "	,,	३५२.००	३४२.००	३४२.००	
	v. 2"	,,	५२६.००	५११.००	५११.००	
	vi. 2 ½ "	,,	९०९.००	८८३.००	८८३.००	
	vii. 3"	,,	१,४०२.००	१,०००.००	१,०००.००	
	viii. 4"	,,	२,४८२.००	२,४१०.००	२,४१०.००	
	x. 5"	”	६,०५४.००	५,८७८.००	५,८७८.००	
	xi. 6"	”	७,२८५.००	७,०७३.००	७,०७३.००	
	j) Reducing socket		-	-	-	
	i. ¾"	गोटा	८२.००	८०.००	८०.००	
	ii. 1"	,,	१११.००	१००.००	१००.००	
	iii. 1 ¼"	,,	१७३.००	१५०.००	१५०.००	
	iv. 1 ½ "	,,	२३३.००	२१०.००	२१०.००	
	v. 2"	,,	३४७.००	३२०.००	३२०.००	
	vi. 2 ½ "	,,	६२०.००	४५०.००	४५०.००	
	vii. 3"	,,	८८६.००	७२०.००	७२०.००	
	viii. 4"	,,	१,५९९.००	१,१४०.००	१,१४०.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	x. 5"	"	४,५६९.००	१,३६८.००	१,३६८.००	
	xi. 6"	"	५,३७२.००	१,४८२.००	१,४८२.००	
	K) Short bend		-	-	-	
	i. ½ "	गोटा	१४३.००	१३०.००	१३०.००	
	ii. ¾"	,,	२२०.००	१५०.००	१५०.००	
	iii. 1"	,,	३३८.००	१९०.००	१९०.००	
	iv. 1 ¼"	,,	६४९.००	२९०.००	२९०.००	
	v. 1 ½ "	,,	९८१.००	४००.००	४००.००	
	vi. 2"	,,	१,४३५.००	५८०.००	५८०.००	
	vii. 2 ½ "	,,	३,६८३.००	१,५००.००	१,५००.००	
	viii. 3"	,,	५,७१०.००	१,८००.००	१,८००.००	
	ix. 4"	,,	८,०९१.००	२,५००.००	२,५००.००	
	l) Cross Tee		-	-	-	
	i. ½ "	गोटा	१३५.००	१३१.००	१३१.००	
	ii. ¾"	,,	१९२.००	१८६.००	१८६.००	
	iii. 1"	,,	३०२.००	२९३.००	२९३.००	
	iv. 1 ¼"	,,	५२४.००	५०९.००	५०९.००	
	v. 1 ½ "	,,	६२९.००	६११.००	६११.००	
	vi. 2"	,,	१,०२०.००	९५०.००	९५०.००	
	vii. 2 ½ "	,,	१,७२०.००	१,६७०.००	१,६७०.००	
	viii. 3"	,,	२,४९३.००	२,४२०.००	२,४२०.००	
	ix. 4"	,,	३,३६६.००	३,२६८.००	३,२६८.००	
	M) Tanki nipple		-	-	-	
	i. ½ "	गोटा	१५९.००	१५४.००	१५४.००	
	ii. ¾"	,,	२२०.००	२१४.००	२१४.००	
	iii. 1"	,,	३२९.००	३१९.००	३१९.००	
	iv. 1 ¼"	,,	४९४.००	४८०.००	४८०.००	
	v. 1 ½ "	,,	६२९.००	६११.००	६११.००	
	vi. 2"	,,	१,०२०.००	९९०.००	९९०.००	
	vii. 2 ½ "	,,	१,९६३.००	१,९००.००	१,९००.००	
	viii. 3"	,,	२,६१४.००	२,५३८.००	२,५३८.००	
	ix. 4"	,,	३,४६८.००	३,१६७.००	३,१६७.००	
	G.I. Nipple Medium Class ISI or NS		-	-	-	
	2" Long		-	-	-	
	i. ½ "	गोटा	२६.००	२२.००	२२.००	
	ii. ¾"	,,	३८.००	३४.००	३४.००	
	iii. 1"	,,	५२.००	४४.००	४४.००	
	iv. 1 ¼"	,,	७०.००	५७.००	५७.००	
	v. 1 ½ "	,,	८५.००	७१.००	७१.००	
	vi. 2"	,,	१३१.००	१३१.००	१३१.००	
	3" Long		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	i. ½ "	गोटा	३८.००	३४.००	३४.००	
	ii. ¾"	,,	५८.००	४७.००	४७.००	
	iii. 1"	,,	७८.००	६६.००	६६.००	
	iv. 1 ¼"	,,	१०५.००	८५.००	८५.००	
	v. 1 ½ "	,,	१३०.००	१०६.००	१०६.००	
	vi. 2"	,,	१९४.००	१३४.००	१३४.००	
	vii. 2 ½ "	,,	२६७.००	१८६.००	१८६.००	
	viii. 3"	,,	३८९.००	२२०.००	२२०.००	
	4" Long		-	-	-	
	i. ½ "	गोटा	५२.००	४५.००	४५.००	
	ii. ¾"	,,	७६.००	६३.००	६३.००	
	iii. 1"	,,	१०४.००	८८.००	८८.००	
	iv. 1 ¼"	,,	१४०.००	११३.००	११३.००	
	v. 1 ½ "	,,	१७१.००	१४२.००	१४२.००	
	vi. 2"	,,	२६१.००	१७९.००	१७९.००	
	vii. 2 ½ "	,,	३५७.००	२४८.००	२४८.००	
	viii. 3"	,,	५२०.००	२०४.००	२०४.००	
	ix. 4"	,,	६६८.००	४२२.००	४२२.००	
	6" Long		-	-	-	
	i. ½ "	गोटा	७८.००	६८.००	६८.००	
	ii. ¾"	,,	११६.००	९४.००	९४.००	
	iii. 1"	,,	१५६.००	१२२.००	१२२.००	
	iv. 1 ¼"	,,	२११.००	१३२.००	१३२.००	
	v. 1 ½ "	,,	२६१.००	१७०.००	१७०.००	
	vi. 2"	,,	३९०.००	२६९.००	२६९.००	
	vii. 2 ½ "	,,	५३४.००	३७३.००	३७३.००	
	viii. 3"	,,	७६४.००	४३९.००	४३९.००	
	ix. 4"	,,	९४५.००	६३३.००	६३३.००	
	9" Long		-	-	-	
	i. ½ "	गोटा	११६.००	६८.००	६८.००	
	ii. ¾"	,,	१७२.००	९४.००	९४.००	
	iii. 1"	,,	२०८.००	१२२.००	१२२.००	
	iv. 1 ¼"	,,	३१६.००	१३२.००	१३२.००	
	v. 1 ½ "	,,	४२५.००	१७०.००	१७०.००	
	vi. 2"	,,	५८६.००	२६०.००	२६०.००	
	vii. 2 ½ "	,,	७९१.००	३७३.००	३७३.००	
	viii. 3"	,,	१,१७०.००	४३९.००	४३९.००	
	ix. 4"	,,	५,०१७.००	६३३.००	६३३.००	
	12" Long		-	-	-	
	i. ½ "	गोटा	१५६.००	१३६.००	१३६.००	
	ii. ¾"	,,	२२८.००	१८९.००	१८९.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	iii. 1"	,,	२५९.००	२६५.००	२६५.००	
	iv. 1 ¼"	,,	४२२.००	३४०.००	३४०.००	
	v. 1 ½ "	,,	५२०.००	४२५.००	४२५.००	
	vi. 2"	,,	७८०.००	५०७.००	५०७.००	
	vii. 2 ½ "	,,	१,०५३.००	७४६.००	७४६.००	
	viii. 3"	,,	१,५५९.००	८७७.००	८७७.००	
	ix. 4"	,,	१,८६२.००	१,२६६.००	१,२६६.००	
	18" Long		-	-	-	
	i. ½ "	गोटा	२३४.००	२२७.००	२२७.००	
	ii. ¾"	,,	२८८.००	२८०.००	२८०.००	
	iii. 1"	,,	३८९.००	३७८.००	३७८.००	
	iv. 1 ¼"	,,	६३२.००	६१४.००	६१४.००	
	v. 1 ½ "	,,	७७८.००	७५५.००	७५५.००	
	vi. 2"	,,	१,१७०.००	१,१३६.००	१,१३६.००	
	vii. 2 ½ "	,,	१,५८२.००	१,५३६.००	१,५३६.००	
	viii. 3"	,,	२,३१६.००	२,२४९.००	२,२४९.००	
	ix. 4"	,,	२,८२५.००	२,७४३.००	२,७४३.००	
	G.I./G.I. Flange		-	-	-	
	i. 1 ¼"	गोटा	९९३.००	९६४.००	९६४.००	
	ii. 1 ½ "	,,	१,२२२.००	१,१८६.००	१,१८६.००	
	iii. 2"	,,	१,४९७.००	१,४५३.००	१,४५३.००	
	iv. 2 ½ "	,,	१,७५०.००	१,६९९.००	१,६९९.००	
	v. 3"	,,	१,९४९.००	१,८९२.००	१,८९२.००	
	vi. 4"	,,	२,४१८.००	२,३४८.००	२,३४८.००	
	vii. 5"		३,४५९.००	३,३५८.००	३,३५८.००	
	viii. 6"		३,५९३.००	३,४८८.००	३,४८८.००	
	ix. 8"		७,१५६.००	६,९४८.००	६,९४८.००	
	G.I./HDP Flange		-	-	-	
	i. 1 ¼"	गोटा	१,०६९.००	१,०३८.००	१,०३८.००	
	ii. 1 ½ "	,,	१,३६२.००	१,३२२.००	१,३२२.००	
	iii. 2"	,,	१,६०९.००	१,५६२.००	१,५६२.००	
	iv. 2 ½ "	,,	१,८७९.००	१,८२४.००	१,८२४.००	
	v. 3"	,,	२,००९.००	१,९५०.००	१,९५०.००	
	vi. 4"	,,	२,४७८.००	२,४०६.००	२,४०६.००	
	vii. 5"		३,४५९.००	३,३५८.००	३,३५८.००	
	viii. 6"		३,६१०.००	३,५०५.००	३,५०५.००	
	ix. 8"		७,८५६.००	७,६२७.००	७,६२७.००	
	HDP/HDP Flange set with adaptor		-	-	-	
	i. 1 ¼"	गोटा	१,०६९.००	१,०३८.००	१,०३८.००	
	ii. 1 ½ "	,,	१,३६२.००	१,३२२.००	१,३२२.००	
	iii. 2"	,,	१,६०९.००	१,५६२.००	१,५६२.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	iv. 2 ½ "	,,	१,८७९.००	१,८२४.००	१,८२४.००	
	v. 3"	,,	२,००९.००	१,९५०.००	१,९५०.००	
	vi. 4"	,,	२,४७८.००	२,४००.००	२,४००.००	
	vii. 5"	,,	३,९२८.००	३,८१४.००	३,८१४.००	
	viii. 6"	,,	३,६१०.००	३,५०५.००	३,५०५.००	
	ix. 8"	,,	७,८५६.००	७,६२७.००	७,६२७.००	
	Brass tap ½"		-	-	-	
	i. ½ " (Wt. 400 gm)	गोटा	९३३.००	७५०.००	७५०.००	
	ii. ½ " ordinary	गोटा	२११.००	२०५.००	२०५.००	
	Globe Valve (GM)		-	-	-	
	i. ½ "	गोटा	९५२.००	९२४.००	९२४.००	
	ii. ¾"	,,	१,५५०.००	१,५०५.००	१,५०५.००	
	iii. 1"	,,	१,९१५.००	१,८५९.००	१,८५९.००	
	iv. 1 ¼"	,,	३,०४२.००	२,९५३.००	२,९५३.००	
	v. 1 ½ "	,,	३,८२७.००	३,७१६.००	३,७१६.००	
	vi. 2"	,,	४,७७९.००	४,६४०.००	४,६४०.००	
	vii. 2 ½ "	,,	९,३८७.००	९,११४.००	९,११४.००	
	viii. 3"	,,	१५,५१२.००	१५,०६०.००	१५,०६०.००	
	ix. 4"	,,	२५,०८१.००	२४,०५०.००	२४,०५०.००	
	Float Valve		-	-	-	
	i. ½ "	गोटा	१,१६८.००	१,१३४.००	१,१३४.००	
	ii. ¾"	,,	१,३२१.००	१,२८३.००	१,२८३.००	
	iii. 1"	,,	१,६०३.००	१,५५६.००	१,५५६.००	
	iv. 1 ¼"	,,	२,७७१.००	२,६९०.००	२,६९०.००	
	v. 1 ½ "	,,	४,१६३.००	४,०४२.००	४,०४२.००	
	vi. 2"	,,	५,५४२.००	५,३८१.००	५,३८१.००	
	C.I. Air valve (Heavy)		-	-	-	
	i. ½ "	गोटा	३,८६९.००	२,५००.००	२,५००.००	
	ii. ¾"	,,	५,३३७.००	५,१८२.००	५,१८२.००	
	iii. 1"	,,	५,९१८.००	५,७४६.००	५,७४६.००	
	Brass Union with Adopter		-	-	-	
	i. ½ "	गोटा	२५२.००	१५०.००	१५०.००	
	ii. ¾"	,,	३८८.००	२७०.००	२७०.००	
	iii. 1"	,,	५८७.००	३४५.००	३४५.००	
	iv. 1 ¼"	,,	७६४.००	५३०.००	५३०.००	
	v. 1 ½ "	,,	१,३६२.००	६७५.००	६७५.००	
	vi. 2"	,,	२,०२०.००	९४०.००	९४०.००	
	Saddle Ferrule		-	-	-	
	i. 1 ½ "	गोटा	३६५.००	१८५.००	१८५.००	
	ii. 2"	,,	४८२.००	२४२.००	२४२.००	
	iii. 2 ½ "	,,	१,३४५.००	२९२.००	२९२.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	iv. 3"	,,	१,७७९.००	३०१.००	३०१.००	
	v. 4"	,,	२,५३६.००	४८०.००	४८०.००	
	Flow Regulating Valve (G.M.)		-	-	-	
	i. ½"	गोटा	१,३६२.००	१,३२२.००	१,३२२.००	
	C.I Sluice Valve		-	-	-	
	i. 1 ½ "	गोटा	७,०५१.००	६,८६४.००	६,८६४.००	
	ii. 2"	,,	९,४०६.००	७,०००.००	७,०००.००	
	iii. 2 ½ "	,,	११,७४८.००	८,४५०.००	८,४५०.००	
	iv. 3"	,,	१४,१०२.००	१०,५००.००	१०,५००.००	
	v. 4"	,,	१८,७९८.००	१४,०००.००	१४,०००.००	
	v. 5"	,,	२८,५६९.००	१७,५००.००	१७,५००.००	
	v. 6"	,,	३४,२८७.००	२१,०००.००	२१,०००.००	
	v. 8"	,,	४८,००१.००	३०,०००.००	३०,०००.००	
	Brass Ferrule Cock		-	-	-	
	i. ½ "	गोटा	१,५५०.००	६००.००	६००.००	
	ii. ¾"	,,	२,०२०.००	१,३७२.००	१,३७२.००	
	iii. 1"	,,	२,९६५.००	२,०१५.००	२,०१५.००	
	Ball valve		-	-	-	
	a) 15mm	गोटा	५२९.००	५१४.००	५१४.००	
	b) 20 mm	,,	६७०.००	६५०.००	६५०.००	
	c) 25 mm	,,	८९८.००	८७२.००	८७२.००	
	d) 32 mm	,,	१,०८३.००	१,०५१.००	१,०५१.००	
	e) 40 mm	,,	२,०९६.००	२,०३५.००	२,०३५.००	
	f) 50 mm	,,	३,४४१.००	३,३४१.००	३,३४१.००	
31.0	**Supplying of Rcc ring for construction of well**		-	-	-	
31.1	**Ring**		-	-	-	
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	६१५.००	६१५.००	६१५.००	
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	७६२.००	७६२.००	७६२.००	
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	८८६.००	८८६.००	८८६.००	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	१,१७३.००	१,१७३.००	१,१७३.००	
31.2	**Supplying & fixing of metal frame and Rcc cover**		-	-	-	
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१,८५८.००	१,८५८.००	१,८५८.००	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	,,	२,४६०.००	२,४६०.००	२,४६०.००	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	,,	२,६९९.००	२,६९९.००	२,६९९.००	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	,,	३,२२४.००	३,२२४.००	३,२२४.००	
32.0	ईनार खन्नको लागी **R.C.C.** रिङ्ग आपुर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)		-	-	-	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
	i) 28" dia. R.C.C. Ring	र.मी	४,२५३.००	४,२५३.००	४,२५३.००	
	ii) 36" dia. R.C.C. Ring	,,	५,३९७.००	५,३९७.००	५,३९७.००	
	iii) 42" dia. R.C.C. Ring	,,	६,२८२.००	६,२८२.००	६,२८२.००	
	iv) 48" dia. R.C.C. Ring	,,	७,७५०.००	७,७५०.००	७,७५०.००	
32.2	**२५ फीट देखि माथीको गहीराइ भएमा**		-	-	-	
	ईनार खन्नको लागी R.C.C. रिङ्ग आपुर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)		-	-	-	
	i) 28" dia. R.C.C. Ring	र.मी	५,७०७.००	५,७०७.००	५,७०७.००	
	ii) 36" dia. R.C.C. Ring	,,	९,६५०.००	९,६५०.००	९,६५०.००	
	iii) 42" dia. R.C.C. Ring	,,	११,६८१.००	११,६८१.००	११,६८१.००	
	iv) 48" dia. R.C.C. Ring	,,	१४,०३३.००	१४,०३३.००	१४,०३३.००	
33.0	**Sanitary Tools**		-	-	-	
a	Adjustable spanner		-	-	-	
	10"	Pc	२५५.००	२५५.००	२५५.००	
	12"	Pc	४८२.००	४८२.००	४८२.००	
	15"	Pc	१,३८८.००	१,३८८.००	१,३८८.००	
	18"	Pc	१,६४३.००	१,६४३.००	१,६४३.००	
b	Blow Torch		-	-	-	
	1/2 pint	Pc	१,४३३.००	१,४३३.००	१,४३३.००	
	1 pint	Pc	१,७६७.००	१,७६७.००	१,७६७.००	
c	Building Trowel	Pc	७९.००	७९.००	७९.००	
d	Chain Pipe wrench		-	-	-	
	50mm	Pc	१,६४३.००	१,६४३.००	१,६४३.००	
	75mm	Pc	१,९५४.००	१,९५४.००	१,९५४.००	
	100mm	Pc	२,२९४.००	२,२९४.००	२,२९४.००	
	150mm	Pc	३,२२९.००	३,२२९.००	३,२२९.००	
	200mm	Pc	५,४९५.००	५,४९५.००	५,४९५.००	
e	Chain Pulley in Ton		-	-	-	
	3 ton	Pc	१७,५६२.००	१७,५६२.००	१७,५६२.००	
	5 ton	Pc	२९,००५.००	२९,००५.००	२९,००५.००	
f	Stone Chisel 1"x12"	Pc	३६८.००	३६८.००	३६८.००	
g	Die teeth oil with cane (250 ml size)	Pc	२८३.००	२८३.००	२८३.००	
h	Smooth steel file half round		-	-	-	
	8"	Pc	५३८.००	५३८.००	५३८.००	
	10"	Pc	१,०३१.००	१,०३१.००	१,०३१.००	
i	Flat file 10"	Pc	५३८.००	५३८.००	५३८.००	
10.0	Hacksaw Blade		-	-	-	
	Single	Pc	५.००	५.००	५.००	
	double	Pc	९.००	९.००	९.००	
j	Hacksaw Frame 6mm	Pc	१९३.००	१९३.००	१९३.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
k	Handle die set		-	-	-	
	25 mm	Pc	३,२०१.००	३,२०१.००	३,२०१.००	
	50 mm	Pc	३,६२६.००	३,६२६.००	३,६२६.००	
	60 mm	Pc	९,६३१.००	९,६३१.००	९,६३१.००	
l	Heating Plate		-	-	-	
	80 mm	Pc	९६३.००	९६३.००	९६३.००	
	100 mm	Pc	१,१०५.००	१,१०५.००	१,१०५.००	
	125 mm	Pc	१,४१६.००	१,४१६.००	१,४१६.००	
	150 mm	Pc	१,६८८.००	१,६८८.००	१,६८८.००	
	200 mm	Pc	२,७३१.००	२,७३१.००	२,७३१.००	
	250 mm	Pc	३,३०८.००	३,३०८.००	३,३०८.००	
	300 mm	Pc	३,८६४.००	३,८६४.००	३,८६४.००	
m	Iron Brush 12"	Pc	७४.००	७४.००	७४.००	
n	Iron Pan (madium)	Pc	२६१.००	२६१.००	२६१.००	
o	Pick Axe 1.7 Kg.	Pc	४३१.००	४३१.००	४३१.००	
p	Pipe Cutter		-	-	-	
	15-50 mm	Pc	२,०३९.००	२,०३९.००	२,०३९.००	
	65-80 mm	Pc	३,१७२.००	३,१७२.००	३,१७२.००	
	100 mm	Pc	५,०९९.००	५,०९९.००	५,०९९.००	
	125 mm	Pc	५,६६५.००	५,६६५.००	५,६६५.००	
	150 mm	Pc	१०,०८४.००	१०,०८४.००	१०,०८४.००	
q	Pipe Jack Machine (Heavy)	Pc	३२,२९१.००	३२,२९१.००	३२,२९१.००	
r	Pipe Vice		-	-	-	
	2"	Pc	२,४९३.००	२,४९३.००	२,४९३.००	
	3"	Pc	३,६२६.००	३,६२६.००	३,६२६.००	
	4"	Pc	५,४६७.००	५,४६७.००	५,४६७.००	
	5"	Pc	१०,१४०.००	१०,१४०.००	१०,१४०.००	
s	Pipe Wrench		-	-	-	
	10"	Pc	३१७.००	३१७.००	३१७.००	
	12"	Pc	५८९.००	५८९.००	५८९.००	
	14"	Pc	७०२.००	७०२.००	७०२.००	
	18"	Pc	१,११६.००	१,११६.००	१,११६.००	
	24"	Pc	१,५४१.००	१,५४१.००	१,५४१.००	
	36"	Pc	५,४३८.००	५,४३८.००	५,४३८.००	
	48"	Pc	९,६३१.००	९,६३१.००	९,६३१.००	
t	Plumb Bob Line	Pc	९१.००	९१.००	९१.००	
u	Rachet Die Set		-	-	-	
	1/2"-1"	Pc	४,३०५.००	४,३०५.००	४,३०५.००	
	11/4" -2"	Pc	८,०४४.००	८,०४४.००	८,०४४.००	
	21/2"-3"	Pc	१७,५६२.००	१७,५६२.००	१७,५६२.००	
v	Round File 10"	Pc	३६८.००	३६८.००	३६८.००	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट) आ.व.			कैफियत
			२०७८/०७९	२०७९/०८०	२०८०/०८१	
w	Screw Driver 12"	Pc	२०४.००	२०४.००	२०४.००	
x	Shovel 1.5 Kg	Pc	३६८.००	३६८.००	३६८.००	
y	Slide wrench		-	-	-	
	10"	Pc	३६३.००	३६३.००	३६३.००	
	12"	Pc	४८७.००	४८७.००	४८७.००	
	15"	Pc	१,४२२.००	१,४२२.००	१,४२२.००	
z	Spade	Pc	४४२.००	४४२.००	४४२.००	
A	Spare Die Teeth		-	-	-	
	15 mm	Pc	५८९.००	५८९.००	५८९.००	
	20 mm	Pc	५८९.००	५८९.००	५८९.००	
	25 mm	Pc	५८९.००	५८९.००	५८९.००	
	32 mm	Pc	९३५.००	९३५.००	९३५.००	
	40 mm	Pc	१,५९८.००	१,५९८.००	१,५९८.००	
	50 mm	Pc	१,६१५.००	१,६१५.००	१,६१५.००	
	65 mm	Pc	१,८६९.००	१,८६९.००	१,८६९.००	
	80 mm	Pc	२,०९६.००	२,०९६.००	२,०९६.००	
B	Telflon Cover		-	-	-	
	5'x5'	Pc	३१२.००	३१२.००	३१२.००	
	7'x7'	Pc	४२५.००	४२५.००	४२५.००	
C	Telflon Cloth	र.मी	३,४२७.००	३,४२७.००	३,४२७.००	
D	Telflon Tape 10 mm roll	Roll	१७.००	१७.००	१७.००	
E	Thermochrome Crayon		-	-	-	
	Indian	Pc	७६५.००	७६५.००	७६५.००	
	Germany	Pc	१,५३०.००	१,५३०.००	१,५३०.००	
F	Tool Box (14"x8"x22")	Pc	२,१०२.००	२,१०२.००	२,१०२.००	
34	**HDPE Double Wall Corrugated Pipes (DWC)**		-	-	-	
1	100mm dia	र.मी	५००.००	५५६.००	५५६.००	
2	150mm dia	र.मी	१,०००.००	१,११२.००	१,११२.००	
3	200mm dia	र.मी	१,५००.००	१,६६८.००	१,६६८.००	
4	250mm dia	र.मी	१,९००.००	२,११३.००	२,११३.००	
5	300mm dia	र.मी	३,१६०.००	३,५१५.००	३,५१५.००	
6	400mm dia	र.मी	४,०७०.००	४,५२७.००	४,५२७.००	
7	500mm dia	र.मी	४,८६०.००	५,४०६.००	५,४०६.००	
8	600mm dia	र.मी	८,३७०.००	९,३१०.००	९,३१०.००	
9	800mm dia	र.मी	१३,८७५.००	१४,९८५.००	१४,९८५.००	
10	1000mm dia	र.मी	२०,९००.००	२२,५७२.००	२२,५७२.००	

मध्यपुर थिमि नगरपालिका

नगर कार्यपालिकाको कार्यालय,थिमि,भक्तपुर

बाग्मती प्रदेश, नेपाल

Electrical Works को निर्माण सामग्रीहरुको दर(रेट)

आ.ब.०८०/०८१

Electrical Works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
	Dyana White Plate series SWITCH SOCKET ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
1	One Gang one way switch	सेट	६०.००	६०.००	६०.००	
2	One Gang two way switch	सेट	७१.००	७१.००	७१.००	
3	One way bell switch	सेट	७४.००	७४.००	७४.००	
4	Two gang one way switch	,,	९९.००	९९.००	९९.००	
5	Two gang one way switch with one bell push	,,	१०८.००	१०८.००	१०८.००	
6	Two gang Full two way switch	,,	११०.००	११०.००	११०.००	
7	Three Gang one way switch	,,	१३१.००	१३१.००	१३१.००	
8	Four gang one way switch	,,	१६६.००	१६६.००	१६६.००	
9	Six gang one way switch (3x5)	,,	२६१.००	२६१.००	२६१.००	
10	Eight gang one way switch	,,	३१३.००	३१३.००	३१३.००	
11	Dimmer single 300 watt	,,	३१८.००	३१८.००	३१८.००	
12	Dimmer single 750 watt	,,	४७३.००	४७३.००	४७३.००	
13	5 Step humming free dimmer	,,	४१९.००	४१९.००	४१९.००	
14	16Amp 3 Pin Plug Top	,,	१२५.००	१२५.००	१२५.००	
15	1 switch with dimmer	,,	३७९.००	३७९.००	३७९.००	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	,,	१५६.००	१५६.००	१५६.००	
17	6/16 Amp , Power sockets with switch , indicator & safety shutter	,,	१७४.००	१७४.००	१७४.००	
18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	,,	३८२.००	३८२.००	३८२.००	
19	32A D.P. switch with fuse & indicator Surface Mounting	,,	२१२.००	२१२.००	२१२.००	
20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६२९.००	६२९.००	६२९.००	
21	Blanking plate single	,,	४१.००	४१.००	४१.००	
22	Telephone socket single	,,	१२२.००	१२२.००	१२२.००	
23	Telephone socket Double		१७४.००	१७४.००	१७४.००	
24	Angle / bottom holder	,,	३६.००	३६.००	३६.००	
25	Ceiling Rose	,,	३६.००	३६.००	३६.००	
26	Buzzer	,,	१००.००	१००.००	१००.००	
27	Musical bell	,,	२२९.००	२२९.००	२२९.००	
28	T.V.antena single Socket	"	८४.००	८४.००	८४.००	
29	6A 2/3 Pin unshuttered multi switch socket	"	१३२.००	१३२.००	१३२.००	
30	RJ 45 Computer Socket for modem	"	२४१.००	२४१.००	२४१.००	
31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	३६.००	३६.००	३६.००	
32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	६५.००	६५.००	६५.००	
33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	१०१.००	१०१.००	१०१.००	
34	**Switch / socket outlet, Plate series** having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent		-	-	-	
1	10A 1gang 1way Switch	Set	८५.००	८५.००	८५.००	
2	10A 2gang 1way Switch	Set	१६८.००	१६८.००	१६८.००	
3	10A 3gang 1way Switch	"	२२२.००	२२२.००	२२२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
4	10A 4gang 1way Switch	"	३६१.००	३६१.००	३६१.००	
5	10A 5gang 1way Switch	"	३८२.००	३८२.००	३८२.००	
6	10A 6gang 1way Switch	"	६३६.००	६३६.००	६३६.००	
7	10A 1gang 2way Switch	"	१४८.००	१४८.००	१४८.००	
8	10A 2gang 2way Switch	"	२८६.००	२८६.००	२८६.००	
9	10A 3gang 2way Switch	"	४१९.००	४१९.००	४१९.००	
10	10A 4gang 2way Switch	"	६३१.००	६३१.००	६३१.००	
11	T V Socket outlet	"	३०८.००	३०८.००	३०८.००	
12	Telephone Socket	"	२७६.००	२७६.००	२७६.००	
13	13A Universal socket outlet	"	४७८.००	४७८.००	४७८.००	
14	13A Socket	"	२८१.००	२८१.००	२८१.००	
15	15A switched Socket outlet	"	४५६.००	४५६.००	४५६.००	
16	5A Socket	"	३५०.००	३५०.००	३५०.००	
17	RJ 45 8way Computer Socket	"	८४९.००	८४९.००	८४९.००	
18	TV and Telephone Socket	"	६१०.००	६१०.००	६१०.००	
19	7+2 PIN SOCKET OUTLET	"	९५५.००	९५५.००	९५५.००	
20	3+2 PIN SOCKET OUTLET	"	५९४.००	५९४.००	५९४.००	
21	X5 2+2 - 2 PIN SOCKET OUTLET	"	८०६.००	८०६.००	८०६.००	
22	SCHUKO SOCKET WITH ONE SWITCH	"	५२०.००	५२०.००	५२०.००	
23	Bell Press	"	२४४.००	२४४.००	२४४.००	
24	Blank Plate	"	९६.००	९६.००	९६.००	
25	400W Light Dimmer W/ Switch	"	९३३.००	९३३.००	९३३.००	
26	400W Fan Controller / Multi Step Dimmer	"	९४५.००	९४५.००	९४५.००	
27	5 Step Fan Controller	"	९२३.००	९२३.००	९२३.००	
28	2 Pin Socket W/ Switch	"	४६७.००	४६७.००	४६७.००	
29	13A Twin Socket	"	७००.००	७००.००	७००.००	
	White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,Bentex,Premier,Rathi,Ohms or EQUIVALENT		-	-	-	
1	One Gang one way switch	सेट	१०३.००	१०३.००	१०३.००	
2	One Gang two way switch	सेट	११५.००	११५.००	११५.००	
3	One way bell switch	सेट	११५.००	११५.००	११५.००	
4	Two gang one way switch	,,	१३७.००	१३७.००	१३७.००	
5	Two gang one way switch with one bell push	,,	१५०.००	१५०.००	१५०.००	
6	Two gang Full two way switch	,,	१६३.००	१६३.००	१६३.००	
7	Three Gang one way switch	,,	१७२.००	१७२.००	१७२.००	
8	Four gang one way switch	,,	२०८.००	२०८.००	२०८.००	
9	Six gang one way switch	,,	३१६.००	३१६.००	३१६.००	
10	Eight gang one way switch	,,	३८५.००	३८५.००	३८५.००	
11	Dimmer single 300 watt	,,	५०१.००	५०१.००	५०१.००	
15	1 switch with dimmer	,,	५१४.००	५१४.००	५१४.००	
16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	,,	२६८.००	२६८.००	२६८.००	
17	6/13 Amp , Power sockets with switch , indicator	,,	२७१.००	२७१.००	२७१.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
18	20 A D.P. switch with fuse & indicator Surface Mounting	,,	३६५.००	३६५.००	३६५.००	
19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४०३.००	४०३.००	४०३.००	
20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४८८.००	४८८.००	४८८.००	
21	Blanking plate single	,,	६४.००	६४.००	६४.००	
22	Telephone socket single	,,	१५७.००	१५७.००	१५७.००	
23	Telephone socket Double		२५६.००	२५६.००	२५६.००	
24	T.V.antena single Socket	"	१४६.००	१४६.००	१४६.००	
25	RJ 45 Computer Socket for modem	"	२१२.००	२१२.००	२१२.००	
26	CAT-6 Computer Socket for modem	"	३३१.००	३३१.००	३३१.००	
	Modular Type Switch Socket set NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent		-	-	-	
1	1P – 6A/10A 1 way switch	No.	१४३.००	१४३.००	१४३.००	
2	1P – 16A/20A 1 way switch	"	२३०.००	२३०.००	२३०.००	
3	1P – 25A 1 way switch	"	३३६.००	३३६.००	३३६.००	
4	1P – 6A/10A 2 way switch	"	१७२.००	१७२.००	१७२.००	
5	1P – 16A/20A 2 way switch	"	२६१.००	२६१.००	२६१.००	
6	1P – 6A push button	"	१९०.००	१९०.००	१९०.००	
7	1 gang blanking module	"	४४.००	४४.००	४४.००	
8	2 gang blanking module	"	८९.००	८९.००	८९.००	
9	**FAN REGULATOR / DIMMER**		-	-	-	
10	Step type fan regulator	No.	६५७.००	६५७.००	६५७.००	
11	60 – 500 W dimmer	"	८२१.००	८२१.००	८२१.००	
12	1000 W dimmer	"	१,५७०.००	१,५७०.००	१,५७०.००	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS		-	-	-	
13	6A – multi socket 5 pin	No.	२४७.००	२४७.००	२४७.००	
14	6/16A twin socket 3 pin (flushed)	"	३४२.००	३४२.००	३४२.००	
15	6/16A twin socket 3 pin (projected)	"	३४२.००	३४२.००	३४२.००	
16	25A 3 pin socket	"	४१३.००	४१३.००	४१३.००	
17	13A 3 pin socket	"	२७८.००	२७८.००	२७८.००	
18	RJ 11 telephone jack	"	१६४.००	१६४.००	१६४.००	
19	RJ 45 cat.6e computer socket	"	५७४.००	५७४.००	५७४.००	
20	TV socket	"	१६६.००	१६६.००	१६६.००	
	HOSPITALITY RANGE		-	-	-	
21	250V/110V shaver socket	No.	४,४८६.००	४,४८६.००	४,४८६.००	
22	Indicator (DO NOT DISTUURB)	"	१८५.००	१८५.००	१८५.००	
23	LED yellow night lamp	"	५७७.००	५७७.००	५७७.००	
24	LED Blue night lamp	"	५७७.००	५७७.००	५७७.००	
	FRONT PLATE (COMPATIBLE TO MARKET BOXES)		-	-	-	
	(White)		-	-	-	
25	1 module front plate	No.	७४.००	७४.००	७४.००	
26	2 module front plate	"	७९.००	७९.००	७९.००	
27	3 module front plate	"	८७.००	८७.००	८७.००	
28	4 module front plate	"	९२.००	९२.००	९२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
29	6 module front plate	"	१६७.००	१६७.००	१६७.००	
30	8 module front plate(4+4)	"	२२४.००	२२४.००	२२४.००	
31	8 module front plate (Horizontal)	"	१७९.००	१७९.००	१७९.००	
32	12 module front plate	"	२६८.००	२६८.००	२६८.००	
33	18 module front plate	"	३६१.००	३६१.००	३६१.००	
2.2	**Modular Type Switch Socket** KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent		-	-	-	
	Seperate Module for Modular Switch & Socket		-	-	-	
1	1P – 6A/10A 1 way switch	No.	९०.००	९०.००	९०.००	
3	1P – 16A/20A 1 way switch	"	१४८.००	१४८.००	१४८.००	
7	1P – 6A/10A 2 way switch	"	१३८.००	१३८.००	१३८.००	
8	1P – 16A/20A 2 way switch	"	१८०.००	१८०.००	१८०.००	
9	1P – 6A push button	"	१३८.००	१३८.००	१३८.००	
11	1 gang blanking module	"	४२.००	४२.००	४२.००	
12	2 gang blanking module	"	८०.००	८०.००	८०.००	
	FAN REGULATOR / DIMMER		-	-	-	
13	Step type fan regulator	No.	७२१.००	७२१.००	७२१.००	
14	60 – 500 W dimmer	"	६१५.००	६१५.००	६१५.००	
	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS		-	-	-	
16	6A – multi socket 5 pin	No.	१९१.००	१९१.००	१९१.००	
17	6/16A twin socket 3 pin (flushed)	"	२९७.००	२९७.००	२९७.००	
18	6/16A twin socket 3 pin (projected)	"	२९७.००	२९७.००	२९७.००	
20	13A 3 pin socket	"	१९१.००	१९१.००	१९१.००	
21	RJ 11 telephone jack	"	१४८.००	१४८.००	१४८.००	
22	RJ 45 cat.6e computer socket	"	२४४.००	२४४.००	२४४.००	
23	TV socket	"	१४८.००	१४८.००	१४८.००	
40	1 module front plate	No.	११६.००	११६.००	११६.००	
41	2 module front plate	"	११६.००	११६.००	११६.००	
42	3 module front plate	"	१५२.००	१५२.००	१५२.००	
43	4 module front plate	"	१७०.००	१७०.००	१७०.००	
44	6 module front plate	"	२३४.००	२३४.००	२३४.००	
45	8 module front plate(4+4)	"	३१४.००	३१४.००	३१४.००	
46	8 module front plate (Horizontal)	"	३२२.००	३२२.००	३२२.००	
47	12 module front plate	"	३७४.००	३७४.००	३७४.००	
	18 module front plate	"	४६७.००	४६७.००	४६७.००	
	Flush mounting galvanized Metal box for modular type switch & socket		-	-	-	
1	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५४.००	५४.००	५४.००	
2	2 module " " = (78x78x45)mm	,,	५४.००	५४.००	५४.००	
3	3 gang " " " =(78x100x45)mm	,,	५८.००	५८.००	५८.००	
4	4 gang " " =(78x140x50)mm	,,	७०.००	७०.००	७०.००	
5	5 gang " " =(78x205x50)mm	,,	१३८.००	१३८.००	१३८.००	
6	6 gang " " =(78x205x50)mm	,,	१४०.००	१४०.००	१४०.००	
7	8 module metal box (4+4) =(78x230x60)mm	"	१८६.००	१८६.००	१८६.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
8	8 module metal box (Horizontal) =(135x120x60)mm	"	१८६.००	१८६.००	१८६.००	
9	12 module metal box =(135x120x60)mm	"	२३८.००	२३८.००	२३८.००	
10	TV socket metal box	,,	५४.००	५४.००	५४.००	
11	Telephone socket metal box	,,	५४.००	५४.००	५४.००	
	METAL Junction BOX		-	-	-	
1	4"×4"	गोटा	१०३.००	१०३.००	१०३.००	
2	4"×6"	,,	१५५.००	१५५.००	१५५.००	
3	6"×8"	,,	२४४.००	२४४.००	२४४.००	
4	8"×10"	,,	३५९.००	३५९.००	३५९.००	
5	8"×12"	,,	३५९.००	३५९.००	३५९.००	
	PVC Junction Box	,,	३५.००	३५.००	३५.००	
1	4"×4"	गोटा	-	-	-	
2	4"×6"	,,	३२.००	३२.००	३२.००	
3	6"×8"	,,	४७.००	४७.००	४७.००	
4	8"×10"	,,	६९.००	६९.००	६९.००	
5	8" x12"	,,	१३३.००	१३३.००	१३३.००	
	Junction box cover	,,	१४८.००	१४८.००	१४८.००	
	PVC Listy Double Lock { 6'length =1 no.(गोटा)}		-	-	-	
1	½ " breadth	गोटा	३२.००	३२.००	३२.००	
2	¾"	,,	४७.००	४७.००	४७.००	
3	1"	,,	६९.००	६९.००	६९.००	
4	$1^{1/2}$"	,,	१३३.००	१३३.००	१३३.००	
5	2"	,,	१४८.००	१४८.००	१४८.००	
	PVC Conduit Pipe		-	-	-	
1	1) ½ " diameter	र.मी	३२.००	३२.००	३२.००	
2	2) ¾"	,,	४७.००	४७.००	४७.००	
3	3) 1"	,,	६९.००	६९.००	६९.००	
	Listy Pipe Accessories		-	-	-	
1	½"–2" size Saddle	र.मी	८.००	८.००	८.००	
2	Grips (Denmark)	गोटा	६.००	६.००	६.००	
3	Steel screws	गोटा	२.००	२.००	२.००	
4	PVC Tape	गोटा	१५.००	१५.००	१५.००	
	Distribution board (DB)		-	-	-	
	With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager		-	-	-	
1	4 way **SPN DB** Double Cover	सेट	१,११४.००	१,११४.००	१,११४.००	
2	6 way SPN DB " "	”	१,१६९.००	१,१६९.००	१,१६९.००	
3	8 way SPN DB " "	”	१,४५८.००	१,४५८.००	१,४५८.००	
4	12 way SPN DB " "	”	१,७२९.००	१,७२९.००	१,७२९.००	
5	16 way SPN DB " "	”	१,८४९.००	१,८४९.००	१,८४९.००	
6	3-4 way TPN DB Double Cover	”	२,७४८.००	२,७४८.००	२,७४८.००	
7	6 way TPN " " "	”	३,०८८.००	३,०८८.००	३,०८८.००	
8	8 way TPN " " " Vertical	”	५,९७३.००	५,९७३.००	५,९७३.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
9	12 way TPN " " " Vertical	"	७,९५९.००	७,९५९.००	७,९५९.००	
10	50 Pair Telephone D.B.with crown tag	"	५,६०९.००	५,६०९.००	५,६०९.००	
	PVC Box for MCB		-	-	-	
1	1-pole PVC box GPS	सेट	८३.००	८३.००	८३.००	
2	2- pole PVC " "	"	८३.००	८३.००	८३.००	
3	3 and 4-pole PVC " "	"	१३४.००	१३४.००	१३४.००	
10.1	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent		-	-	-	
1	6–32 amp MCB SP (single pole)	गोटा	२१२.००	२१२.००	२१२.००	
2	6–32 amp MCB DP (Double pole)	"	१,०६१.००	१,०६१.००	१,०६१.००	
3	6–32 amp MCB TP (Triple pole)	"	१,७६१.००	१,७६१.००	१,७६१.००	
4	32 amp MCB TPN	"	२,५४६.००	२,५४६.००	२,५४६.००	
5	40–63 amp MCB DP	"	१,६९७.००	१,६९७.००	१,६९७.००	
6	40–63 amp MCB TP	"	२,७१६.००	२,७१६.००	२,७१६.००	
7	40–63 amp MCB TPN	"	३,२५२.००	३,२५२.००	३,२५२.००	
10.2	**Miniature Circuits Breaker (MCB)**KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent		-	-	-	
1	0.5–5 amp MCB SP (single pole)	गोटा	२६६.००	२६६.००	२६६.००	
2	6–32 amp MCB SP (single pole)	"	१७०.००	१७०.००	१७०.००	
3	6–32 amp MCB DP (Double pole)	"	६३७.००	६३७.००	६३७.००	
4	6–32 amp MCB TP (Triple pole)	"	१,२७३.००	१,२७३.००	१,२७३.००	
5	32 amp MCB TPN	"	१,५३९.००	१,५३९.००	१,५३९.००	
6	40–63 amp MCB DP	"	१,००८.००	१,००८.००	१,००८.००	
7	40–63 amp MCB TP	"	१,४३३.००	१,४३३.००	१,४३३.००	
8	40–63 amp MCB TPN	"	१,९१०.००	१,९१०.००	१,९१०.००	
	Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent		-	-	-	
1	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	२,८३४.००	२,८३४.००	२,८३४.००	
2	63A 30mA DP RCCB	"	३,३७६.००	३,३७६.००	३,३७६.००	
3	63A 100mA DP RCCB	"	३,१०४.००	३,१०४.००	३,१०४.००	
4	63A 300mA DP RCCB	"	३,१५६.००	३,१५६.००	३,१५६.००	
5	25A to 40A ,(30mA,100,300mA) FP RCCB	"	३,४७८.००	३,४७८.००	३,४७८.००	
6	63A 30mA Four Pole RCCB	"	३,८१७.००	३,८१७.००	३,८१७.००	
7	63A 100mAFour Pole RCCB	"	३,८१७.००	३,८१७.००	३,८१७.००	
8	63A 300mA Four Pole RCCB	"	३,८१७.००	३,८१७.००	३,८१७.००	
n	**Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent**		-	-	-	
	16AMP- 63AMP TP MCCB 16KA		५,८३५.००	५,८३५.००	५,८३५.००	
	80AMP TP MCCB 16KA		५,८३५.००	५,८३५.००	५,८३५.००	
	100AMP TP MCCB 16KA		६,५७८.००	६,५७८.००	६,५७८.००	
	125AMP TP MCCB 16KA		८,४८७.००	८,४८७.००	८,४८७.००	
	160AMP TP MCCB 16KA		१०,०७९.००	१०,०७९.००	१०,०७९.००	
	16AMP- 63AMP TP MCCB 25KA		६,५७८.००	६,५७८.००	६,५७८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
	80AMP TP MCCB 25KA		७,२५६.००	७,२५६.००	७,२५६.००	
	100AMP TP MCCB 25KA		७,२५६.००	७,२५६.००	७,२५६.००	
	125AMP TP MCCB 25KA		११,६७०.००	११,६७०.००	११,६७०.००	
	160AMP TP MCCB 25KA		१३,७९२.००	१३,७९२.००	१३,७९२.००	
	200AMP TP MCCB 25KA(Adjustable)		२१,७४८.००	२१,७४८.००	२१,७४८.००	
	200AMP TP MCCB 36KA(Adjustable)		२३,८७०.००	२३,८७०.००	२३,८७०.००	
	250AMP TP MCCB 36KA(Adjustable)		२८,११४.००	२८,११४.००	२८,११४.००	
	400AMP TP MCCB 50KA(Adjustable)		३६,६०१.००	३६,६०१.००	३६,६०१.००	
	630AMP TP MCCB 50KA(Adjustable)		४९,८६२.००	४९,८६२.००	४९,८६२.००	
	800AMP TP MCCB 50KA(Adjustable)		६५,८८२.००	६५,८८२.००	६५,८८२.००	
	Manual Changeover Panel Type		-	-	-	
	Make ABB,Siemens,Hager DELTON or Equivalent		-	-	-	
	63 Amp FP	,,	११,९६७.००	११,९६७.००	११,९६७.००	
	80 Amp FP	,,	१३,२४०.००	१३,२४०.००	१३,२४०.००	
	100 Amp FP	,,	१८,७५६.००	१८,७५६.००	१८,७५६.००	
	125 Amp FP	,,	१९,७७५.००	१९,७७५.००	१९,७७५.००	
	160 Amp FP	,,	२५,९७०.००	२५,९७०.००	२५,९७०.००	
	200 Amp FP	,,	२६,८१९.००	२६,८१९.००	२६,८१९.००	
	250 Amp FP	,,	२८,५१७.००	२८,५१७.००	२८,५१७.००	
	315 Amp FP	,,	३६,०७१.००	३६,०७१.००	३६,०७१.००	
	Dome light Make Homedec, Decon, Fumagalli OR equivalent		-	-	-	
i	6" Milky type decorative dome light	सेट	१८५.००	१८५.००	१८५.००	
ii	6 " Brass base decorative dome light	,,	७५८.००	७५८.००	७५८.००	
iii	8"Milky type decorative dome light	,,	२३४.००	२३४.००	२३४.००	
iv	8 " Brass base decorative dome light	,,	९०२.००	९०२.००	९०२.००	
v	8" Silver cast Milky base Decorative Dome Light	,,	१,१४०.००	१,१४०.००	१,१४०.००	
vi	6) 8" Silver cast Black Base base Decorative Dome Light	,,	५८४.००	५८४.००	५८४.००	
vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	,,	१,२४९.००	१,२४९.००	१,२४९.००	
viii	**Wall bracket/spout light/mirror light bulk head** ordinary .Make Homedec,Decon,Fumagalli	,,	२३९.००	२३९.००	२३९.००	
ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	,,	३७२.००	३७२.००	३७२.००	
x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	,,	८४९.००	८४९.००	८४९.००	
xi	1 x 11/13 watt CFL **DOWN LIGHT** with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	,,	९९७.००	९९७.००	९९७.००	
xii	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	,,	१,५५९.००	१,५५९.००	१,५५९.००	
xiii	Dining lamp.	,,	१,७५१.००	१,७५१.००	१,७५१.००	
xiv	**Chandlers** 6-8 lamp Medium	,,	१५,५४३.००	१५,५४३.००	१५,५४३.००	
xv	Chandlers 3-5 lamp Medium	,,	११,०८७.००	११,०८७.००	११,०८७.००	
xvi	Mirror Light Euro Light Wipro WRF21111	,,	४७८.००	४७८.००	४७८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
xvii	Picture light Euro Light POO2	,,	६९०.००	६९०.००	६९०.००	
xviii	Wall spot Light E27 60W Euro or eqv.	,,	३७२.००	३७२.००	३७२.००	
xix	Exit Light safety sign(8.24)W Make Samcon	सेट	८४९.००	८४९.००	८४९.००	
	Post top Lanterns		-	-	-	
xx	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	,,	२,६५२.००	२,६५२.००	२,६५२.००	
xxi	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	,,	३,१८३.००	३,१८३.००	३,१८३.००	
xxii	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	,,	३,५८०.००	३,५८०.००	३,५८०.००	
xxiii	8" Globe type Post top Lamp complete set	,,	१,४५८.००	१,४५८.००	१,४५८.००	
xxiv	10" Globe type Post top Lamp complete set	,,	२,७८५.००	२,७८५.००	२,७८५.००	
	Roadway light luminaires **Wippro,Philips , Legero or Equivalent**		-	-	-	
XXV	1 x 36 W FTL street light fixture with acrylic diffuser complete set	,,	२,७१६.००	२,७१६.००	२,७१६.००	
XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complet set	,,	३,९८४.००	३,९८४.००	३,९८४.००	
XXVII	300/500 watt halogen weather proof **FLOOD LIGHT** with glass cover Complete set	,,	१,५९१.००	१,५९१.००	१,५९१.००	
XXVIII	1000 watt halogen weather proof **flood light** with glass cover Complete set	,,	३,१८३.००	३,१८३.००	३,१८३.००	
XXIV	150 watt **HPSV** weather proof flood light with glass cover lamp Complete Set	,,	९,५४८.००	९,५४८.००	९,५४८.००	
XXVi	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	,,	११,७२३.००	११,७२३.००	११,७२३.००	
xxvii	Single Piece deep drawn aluminum POT optics **road light luminaries** with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५,४११.००	५,४११.००	५,४११.००	
xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२,३३९.००	२,३३९.००	२,३३९.००	
xxix	1X125W HPSV **street light** fixture with acrylic diffuser	"	५,२७३.००	५,२७३.००	५,२७३.००	
xxx	2X60/100W GLS **aviation light** fixture all complete set	"	५,८५७.००	५,८५७.००	५,८५७.००	
	CEILING FANS & EXHAUST Fans, BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G . Almonard or equivalent		-	-	-	
a	36" size ceiling Fan	गोटा	२,२२८.००	२,२२८.००	२,२२८.००	
b	42" size " "	”	२,३३४.००	२,३३४.००	२,३३४.००	
c	48" size " "	”	२,३८८.००	२,३८८.००	२,३८८.००	
d	56" size " "	”	२,६५२.००	२,६५२.००	२,६५२.००	
e	6" Exhaust Fan	”	१,५३९.००	१,५३९.००	१,५३९.००	
f	9" Exhaust Fan	”	१,८५७.००	१,८५७.००	१,८५७.००	
g	16" size wall fan	”	२,९१८.००	२,९१८.००	२,९१८.००	
h	12" size exhaust fan	”	२,६५२.००	२,६५२.००	२,६५२.००	
	BELL INDICATOR		-	-	-	
a	4 way bell indicator with plate	सेट	१,२९३.००	१,२९३.००	१,२९३.००	
b	6 way " " " "	,,	२,११०.००	२,११०.००	२,११०.००	
c	8 way " " " "	,,	२,९३७.००	२,९३७.००	२,९३७.००	
d	12 way " " " "	,,	४,५२७.००	४,५२७.००	४,५२७.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
	Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m^3)		-	-	-	
a	Copper plate	के.जी	९४५.००	९४५.००	९४५.००	
b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	१,११४.००	१,११४.००	१,११४.००	
c	Copper Strip (20mm breadth x 3mm thick)	के.जी	१,११४.००	१,११४.००	१,११४.००	
d	Copper Strip (12 x 3)mm	के.जी	१,११४.००	१,११४.००	१,११४.००	
e	Lightining rod copper conductor Air termination set	गोटा	२,८१२.००	२,८१२.००	२,८१२.००	
f	8 SWG bare copper wire	र. मी	१४८.००	१४८.००	१४८.००	
g	29 mm Diameter GI Pipe of 1m length	र. मी	२६०.००	२६०.००	२६०.००	
h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६३७.००	६३७.००	६३७.००	
i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५.००	१५.००	१५.००	
j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	२०२.००	२०२.००	२०२.००	
k	Funnel with wire mesh	गोटा	३७२.००	३७२.००	३७२.००	
l	Charcoal	ब्याग	३१८.००	३१८.००	३१८.००	
m	Salt	के.जी	१२.००	१२.००	१२.००	
	STEEL TUBELAR POLE / WOODEN POLE		-	-	-	
	Steel Tubular Poles with welded plate on top and bottom (**medium Gauge** non Galvanized with folding System and accessories)		-	-	-	
a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	१२,४१९.००	१२,४१९.००	१२,४१९.००	
b	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	१३,३६७.००	१३,३६७.००	१३,३६७.००	
c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height &:76 mm Dia and 1600mm height) with welded plate on top and bottom (**medium Gauge** non Galvanized with welded joints)	No	१२,८५९.००	१२,८५९.००	१२,८५९.००	
d	7 mtr.length Wooden Pole	No	५,१४६.००	५,१४६.००	५,१४६.००	
e	9 mtr.length Wooden Pole	No	७,००२.००	७,००२.००	७,००२.००	
	<u>Modular ceiling Luminaries</u>		-	-	-	
	Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent		-	-	-	
a	1×20 watt FTL (Patti fittings)	सेट	४७८.००	४७८.००	४७८.००	
b	1×40 watt FTL ,Energy saving electronioc striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	,,	७९८.००	७९८.००	७९८.००	
c	1×20 watt FTL (Mirrolta) WRF 20120	,,	९०२.००	९०२.००	९०२.००	
d	1×40 watt FTL with attractive & functional decorative battens WRF20140	,,	१,०५१.००	१,०५१.००	१,०५१.००	
e	1×40 watt FTL box fittings WIF 14140	,,	१,१९४.००	१,१९४.००	१,१९४.००	
f	2×40 watt FTL box fittings WIF 14240	,,	१,८०४.००	१,८०४.००	१,८०४.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
g	1×40 watt FTL Industrial channel WIF 36140	,,	१,८३५.००	१,८३५.००	१,८३५.००	
h	2×40 watt FTL Industrial channel WIF 36240	,,	२,३५६.००	२,३५६.००	२,३५६.००	
i	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	,,	१,९१०.००	१,९१०.००	१,९१०.००	
j	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	,,	३,१८३.००	३,१८३.००	३,१८३.००	
k	4×20 watt FTL, oplite WCF 93418	,,	५,५७२.००	५,५७२.००	५,५७२.००	
l	4×20 watt FTL **mirror optic**, surface/recessed mounting WCF93418	,,	५,५७२.००	५,५७२.००	५,५७२.००	
m	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	,,	३,६६१.००	३,६६१.००	३,६६१.००	
n	2×40 watt FTL **mirror optic**. surface/recessed mounting with electronic choke WVP40236	,,	४,४५६.००	४,४५६.००	४,४५६.००	
o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luver Complete set WVF20414	सेट	९,६६४.००	९,६६४.००	९,६६४.००	
p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	८,४९२.००	८,४९२.००	८,४९२.००	
	Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .		-	-	-	
q	2 x 18 W **CFL** recessed/surface mounting mirror Optic Complete Set WCP32218	,,	२,७५८.००	२,७५८.००	२,७५८.००	
r	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	१,८८८.००	१,८८८.००	१,८८८.००	
s	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	२,३३४.००	२,३३४.००	२,३३४.००	
t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luver Complete set WVP24236	सेट	६,२४९.००	६,२४९.००	६,२४९.००	
u	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	७,०२९.००	७,०२९.००	७,०२९.००	
v	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		११,१३९.००	११,१३९.००	११,१३९.००	
w	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		१४,४८२.००	१४,४८२.००	१४,४८२.००	
x	Recess Surface mounted LED luminate CRCO10R038HP57		१३,७३९.००	१३,७३९.००	१३,७३९.००	
y	Hight efficiency circular LED Down Lighter LD71		३,३४२.००	३,३४२.००	३,३४२.००	
z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		१५,०३८.००	१५,०३८.००	१५,०३८.००	
a	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		१,११४.००	१,११४.००	१,११४.००	
b	Circular LED wall/Dome Light suitable for true ceiling LW01		३,३४२.००	३,३४२.००	३,३४२.००	
c	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		३,३४२.००	३,३४२.००	३,३४२.००	
d	Recess mounted indirect and direct luminares WVP 64236		६,३१३.००	६,३१३.००	६,३१३.००	
e	2x36 Watt CFL Surface Mirror Optic WVP44236		६,३१३.००	६,३१३.००	६,३१३.००	
20.1	**Down Light Fiam Make**		-	-	-	
1.1	FDL004 SMD7W-WWH Taiwan chip (120*90)		१,३३७.००	१,३३७.००	१,३३७.००	
1.2	FDL004 SMD7W-CW Taiwan chip		१,३३७.००	१,३३७.००	१,३३७.००	
1.3	FDLOO4 SMD9W-WWH Taiwan chip (145*90)		१,९१३.००	१,९१३.००	१,९१३.००	
1.4	FDLOO4 SMD9W-CW Taiwan chip		१,९१३.००	१,९१३.००	१,९१३.००	
1.5	FDLOO4 SMD15W-WWH Taiwan chip (175*90)		२,९१३.००	२,९१३.००	२,९१३.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
1.6	FDLOO4 SMD15W-CW Taiwan chip		२,९१३.००	२,९१३.००	२,९१३.००	
1.7	FDL004 SMD30W-WWH Taiwan chip (200MM)		५,२४४.००	५,२४४.००	५,२४४.००	
1.8	FDL004 SMD30W-CW Taiwan chip		५,२४४.००	५,२४४.००	५,२४४.००	
1.9	FDLO12 COB5W-WWH (90MM)		१,३४०.००	१,३४०.००	१,३४०.००	
2	FDLO12 COB5W-CW		१,३४०.००	१,३४०.००	१,३४०.००	
2.1	FDLO12 COB10W-WWH (120MM)		२,०३८.००	२,०३८.००	२,०३८.००	
2.2	FDLO12 COB10W-CW		२,०३८.००	२,०३८.००	२,०३८.००	
2.3	FDLO12 COB15W-WWH Taiwan chip (140MM)		५,२४४.००	५,२४४.००	५,२४४.००	
2.4	FDLO12 COB15W-CW Taiwan chip		५,२४४.००	५,२४४.००	५,२४४.००	
2.5	FDLO12 COB25W-WWH Taiwan chip (175MM)		६,९९१.००	६,९९१.००	६,९९१.००	
2.6	FDLO12 COB25W-CW Taiwan chip		६,९९१.००	६,९९१.००	६,९९१.००	
2.7	FDLO12 COB30W-WWH Taiwan chip (200MM)		८,७३७.००	८,७३७.००	८,७३७.००	
2.8	FDLO12 COB30W-CW Taiwan chip		८,७३७.००	८,७३७.००	८,७३७.००	
2.9	FDLOO7 SMD12W-WWH Taiwan chip (130*110)		४,३१०.००	४,३१०.००	४,३१०.००	
3	FDLOO7 SMD12W-CW Taiwan chip		४,३१०.००	४,३१०.००	४,३१०.००	
3.1	FDLOO7 SMD18W-WWH Taiwan chip (165*145)		६,२९१.००	६,२९१.००	६,२९१.००	
3.2	FDLOO7 SMD18W-CW Taiwan chip		६,२९१.००	६,२९१.००	६,२९१.००	
3.3	FDLOO7 SMD24W-WWH Taiwan chip (195*175)		७,८६४.००	७,८६४.००	७,८६४.००	
3.4	FDLOO7 SMD24W-CW Taiwan chip		७,८६४.००	७,८६४.००	७,८६४.००	
3.5	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)		३,२६२.००	३,२६२.००	३,२६२.००	
3.6	FDLOO1 HP5W FBK-CW Taiwan chip		३,२६२.००	३,२६२.००	३,२६२.००	
3.7	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)		३,२६२.००	३,२६२.००	३,२६२.००	
3.8	FDLOO1 HP5W FWH-CW Taiwan chip		३,२६२.००	३,२६२.००	३,२६२.००	
3.9	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)		१,३४०.००	१,३४०.००	१,३४०.००	
4	FDLLOO5 SMD7W-CW Taiwan chip		१,३४०.००	१,३४०.००	१,३४०.००	
4.1	FDLOO5 SMD12W-WWH Taiwan chip (165MM)		१,७४७.००	१,७४७.००	१,७४७.००	
4.2	FDLOO5 SMD12W-CW Taiwan chip		१,७४७.००	१,७४७.००	१,७४७.००	
4.3	FDLOO5 SMD20W-WWH Taiwan chip (200MM)		३,२०४.००	३,२०४.००	३,२०४.००	
4.4	FDLOO5 SMD20W-CW Taiwan chip		३,२०४.००	३,२०४.००	३,२०४.००	
4.5	FM3161 HP 18W-WWH Cree Led		६,९९१.००	६,९९१.००	६,९९१.००	
4.6	FM3161 HP 18W-CW Cree Led		६,९९१.००	६,९९१.००	६,९९१.००	
4.7	HD-5010-13-WWH Osram chip (86*75)		२,१५७.००	२,१५७.००	२,१५७.००	
4.8	HD-5010-13-CW Osram chip		२,१५७.००	२,१५७.००	२,१५७.००	
4.9	HD-5010-14-WWH Osram chip (115*105)		३,२६२.००	३,२६२.००	३,२६२.००	
5	HD-5010-14-CW Osram chip		३,२६२.००	३,२६२.००	३,२६२.००	
5.1	HD-5010-14-WWH Osram chip (140*125)		४,०७८.००	४,०७८.००	४,०७८.००	
5.2	HD-5010-14-CW Osram chip		४,०७८.००	४,०७८.००	४,०७८.००	
5.3	HD-5010-18-WWH Osram chip (215*200)		८,०९६.००	८,०९६.००	८,०९६.००	
5.4	HD-5010-18-CW Osram chip		८,०९६.००	८,०९६.००	८,०९६.००	
5.5	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		२,५२५.००	२,५२५.००	२,५२५.००	
5.6	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		२,५२५.००	२,५२५.००	२,५२५.००	
5.7	LUCIA WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
5.8	LUCIA BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
5.9	LUCIA-GD WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
6	LUCIA-GD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6.1	REMI/LUCIA WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.2	REMI/LUCIA BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.3	REMI/LUCIA-EL WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.4	REMI/LUCIA-EL BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.5	REMI/LUCIA-GD WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.6	REMI/LUCIA-GD BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
6.7	MADDI BULKHEAD WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6.8	MADDI BULKHEAD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
6.9	MADDI-VE BULKHEAD WHITE OPAL		२,६००.००	२,६००.००	२,६००.००	
7	MADDI-VE BULKHEAD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
7.1	MADDI-HL BULKHEAD WHITE OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
7.2	MADDI-HL BULKHEAD BLACK OPAL		१,८५७.००	१,८५७.००	१,८५७.००	
7.3	REMI/MADDI WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.4	REMI/MADDI BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.5	REMI/MADDI-VE WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.6	REMI/MADDI-VE BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.7	REMI/MADDI-HL WHITE OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.8	REMI/MADDI-HL BLACK OPAL		२,२२८.००	२,२२८.००	२,२२८.००	
7.9	GABRI/MADDI 1L BLACK OPAL		७,४२६.००	७,४२६.००	७,४२६.००	
8	MINIGABRI/MADDI 1L BLACK OPAL		६,६८४.००	६,६८४.००	६,६८४.००	
8.1	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		६,६८४.००	६,६८४.००	६,६८४.००	
8.2	GELMI WHITE OPAL E27		२,९७१.००	२,९७१.००	२,९७१.००	
8.3	GELMI BLACK OPAL E27		२,९७१.००	२,९७१.००	२,९७१.००	
8.4	GELMI-EL WHITE OPAL E27		२,९७१.००	२,९७१.००	२,९७१.००	
8.5	GELMI-EL BLACK OPAL E27		२,९७१.००	२,९७१.००	२,९७१.००	
8.6	DANZI WHITE OPAL E27		२,९७१.००	२,९७१.००	२,९७१.००	
8.7	DANZI BLACK OPAL E27		२,९७१.००	२,९७१.००	२,९७१.००	
8.8	STUCCHI WHITE OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
8.9	STUCCHI BLACK OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
9	CECCHI WHITE OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
9.1	CECCHI BLACK OPAL E27		३,३४२.००	३,३४२.००	३,३४२.००	
9.2	BISSO ANNA BLACK WITH OPAL DIFFUSER		३,७१३.००	३,७१३.००	३,७१३.००	
9.3	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		३,७१३.००	३,७१३.००	३,७१३.००	
9.4	IESSE LANTERN BLACK W/OPAL DIFFUSER		३,३४२.००	३,३४२.००	३,३४२.००	
9.5	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		७,४२६.००	७,४२६.००	७,४२६.००	
20.2	**System Sensor Product (Honeywell)**		-	-	-	
1	Photo Electric Smoke Detector		१,९३१.००	१,९३१.००	१,९३१.००	
2	Rate of Rise Heat Detector		१,९३१.००	१,९३१.००	१,९३१.००	
3	Fixed temperature Detector		२,३५६.००	२,३५६.००	२,३५६.००	
4	Base		३८२.००	३८२.००	३८२.००	
5	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		१,५२७.००	१,५२७.००	१,५२७.००	
6	Wall mount Horn+Strobe		४,२४४.००	४,२४४.००	४,२४४.००	
7	Ceiling mount Horn+Strobe		४,२४४.००	४,२४४.००	४,२४४.००	
20.3	**Exit Light Samcon make**		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
1	MODEL SLM 18		१२,७३१.००	१२,७३१.००	१२,७३१.००	
2	MODEL ELS 28		१२,७३१.००	१२,७३१.००	१२,७३१.००	
3	MODEL ETL 210H-4LA		१२,७३१.००	१२,७३१.००	१२,७३१.००	
	LUMINARIES Accessories (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO,OHMS or ISI/CE Eqv.)		-	-	-	
a	500 watt halogen rod	गोटा	२३९.००	२३९.००	२३९.००	
b	1000 watt halogen rod	"	२८६.००	२८६.००	२८६.००	
c	70Watt SON Lamp (Sodium Vapour)	"	८५९.००	८५९.००	८५९.००	
d	150 watt sodium vapour bulb	"	१,३३७.००	१,३३७.००	१,३३७.००	
e	250 watt sodium vapour bulb	"	१,७५१.००	१,७५१.००	१,७५१.००	
f	20-40 watt FTL rod	"	८२.००	८२.००	८२.००	
g	20-40 watt FTL Copper chowk.	"	२६६.००	२६६.००	२६६.००	
h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	४२४.००	४२४.००	४२४.००	
i	Acrlye cover for 4×20 FTL	"	१,०१९.००	१,०१९.००	१,०१९.००	
j	FTL starter	"	२०.००	२०.००	२०.००	
k	8 W to11W, **C.F.L**.Direct fit	"	२३९.००	२३९.००	२३९.००	
l	13 to 22W , C.F.L.Direct fit	"	३०८.००	३०८.००	३०८.००	
m	15-100 watt bulb.(ISI)	गोटा	२७.००	२७.००	२७.००	
n	PL-S 9W/86 (CFL)	"	१७०.००	१७०.००	१७०.००	
o	PL-S 11W/86 (CFL)	"	१८०.००	१८०.००	१८०.००	
p	PL-L 36W/86 (CFL)	"	४३०.००	४३०.००	४३०.००	
q	125W HPL-N (Murcury Vapour)	"	३८२.००	३८२.००	३८२.००	
r	250W HPL-N	"	९०२.००	९०२.००	९०२.००	
	Solar LED bulb		-	-	-	
s	12V/2W LED bulb	"	३७२.००	३७२.००	३७२.००	
t	12V/3W LED bulb	"	४२४.००	४२४.००	४२४.००	
u	12V/4W LED bulb	"	४७८.००	४७८.००	४७८.००	
	COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked		-	-	-	
1	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९७६.००	९७६.००	९७६.००	
2	3/22 " " "	,,	१,१६७.००	१,१६७.००	१,१६७.००	
3	3/20 " " "	,,	१,८५७.००	१,८५७.००	१,८५७.००	
4	7/22 " " "	,,	२,६००.००	२,६००.००	२,६००.००	
5	7/20 " " "	,,	४,२४४.००	४,२४४.००	४,२४४.००	
6	7/18 " " "	,,	६,६८४.००	६,६८४.००	६,६८४.००	
7	7/16 " " "	,,	१३,७९२.००	१३,७९२.००	१३,७९२.००	
8	19/18 " " "	,,	१८,५६६.००	१८,५६६.००	१८,५६६.००	
9	19/16 " " "	,,	३७,१३२.००	३७,१३२.००	३७,१३२.००	
10	2\20 " " "	,,	१,४११.००	१,४११.००	१,४११.००	
11	2\22 " " "	,,	९५५.००	९५५.००	९५५.००	
	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.		-	-	-	
1	1.0 mm PVC insulated Copper wire	क्वायल	१,०६१.००	१,०६१.००	१,०६१.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
2	1.5 mm PVC insulated Copper wire	,,	१,६९७.००	१,६९७.००	१,६९७.००	
3	2.5 mm PVC insulated Copper wire	,,	२,४९४.००	२,४९४.००	२,४९४.००	
4	4.0 mm PVC insulated Copper wire	,,	४,०३१.००	४,०३१.००	४,०३१.००	
5	6.0 mm PVC insulated Copper wire	,,	६,३६५.००	६,३६५.००	६,३६५.००	
6	10.0mm PVC insulated Copper wire	,,	१०,६०९.००	१०,६०९.००	१०,६०९.००	
	Concentric cable NS marked Eqv.	,,	-	-	-	
1	4mm size concentric cable	र.मी	२४.००	२४.००	२४.००	
2	6mm size " "	र.मी	२७.००	२७.००	२७.००	
3	10mm size concentric cable	र.मी	४०.००	४०.००	४०.००	
4	16mm size " "	र.मी	६९.००	६९.००	६९.००	
5	25mm size " "	र.मी	९२.००	९२.००	९२.००	
6	RG6 **Coaxial cable**	र.मी	२४.००	२४.००	२४.००	
7	RG59 Coaxial cable	र.मी	२७.००	२७.००	२७.००	
8	UTP cat -5 networking cable	र.मी	२७.००	२७.००	२७.००	
	Telephone Drop wire/pair cable NS marked Eqv.		-	-	-	
1	$^{2}/_{20}$ Telephone drop wire	क्वायल	१,०१९.००	१,०१९.००	१,०१९.००	
2	$^{2}/_{22}$ " "	क्वायल	६९०.००	६९०.००	६९०.००	
3	2- pair cable wire (2×2×0.45) mmHeavy	र.मी	१४.००	१४.००	१४.००	
4	3- pair cable wire (3×2×0.45) mm Heavy	,,	२१.००	२१.००	२१.००	
5	5- pair cable wire (5×2×0.45) mm Heavy	,,	३३.००	३३.००	३३.००	
6	10- pair cable wire (10×2×0.45) mm Heavy	,,	६४.००	६४.००	६४.००	
7	15- pair cable wire (15×2×0.45) mm Heavy	,,	९४.००	९४.००	९४.००	
8	20- pair cable wire (20×2×0.45) mm Heavy	,,	१२३.००	१२३.००	१२३.००	
9	1mm drop wire	,,	१०.००	१०.००	१०.००	
10	1-4 Line **EPABX**,with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	७,८७७.००	७,८७७.००	७,८७७.००	
11	2-6 Line EPABX "	,,	१८,९६३.००	१८,९६३.००	१८,९६३.००	
12	3-8 Line EPABX "	,,	२१,१५४.००	२१,१५४.००	२१,१५४.००	
13	4-12 Line EPABX "	,,	३७,९२८.००	३७,९२८.००	३७,९२८.००	
14	6-16 Line EPABX "	,,	५१,०५६.००	५१,०५६.००	५१,०५६.००	
15	8-24 Line EPABX "	,,	८७,५२४.००	८७,५२४.००	८७,५२४.००	
16	8-48 Line EPABX "	,,	९३,६५१.००	९३,६५१.००	९३,६५१.००	
17	8-72 Line EPABX "	,,	१००,२०७.००	१००,२०७.००	१००,२०७.००	
	Other Accessories		-	-	-	
1	6" size Dome light glass	गोटा	६७.००	६७.००	६७.००	
2	8" size " " "	,,	७८.००	७८.००	७८.००	
3	wall bracket glass	,,	६७.००	६७.००	६७.००	
4	Fan regulator	,,	२७९.००	२७९.००	२७९.००	
	Panel board double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
a	60/75/100 AMP, 9"×36"×48" size	सेट	२२,०५६.००	२२,०५६.००	२२,०५६.००	
b	60/75/100 AMP "12×36"×48" size	,,	२६,२५८.००	२६,२५८.००	२६,२५८.००	
c	60/75/100 AMP 9"×48"×60" size	,,	३६,७६१.००	३६,७६१.००	३६,७६१.००	
d	60/75100 AMP 12"×49"×60" size	,,	४३,७६३.००	४३,७६३.००	४३,७६३.००	
e	150/200 AMP 9"×38"×52" size	,,	२४,५०७.००	२४,५०७.००	२४,५०७.००	
f	150/200 AMP 12"×38"×52" size	,,	२४,५०७.००	२४,५०७.००	२४,५०७.००	
g	150/200 AMP 9"×42"×56 "size	,,	२७,२९१.००	२७,२९१.००	२७,२९१.००	
h	150/200 AMP 12"×42"×56" size	,,	२९,०२४.००	२९,०२४.००	२९,०२४.००	
i	250/300AMP 12"×48"×60"size	,,	३५,५४०.००	३५,५४०.००	३५,५४०.००	
j	250/300AMP 12"×52"×62" size	,,	३९,७८५.००	३९,७८५.००	३९,७८५.००	
k	400 AMP 12"×52"×66" size	,,	४२,३५२.००	४२,३५२.००	४२,३५२.००	
	Panel Board measurement instrument		-	-	-	
a	0-500 volt meter	पिस	१,०५४.००	१,०५४.००	१,०५४.००	
b	60/100 Amp meter .	,,	१,००८.००	१,००८.००	१,००८.००	
c	Panel Indicator	,,	२४४.००	२४४.००	२४४.००	
d	2 Amp glass fuse with holder 12 mm size	,,	१३८.००	१३८.००	१३८.००	
e	AMP meter selector switch	,,	६६८.००	६६८.००	६६८.००	
f	volt meter selector switch	,,	७३२.००	७३२.००	७३२.००	
g	60/100 Amp C.T. coil per set 3 Pcs	,,	१,४७५.००	१,४७५.००	१,४७५.००	
h	150-200AMP C.T coil. 3 PC / Set	गोटा	१,८३५.००	१,८३५.००	१,८३५.००	
i	250-300 AMP ,, ,,	,,	२,४९४.००	२,४९४.००	२,४९४.००	
j	400/500/600AMP ,, ,,	,,	३,६६१.००	३,६६१.००	३,६६१.००	
k	Kilo watt hour **energy meter** single phase	पिस	२,३३९.००	२,३३९.००	२,३३९.००	
l	Kilo watt hour energy meter 3 phase direct	,,	१०,५३५.००	१०,५३५.००	१०,५३५.००	
	Trailing Protected Industrial Plug IP44		-	-	-	
a	16A 3P+E 400V Industrial plug	सेट	५५७.००	५५७.००	५५७.००	
b	32 A 3p +N+E " Plug	सेट	८२७.००	८२७.००	८२७.००	
c	32 A 3P+N+E water tight Plug IP67	सेट	१,५९१.००	१,५९१.००	१,५९१.००	
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२१,२१८.००	२१,२१८.००	२१,२१८.००	
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१४,३२२.००	१४,३२२.००	१४,३२२.००	
	CABLE SHOE		-	-	-	
a	16 sq.mm cable shoe	गोटा	६६.००	६६.००	६६.००	
b	25 sq.mm " "	,,	८५.००	८५.००	८५.००	
c	35 sq.mm " "	,,	६६.००	६६.००	६६.००	
d	50 sq.mm " "	,,	७७.००	७७.००	७७.००	
e	70 sq.mm " "	,,	९५.००	९५.००	९५.००	
f	95 sq.mm " "	,,	१४७.००	१४७.००	१४७.००	
g	150 sq.mm " "	,,	२२१.००	२२१.००	२२१.००	
h	195 sq.mm " "	,,	३१४.००	३१४.००	३१४.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
i	250 sq.mm " "	,,	५००.००	५००.००	५००.००	
	Copper Conductor Armoured Power Cables NS marked or eqv.		-	-	-	
	a) 2 Core		-	-	-	
1	1.5 mm2	र.मी	१०६.००	१०६.००	१०६.००	
2	2.5 mm2	,,	१४३.००	१४३.००	१४३.००	
3	4.0 mm2	,,	१९७.००	१९७.००	१९७.००	
4	6.0 mm2	,,	२५४.००	२५४.००	२५४.००	
5	10.0 mm2	,,	३८२.००	३८२.००	३८२.००	
6	16.0 mm2	,,	५०९.००	५०९.००	५०९.००	
7	25.0 mm2	,,	७४३.००	७४३.००	७४३.००	
8	35.0 mm2	,,	९८७.००	९८७.००	९८७.००	
9	50.0 mm2	,,	१,३७९.००	१,३७९.००	१,३७९.००	
	b) 3 Core	,,	-	-	-	
1	1.5 mm2		१३३.००	१३३.००	१३३.००	
2	2.5 mm2	,,	१८५.००	१८५.००	१८५.००	
3	4.0 mm2	,,	२६६.००	२६६.००	२६६.००	
4	6.0 mm2	,,	३४०.००	३४०.००	३४०.००	
5	10.0 mm2	,,	५०९.००	५०९.००	५०९.००	
6	16.0 mm2	,,	७११.००	७११.००	७११.००	
7	25.0 mm2	,,	१,०८३.००	१,०८३.००	१,०८३.००	
8	35.0 mm2	,,	१,४३३.००	१,४३३.००	१,४३३.००	
9	50.0 mm2 Copper Conductor Armoured	,,	१,९६३.००	१,९६३.००	१,९६३.००	
10	70.0 mm2	,,	२,७५८.००	२,७५८.००	२,७५८.००	
11	95.0 mm2	,,	३,७१३.००	३,७१३.००	३,७१३.००	
12	120.0 mm2	,,	४,६६८.००	४,६६८.००	४,६६८.००	
13	150.0 mm2	,,	५,७२९.००	५,७२९.००	५,७२९.००	
14	**c) 3.5 Core**		-	-	-	
1	25.0 mm2	र.मी	१,२९५.००	१,२९५.००	१,२९५.००	
2	35.0 mm2	,,	१,६४५.००	१,६४५.००	१,६४५.००	
3	50.0 mm2	,,	२,३१२.००	२,३१२.००	२,३१२.००	
4	70.0 mm2	,,	३,१८३.००	३,१८३.००	३,१८३.००	
5	95.0 mm2	,,	४,२४४.००	४,२४४.००	४,२४४.००	
6	120.0 mm2	,,	५,५७०.००	५,५७०.००	५,५७०.००	
7	150.0 mm2	,,	६,५७८.००	६,५७८.००	६,५७८.००	
8	185.0 mm2	,,	८,१६९.००	८,१६९.००	८,१६९.००	
9	240.0 mm2	,,	१०,७१५.००	१०,७१५.००	१०,७१५.००	
10	300.0 mm2	,,	१३,५८०.००	१३,५८०.००	१३,५८०.००	
11	400.0 mm2	,,	१७,८२३.००	१७,८२३.००	१७,८२३.००	
	d) 4 Core		-	-	-	
1	1.5 mm^2	र.मी	१६०.००	१६०.००	१६०.००	
2	2.5 mm2	,,	२२८.००	२२८.००	२२८.००	
3	4.0 mm2	,,	३२९.००	३२९.००	३२९.००	
4	6.0 mm2	,,	४२४.००	४२४.००	४२४.००	
5	10.0 mm2	,,	६३७.००	६३७.००	६३७.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
6	16.0 mm2	,,	९२८.००	९२८.००	९२८.००	
7	25.0 mm2	,,	१,३७९.००	१,३७९.००	१,३७९.००	
8	35.0 mm2	,,	१,८५७.००	१,८५७.००	१,८५७.००	
9	50.0 mm2	,,	२,६५२.००	२,६५२.००	२,६५२.००	
10	70.0 mm2	,,	३,६०७.००	३,६०७.००	३,६०७.००	
11	95.0 mm^2 Copper Conductor Armoured	,,	४,८८०.००	४,८८०.००	४,८८०.००	
12	120.0 mm^2 "	,,	६,१५३.००	६,१५३.००	६,१५३.००	
13	150.0 mm^2	,,	७,६३८.००	७,६३८.००	७,६३८.००	
14	185.0 mm^2	,,	९,३३६.००	९,३३६.००	९,३३६.००	
15	240.0 mm^2	,,	१२,७३१.००	१२,७३१.००	१२,७३१.००	
16	300.0 mm^2	,,	१५,२७७.००	१५,२७७.००	१५,२७७.००	
17	400.0 mm^2	,,	२०,६८८.००	२०,६८८.००	२०,६८८.००	
	Copper Conductor Unarmoured Power Cables NS marked or Eqv.		-	-	-	
	a) 1–core		-	-	-	
1	10 sq. mm.	र.मी	४४.००	४४.००	४४.००	
2	16 sq. mm.	,,	६७.००	६७.००	६७.००	
3	25 sq. mm.	,,	७८.००	७८.००	७८.००	
4	35 sq. mm.	,,	९४.००	९४.००	९४.००	
5	50 sq. mm.	,,	१२५.००	१२५.००	१२५.००	
6	70 sq. mm.	,,	१६३.००	१६३.००	१६३.००	
7	95 sq. mm.	,,	२२०.००	२२०.००	२२०.००	
8	120 sq. mm.	,,	२६८.००	२६८.००	२६८.००	
9	150 sq. mm.	,,	३१७.००	३१७.००	३१७.००	
	b) 2- core		-	-	-	
1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७४.००	७४.००	७४.००	
2	2.5 sq.mm	,,	१०६.००	१०६.००	१०६.००	
3	4 sq.mm	,,	१४८.००	१४८.००	१४८.००	
4	6 sq.mm	,,	२०२.००	२०२.००	२०२.००	
5	10 sq.mm	,,	३१८.००	३१८.००	३१८.००	
6	16 sq.mm	,,	४४०.००	४४०.००	४४०.००	
7	25 sq.mm	,,	६७९.००	६७९.००	६७९.००	
8	35 sq.mm	,,	९२३.००	९२३.००	९२३.००	
9	50 sq.mm	,,	१,२७३.००	१,२७३.००	१,२७३.००	
10	70 sq.mm	,,	१,२७३.००	१,२७३.००	१,२७३.००	
11	95 sq.mm	,,	२,३८८.००	२,३८८.००	२,३८८.००	
12	120 sq.mm	,,	३,१३०.००	३,१३०.००	३,१३०.००	
13	150 sq.mm	,,	३,९२५.००	३,९२५.००	३,९२५.००	
	c) 3-core		-	-	-	
1	1.5 sq.mm. 3- core copper conductor	र.मी	९६.००	९६.००	९६.००	
2	2.5 sq.mm	,,	१३८.००	१३८.००	१३८.००	
3	4 sq.mm	,,	२०२.००	२०२.००	२०२.००	
4	6 sq.mm	,,	२८६.००	२८६.००	२८६.००	
5	10 sq.mm	,,	४५१.००	४५१.००	४५१.००	
6	16 sq.mm	,,	६५८.००	६५८.००	६५८.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
7	25 sq.mm	,,	१,००८.००	१,००८.००	१,००८.००	
8	35 sq.mm	,,	१,३५८.००	१,३५८.००	१,३५८.००	
9	50 sq.mm	,,	१,९१०.००	१,९१०.००	१,९१०.००	
10	70 sq.mm	,,	२,६५२.००	२,६५२.००	२,६५२.००	
11	95 sq.mm	,,	३,६०७.००	३,६०७.००	३,६०७.००	
12	120 sq.mm	,,	४,५६२.००	४,५६२.००	४,५६२.००	
13	150 sq.mm	र.मी	५,६२३.००	५,६२३.००	५,६२३.००	
	d) 3.5 core		-	-	-	
1	25 sq.mm	र.मी	१,२४१.००	१,२४१.००	१,२४१.००	
2	35 sq.mm Copper Conductor Unarmoured	,,	१,५९१.००	१,५९१.००	१,५९१.००	
3	50 sq.mm	,,	२,२२८.००	२,२२८.००	२,२२८.००	
4	70 sq.mm	,,	३,१०३.००	३,१०३.००	३,१०३.००	
5	95 sq.mm	,,	४,१९१.००	४,१९१.००	४,१९१.००	
6	120 sq.mm	,,	५,५१७.००	५,५१७.००	५,५१७.००	
7	150 sq.mm	,,	६,५२५.००	६,५२५.००	६,५२५.००	
	e) 4-core Copper Conductor Unarmoured		-	-	-	
1	1.5 sq.mm	र.मी	११६.००	११६.००	११६.००	
2	2.5 sq.mm	,,	१७५.००	१७५.००	१७५.००	
3	4 sq.mm	,,	२६०.००	२६०.००	२६०.००	
4	6 sq.mm	,,	३६१.००	३६१.००	३६१.००	
5	10 sq.mm	,,	५७३.००	५७३.००	५७३.००	
6	16 sq.mm	,,	८७०.००	८७०.००	८७०.००	
7	25 sq.mm	,,	१,३५८.००	१,३५८.००	१,३५८.००	
8	35 sq.mm	,,	१,८२५.००	१,८२५.००	१,८२५.००	
9	50 sq.mm	,,	२,५४६.००	२,५४६.००	२,५४६.००	
10	70 sq.mm		३,५५५.००	३,५५५.००	३,५५५.००	
11	95 sq.mm	,,	४,८२८.००	४,८२८.००	४,८२८.००	
12	120 sq.mm	,,	६,१०१.००	६,१०१.००	६,१०१.००	
13	150 sq.mm	,,	७,५८६.००	७,५८६.००	७,५८६.००	
14	185 sq.mm	,,	९,३३६.००	९,३३६.००	९,३३६.००	
15	240 Sq. mm	,,	१२,६२५.००	१२,६२५.००	१२,६२५.००	
16	300 Sq. mm	,,	१५,२७७.००	१५,२७७.००	१५,२७७.००	
17	400 Sq. mm	,,	२०,६८८.००	२०,६८८.००	२०,६८८.००	
	Aluminum conductor Armoured (Power) cable NS marked or eqv.		-	-	-	
	a) 2-core		-	-	-	
1	1.5 sq.mm	र.मी				
2	2.5 sq.mm	र.मी	९६.००	९६.००	९६.००	
3	4 sq.mm	,,	१२२.००	१२२.००	१२२.००	
4	6 sq.mm	,,	१३८.००	१३८.००	१३८.००	
5	10 sq.mm	,,	१६५.००	१६५.००	१६५.००	
6	16 sq.mm	,,	१८५.००	१८५.००	१८५.००	
7	25 sq.mm	,,	२२२.००	२२२.००	२२२.००	
8	35 sq.mm	,,	२५४.००	२५४.००	२५४.००	
9	50 sq.mm	,,	३२९.००	३२९.००	३२९.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
10	70 sq.mm	,,	४०९.००	४०९.००	४०९.००	
11	95 sq.mm	,,	५२०.००	५२०.००	५२०.००	
	b) 3–core		-	-	-	
1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१११.००	१११.००	१११.००	
2	4 sq.mm	,,	१३८.००	१३८.००	१३८.००	
3	6 sq.mm	,,	१५३.००	१५३.००	१५३.००	
4	10 sq.mm	,,	१८५.००	१८५.००	१८५.००	
5	16 sq.mm	,,	२१२.००	२१२.००	२१२.००	
6	25 sq.mm Aluminum conductor Armoured	,,	२८६.००	२८६.००	२८६.००	
7	35 sq.mm	,,	३४५.००	३४५.००	३४५.००	
8	50 sq.mm	,,	४४०.००	४४०.००	४४०.००	
9	70 sq.mm	,,	५५७.००	५५७.००	५५७.००	
10	95 sq.mm	,,	५०९.००	५०९.००	५०९.००	
11	120 sq.mm	,,	८५९.००	८५९.००	८५९.००	
12	150 sq.mm	,,	१,०३४.००	१,०३४.००	१,०३४.००	
13	185 sq.mm	,,	१,२७३.००	१,२७३.००	१,२७३.००	
14	240 sq.mm	,,	१,५५९.००	१,५५९.००	१,५५९.००	
15	300 sq.mm	,,	१,९१०.००	१,९१०.००	१,९१०.००	
16	400 sq.mm	,,	२,३८८.००	२,३८८.००	२,३८८.००	
	c) 3.5 core		-	-	-	
1	25 sq.mm.	र.मी	३२९.००	३२९.००	३२९.००	
2	35 sq.mm	,,	३८२.००	३८२.००	३८२.००	
3	50 sq.mm	,,	५०४.००	५०४.००	५०४.००	
4	70 sq.mm	,,	६४७.००	६४७.००	६४७.००	
5	95 sq.mm	,,	८२७.००	८२७.००	८२७.००	
6	120 sq.mm Aluminum conductor Armoured	,,	१,००८.००	१,००८.००	१,००८.००	
7	150 sq.mm	र.मी	१,२०९.००	१,२०९.००	१,२०९.००	
8	185 sq.mm	,,	१,४६४.००	१,४६४.००	१,४६४.००	
9	240 sq.mm	,,	१,८२५.००	१,८२५.००	१,८२५.००	
10	300 sq.mm	,,	२,२८१.००	२,२८१.००	२,२८१.००	
11	400 sq.mm	,,	२,८६४.००	२,८६४.००	२,८६४.००	
	d) 4-core		-	-	-	
1	2.5 sq.mm	र.मी	१२८.००	१२८.००	१२८.००	
2	4 sq.mm	,,	१६०.००	१६०.००	१६०.००	
3	6 sq.mm	,,	१८५.००	१८५.००	१८५.००	
4	10 sq.mm	,,	२०२.००	२०२.००	२०२.००	
5	16 sq.mm	,,	२६०.००	२६०.००	२६०.००	
6	25 sq.mm	,,	३५०.००	३५०.००	३५०.००	
7	35 sq.mm	,,	४१४.००	४१४.००	४१४.००	
8	50 sq.mm	,,	५६४.००	५६४.००	५६४.००	
9	70 sq.mm	,,	७२१.००	७२१.००	७२१.००	
10	95 sq.mm	,,	९२८.००	९२८.००	९२८.००	
11	120 sq.mm	,,	१,११४.००	१,११४.००	१,११४.००	
12	150 sq.mm	,,	१,४११.००	१,४११.००	१,४११.००	
13	185 sq.mm	,,	१,६७६.००	१,६७६.००	१,६७६.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
14	240sq.mm	,,	२,१००.००	२,१००.००	२,१००.००	
15	300 sq.mm Aluminum conductor Armoured	,,	२,६००.००	२,६००.००	२,६००.००	
16	400sq.mm	,,	३,२८९.००	३,२८९.००	३,२८९.००	
	Aluminium conductor unarmoured (power) cable NS marked or eqv.		-	-	-	
	a) 1-core		-	-	-	
1	16 sq.mm	र.मी	५४.००	५४.००	५४.००	
2	25 sq.mm	,,	७४.००	७४.००	७४.००	
3	35 sq.mm	,,	९१.००	९१.००	९१.००	
4	50 sq.mm	,,	११६.००	११६.००	११६.००	
5	70 sq.mm	,,	१४८.००	१४८.००	१४८.००	
6	95 sq.mm	,,	२०२.००	२०२.००	२०२.००	
7	120 sq.mm	,,	२४४.००	२४४.००	२४४.००	
8	150 sq.mm	,,	४०३.००	४०३.००	४०३.००	
9	185 sq.mm	,,	३७२.००	३७२.००	३७२.००	
10	240 sq.mm	,,	४५६.००	४५६.००	४५६.००	
11	300 sq.mm	,,	५५२.००	५५२.००	५५२.००	
	b) 2-core Aluminium conductor unarmoured		-	-	-	
1	2.5 sq.mm	र.मी	५४.००	५४.००	५४.००	
2	4 sq.mm	,,	६४.००	६४.००	६४.००	
3	6 sq.mm	र.मी	७९.००	७९.००	७९.००	
4	10 sq.mm	,,	१०१.००	१०१.००	१०१.००	
5	16 sq.mm	,,	१०६.००	१०६.००	१०६.००	
6	25 sq.mm	,,	१४८.००	१४८.००	१४८.००	
7	35 sq.mm	,,	१९१.००	१९१.००	१९१.००	
8	50 sq.mm	,,	२४४.००	२४४.००	२४४.००	
9	70 sq.mm	,,	३०८.००	३०८.००	३०८.००	
10	95 sq.mm 2 core	,,	४१४.००	४१४.००	४१४.००	
	c) 3-core		-	-	-	
1	2.5 sq.mm	र.मी	६४.००	६४.००	६४.००	
2	4 sq.mm		७४.००	७४.००	७४.००	
3	6 sq.mm	,,	९१.००	९१.००	९१.००	
4	10 sq.mm	,,	१२८.००	१२८.००	१२८.००	
5	16 sq.mm	,,	१४८.००	१४८.००	१४८.००	
6	25 sq.mm	,,	२१२.००	२१२.००	२१२.००	
7	35 sq.mm	,,	२६६.००	२६६.००	२६६.००	
8	50 sq.mm	,,	३५०.००	३५०.००	३५०.००	
9	70 sq.mm	,,	४६७.००	४६७.००	४६७.००	
10	95 sq.mm	,,	६१५.००	६१५.००	६१५.००	
11	120 sq.mm	,,	७६४.००	७६४.००	७६४.००	
12	150 sq.mm	,,	९१३.००	९१३.००	९१३.००	
13	185 sq.mm	,,	१,१४५.००	१,१४५.००	१,१४५.००	
14	240 sq.mm	,,	१,४२१.००	१,४२१.००	१,४२१.००	
15	300 sq.mm Aluminium conductor unarmoured	,,	१,८०४.००	१,८०४.००	१,८०४.००	
	d) 3.5–core		-	-	-	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
1	25 sq.mm	र.मी	२६६.००	२६६.००	२६६.००	
2	35 sq.mm	,,	३१८.००	३१८.००	३१८.००	
3	50 sq.mm	,,	४२४.००	४२४.००	४२४.००	
4	70 sq.mm	,,	५८४.००	५८४.००	५८४.००	
5	95 sq.mm	,,	७६४.००	७६४.००	७६४.००	
6	120 sq.mm	,,	९५५.००	९५५.००	९५५.००	
7	150 sq.mm	,,	१,१४५.००	१,१४५.००	१,१४५.००	
8	185 sq.mm	,,	१,४३३.००	१,४३३.००	१,४३३.००	
9	240 sq.mm	,,	१,८०४.००	१,८०४.००	१,८०४.००	
10	300 sq.mm	,,	२,२२८.००	२,२२८.००	२,२२८.००	
	e) 4–core core aluminium unarmoured		-	-	-	
1	2.5 sq.mm	र.मी	७४.००	७४.००	७४.००	
2	4 sq.mm	,,	८४.००	८४.००	८४.००	
3	6 sq.mm	,,	१०१.००	१०१.००	१०१.००	
4	10 sq.mm	,,	१३८.००	१३८.००	१३८.००	
5	16 sq.mm	र.मी	२०२.००	२०२.००	२०२.००	
6	25 sq.mm	,,	२९७.००	२९७.००	२९७.००	
7	35 sq.mm	,,	३६१.००	३६१.००	३६१.००	
8	50 sq.mm	,,	४९९.००	४९९.००	४९९.००	
9	70 sq.mm 4	,,	६५८.००	६५८.००	६५८.००	
10	95 sq.mm	,,	८७०.००	८७०.००	८७०.००	
11	120 sq.mm	,,	१,०६१.००	१,०६१.००	१,०६१.००	
12	150 sq.mm	,,	१,३२७.००	१,३२७.००	१,३२७.००	
13	185 sq.mm	,,	१,६४५.००	१,६४५.००	१,६४५.००	
14	240 sq.mm	,,	२,०६९.००	२,०६९.००	२,०६९.००	
15	300 sq.mm	,,	२,५४६.००	२,५४६.००	२,५४६.००	
	Security Gate System		-	-	-	
a	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	१७,५०५.००	१७,५०५.००	१७,५०५.००	
	General Lightig ANCHOR, C/G, Eqv.		-	-	-	
i	1 x 40 W FTL Patti fitting	सेट	२६०.००	२६०.००	२६०.००	
ii	1 x 20 W FTL Patti fitting	सेट	२३९.००	२३९.००	२३९.००	
iii	1 x 40 W FTL Box Fitting	सेट	४४०.००	४४०.००	४४०.००	
iv	1 x 20 W FTL Box fitting	सेट	४३०.००	४३०.००	४३०.००	
v	9/11W Mini mirror light with electronic Blast		३६६.००	३६६.००	३६६.००	
	GEWISS /BEC PVC Conduit product of Italy		-	-	-	
	RK Range		-	-	-	
1	16 mm medium rigid conduit DX 25 316	Mtr.	९१.००	९१.००	९१.००	
2	20 mm medium rigid conduit DX 25 320	"	१२८.००	१२८.००	१२८.००	
3	25 mm medium rigid conduit DX 25 325	"	१८०.००	१८०.००	१८०.००	
4	32 mm medium rigid conduit DX 25 332	"	२६०.००	२६०.००	२६०.००	
5	40 mm medium rigid conduit DX 25 340	"	३५५.००	३५५.००	३५५.००	
6	50 mm medium rigid conduit DX 25 350	"	५४६.००	५४६.००	५४६.००	
7	63 mm medium rigid conduit DX 25 363	"	१,०२९.००	१,०२९.००	१,०२९.००	
8	16 mm heavy rigid conduit DX 25 716	"	१७०.००	१७०.००	१७०.००	
9	20 mm heavy rigid conduit DX 25 720	"	२२२.००	२२२.००	२२२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
10	25 mm heavy rigid conduit DX 25 725	"	२९७.००	२९७.००	२९७.००	
11	32 mm heavy rigid conduit DX 25 732	"	४४६.००	४४६.००	४४६.००	
12	40 mm heavy rigid conduit DX 25 740	"	६०५.००	६०५.००	६०५.००	
13	50 mm heavy rigid conduit DX 25 750	"	८१७.००	८१७.००	८१७.००	
14	63 mm heavy rigid conduit DX 25 763	"	१,५३३.००	१,५३३.००	१,५३३.००	
15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	२०२.००	२०२.००	२०२.००	
16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	२५४.००	२५४.००	२५४.००	
17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	३८७.००	३८७.००	३८७.००	
18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	६४२.००	६४२.००	६४२.००	
19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	७६९.००	७६९.००	७६९.००	
20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	९९२.००	९९२.००	९९२.००	
21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	१,२३६.००	१,२३६.००	१,२३६.००	
22	16 mm shockproof polymer saddle collar clip GW 50 605	"	३२.००	३२.००	३२.००	
23	20 mm shockproof polymer saddle collar clip GW 50 606	"	३७.००	३७.००	३७.००	
24	25 mm shockproof polymer saddle collar clip GW 50 607	"	४२.००	४२.००	४२.००	
25	32 mm shockproof polymer saddle collar clip GW 50 608	"	६४.००	६४.००	६४.००	
26	40 mm shockproof polymer saddle collar clip GW 50 630	"	१०१.००	१०१.००	१०१.००	
27	50 mm shockproof polymer saddle collar clip GW 50 631	"	१२२.००	१२२.००	१२२.००	
28	16 mm conduit coupler DX 40 016	"	३७.००	३७.००	३७.००	
29	20 mm conduit coupler DX 40 020	"	४७.००	४७.००	४७.००	
30	25 mm conduit coupler DX 40 025	"	५९.००	५९.००	५९.००	
31	32 mm conduit coupler DX 40 032	"	१०६.००	१०६.००	१०६.००	
32	40 mm conduit coupler DX 40 040	"	१४३.००	१४३.००	१४३.००	
33	50 mm conduit coupler DX 40 050	"	२४९.००	२४९.००	२४९.००	
34	63 mm conduit coupler DX 40 063	"	४७२.००	४७२.००	४७२.००	
35	16 mm tight bend DX 40 116	"	५९.००	५९.००	५९.००	
36	20 mm tight bend DX 40 120	"	८४.००	८४.००	८४.००	
37	25 mm tight bend DX 40 125	"	१३३.००	१३३.००	१३३.००	
38	32 mm tight bend DX 40 132	"	२४४.००	२४४.००	२४४.००	
39	40 mm tight bend DX 40 140	"	३४५.००	३४५.००	३४५.००	
40	50 mm tight bend DX 40 150	"	६२१.००	६२१.००	६२१.००	
41	63 mm tight bend DX 40 163	"	२,४३०.००	२,४३०.००	२,४३०.००	
42	4 way junction box DX 45 004	"	६९०.००	६९०.००	६९०.००	
43	7 way junction box DX 45 007	"	८२७.००	८२७.००	८२७.००	
44	10 way junction box DX 45 010	"	१,०५१.००	१,०५१.००	१,०५१.००	
45	Closing cap for junction box DX 47 000	"	१२२.००	१२२.००	१२२.००	
46	16 mm inspectionable T bend DX 40216	"	१२२.००	१२२.००	१२२.००	
47	20 mm inspectionable T bend DX 40220	"	१५३.००	१५३.००	१५३.००	
48	25 mm inspectionable T bend DX 40225	"	२०२.००	२०२.००	२०२.००	
49	32 mm inspectionable T bend DX 40232	"	२४४.००	२४४.००	२४४.००	
50	16 mm inspectionable bend DX 40 316	"	१०१.००	१०१.००	१०१.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
51	20 mm inspectionable bend DX 40 320	"	१२२.००	१२२.००	१२२.००	
52	25 mm inspectionable bend DX 40 325	"	१६०.००	१६०.००	१६०.००	
53	32 mm inspectionable bend DX 40 332	"	१९१.००	१९१.००	१९१.००	
	GEWISS/BEC Cable Tray with Cover and Accessories BRN Range		-	-	-	
1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	८४४.००	८४४.००	८४४.००	
2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	१,००२.००	१,००२.००	१,००२.००	
3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	१,२०९.००	१,२०९.००	१,२०९.००	
4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	१,३५८.००	१,३५८.००	१,३५८.००	
5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	१,५८६.००	१,५८६.००	१,५८६.००	
6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	१,७६१.००	१,७६१.००	१,७६१.००	
7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	२,२०१.००	२,२०१.००	२,२०१.००	
8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	२,५८८.००	२,५८८.००	२,५८८.००	
9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	३,१८३.००	३,१८३.००	३,१८३.००	
10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	३,३७९.००	३,३७९.००	३,३७९.००	
11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	१,०१४.००	१,०१४.००	१,०१४.००	
12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	१,२१४.००	१,२१४.००	१,२१४.००	
13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	१,३३७.००	१,३३७.००	१,३३७.००	
14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	१,५१२.००	१,५१२.००	१,५१२.००	
15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	१,७१३.००	१,७१३.००	१,७१३.००	
16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	१,९१५.००	१,९१५.००	१,९१५.००	
17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	२,३४४.००	२,३४४.००	२,३४४.००	
18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	२,७३७.००	२,७३७.००	२,७३७.००	
19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	३,५६०.००	३,५६०.००	३,५६०.००	
20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	३,८६१.००	३,८६१.००	३,८६१.००	
21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	४,७२२.००	४,७२२.००	४,७२२.००	
22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	१,३५२.००	१,३५२.००	१,३५२.००	
23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	२,१८६.००	२,१८६.००	२,१८६.००	
24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	२,८६४.००	२,८६४.००	२,८६४.००	
25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	३,९६८.००	३,९६८.००	३,९६८.००	
26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	४,९८१.००	४,९८१.००	४,९८१.००	
27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	५,६१२.००	५,६१२.००	५,६१२.००	
28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	१,५३९.००	१,५३९.००	१,५३९.००	
29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	२,३३९.००	२,३३९.००	२,३३९.००	
30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	२,९७१.००	२,९७१.००	२,९७१.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	४,२७६.००	४,२७६.००	४,२७६.००	
32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	५,१६६.००	५,१६६.००	५,१६६.००	
	Intrusion Detection System Make Honeywell or equavalent		-	-	-	
i	**Main Controller**	सेट	४०,०१७.००	४०,०१७.००	४०,०१७.००	
	CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP		-	-	-	
ii	**Smoke & Heat Detector**	सेट	१०,८६१.००	१०,८६१.००	१०,८६१.००	
	Wireless Smoke and Head Detector		-	-	-	
iii	**Door Contact**	सेट	२,७५८.००	२,७५८.००	२,७५८.००	
	Wireless Door Contact with transmitter		-	-	-	
iv	**Motion Detector**	सेट	४,३०३.००	४,३०३.००	४,३०३.००	
	Wireless Passive Infrared, Pet Immune Motion Detector		-	-	-	
v	**Panic Switch**	सेट	५,०६९.००	५,०६९.००	५,०६९.००	
	Wireless Panic Transmitter		-	-	-	
vi	**Key**	सेट	४,९२३.००	४,९२३.००	४,९२३.००	
	Wireless Key to Arm and Disarm the System		-	-	-	
vii	**Window Contact**	सेट	२,८९६.००	२,८९६.००	२,८९६.००	
	Wired door Contact with transmitter slim		-	-	-	
	Earth Quake Detector(JDS Inc, USA)	पिस	३,७०९.००	३,७०९.००	३,७०९.००	
	Quake Alarm		-	-	-	
	Automatic Motor Operator for water motor		-	-	-	
i	Upto 1/2 HP single phase motor	सेट	४,२४४.००	४,२४४.००	४,२४४.००	
ii	Upto 1 HP single phase motor	सेट	५,८३५.००	५,८३५.००	५,८३५.००	
iii	Upto 5 HP three phase motor	सेट	९,५४८.००	९,५४८.००	९,५४८.००	
	CCTV System		-	-	-	
a	**Out door high speed Dome Integrated CAMERA** Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.		-	-	-	
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५८,३५०.००	५८,३५०.००	५८,३५०.००	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	६०,६८३.००	६०,६८३.००	६०,६८३.००	
b	**Indoor high speed Dome Integrated CAMERA**		-	-	-	
i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६,०१६.००	५६,०१६.००	५६,०१६.००	
ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८,३५०.००	५८,३५०.००	५८,३५०.००	
c	**VISTA Box camera** with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५,९१४.००	१५,९१४.००	१५,९१४.००	
d	7" Sphirical Shilded with bracket included chip excluded Camera		८,६१५.००	८,६१५.००	८,६१५.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
e	**i) 8 Channel DVR** MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३५,०१०.००	३५,०१०.००	३५,०१०.००	
	ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५२,५१५.००	५२,५१५.००	५२,५१५.००	
f	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	११,१३९.००	११,१३९.००	११,१३९.००	
g	Supply, delivery, wiring, conduit laying of computer networking and CCTV points with cat 6 UTP pure copper wire cable(from switch to individual points) with PE Jacket for Outdoor use and to be layed in 25mm PVC/HDP conduit concealed in ceilings, walls and floors including heavy type metal box and all necessary connecting, fixing, insulation all complete. Brand Prolink, Dlink or Equivalent.	points		३३५.८०	३३५.८०	
h	SITC of 2MP 3.6 mm fixed focal length Outdoor bullet Camera, with minimum ingress protection of IP66. Should have full HD resolution of 1920 x 1080 pixels, True day night function, Upto 30m IR distance, 3D DNR, DWDR. Should Onvif Profile S/G compliant.(Brand: Honeywell, Axis, Pelco or equivalent)	set		७,३८०.७०	७,३८०.७०	
i	SITC of 2MP 2.8 mm fixed focal length Indoor dome/ball Camera, with minimum ingress protection of IP66. Should have full HD resolution of 1920 x 1080 pixels, True day night function, Upto 25m IR distance, 3D DNR, DWDR. Should be UL Certified and Onvif Profile S/G compliant.(Brand: Honeywell, Axis, Pelco or equivalent)	set		७,३८०.७०	७,३८०.७०	
j	SITC of 8 Channel Network Video Recorder.(Brand: Honeywell, Axis, Pelco or equivalent)	set		१३,८००.००	१३,८००.००	
k	Supply and installation of 2TB Surveillance HDD for at least 15 days of footage backup (Brand: Western Digital, Seagates or equivalent)	set		८,०५०.००	८,०५०.००	
l	8 port POE switch with double uplink	set		९,२००.००	९,२००.००	
m	SITC of 32 port Network Switch to support power up to 30W for each port and at least 2 uplink ports.	set		५,७५०.००	५,७५०.००	
n	19 inch 6 U fixed LCS wall cabinets 580mm depth for with A.C. power distribution unit (PDU), wire manager, thermal management with fan and tray thermostat, lockable front tinted glass door and two pair angle to support the switch installed in the rack.	set		२,०९९.९०	२,०९९.९०	
o	Installation and handover 5pcs CCTV installation, system shifting and display handover charge overall CCTV checkup, fiber splicing, CCTV repair etc.	job		२६,५४८.७०	२६,५४८.७०	
	Telecom system					
	Accessories : screws, grips, pvc tape,HDP conduit pipe etc all complete.					
a	Telephone socket Northwest,ABB,Seimens,Legrand modular or eqvt. etc all complete.	set		७३७.१५	७३७.१५	
b	2 pair telephone cable for telephone point in 20mm HDP conduit pipe etc all complete.	points		८९.१३	८९.१३	
c	10 pair telephone cable for main in 25mm HDPE polythene pipe.	rm		१६०.४३	१६०.४३	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
d	Telephone main distribution board (MDB) made of metal with crown tag double cover etc. all complete.	set		७,९६८.३५	७,९६८.३५	
e	Telephone distribution board (DB) ,Sub DB made of metal with crown tag double cover etc. all complete.	set		१,९९९.८५	१,९९९.८५	
f	Supplying ,fixing and interconnecting 4/16 line EPABX to all telephone socket for telephone extension system, including one set programmable master telephone set of corresponding brand Panasonic, Creative, Matrix or eqvt. all complete	set		५८,८९८.४०	५८,८९८.४०	
	Electrical Equipments		-	-	-	
i	Earthing Materials (ISI or other International Standard)		-	-	-	
a	6 mm thick 600mmm× 600 mm G.I. Plate	No.	२,९१४.००	२,९१४.००	२,९१४.००	
c	Funneling Mechanisn with cover (mild steel)	set	६३७.००	६३७.००	६३७.००	
d	3.2 mm thick 600mmm× 600 mm Copper Plate	No.	९,८०३.००	९,८०३.००	९,८०३.००	
e	Copper wire (10 SWG)	Mtr.	१६०.००	१६०.००	१६०.००	
ii	Service wire (Al)		-	-	-	
a.	2.5 mm^2	Mtr.	१९.००	१९.००	१९.००	
b.	4.0 mm^2	"	२३.००	२३.००	२३.००	
c.	6.0 mm^2	"	२९.००	२९.००	२९.००	
iii	**Lightening Arrestor** for 3 Phase .		-	-	-	
a.	0.5 KV	Set	१,२७३.००	१,२७३.००	१,२७३.००	
b.	11 KV	Set	४,४५६.००	४,४५६.००	४,४५६.००	
c.	Cross Arms V Channel.	No	३,१८३.००	३,१८३.००	३,१८३.००	
iv	**Stay set** with accessories.		-	-	-	
a.	GI wire	No	१,२१७.००	१,२१७.००	१,२१७.००	
b.	GI Plate	"	१,२२१.००	१,२२१.००	१,२२१.००	
c.	Gay Insulator.	"	५८.००	५८.००	५८.००	
d	Elbow		१०६.००	१०६.००	१०६.००	
e	Rod , Nut	No	४५८.००	४५८.००	४५८.००	
f	Grip	"	५०.००	५०.००	५०.००	
v	**Overhead Insulators** (0.4KV)		-	-	-	
a.	Sackle Insulator	No	३२.००	३२.००	३२.००	
b.	D-Iron	"	९६.००	९६.००	९६.००	
c.	Nut Bolt (3" with 8 mm Ø)	"	१५.००	१५.००	१५.००	
d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	२४.००	२४.००	२४.००	
vi	**Overhead Insulators** with fixing accessories (11KV)		-	-	-	
a.	Pin Insulator	No	१९१.००	१९१.००	१९१.००	
b.	Disc Insulator	"	१,०१९.००	१,०१९.००	१,०१९.००	
c.	Cross Arms V Channel.	"	२,८०१.००	२,८०१.००	२,८०१.००	
vii	Sqarrel **ACSR conductor** 20mm^2	Rm.	१८.००	१८.००	१८.००	
viii	weasel ACSR conductor 30 mm^2	"	२६.००	२६.००	२६.००	
ix	Rabbit ACSR conductor 50 mm^2	"	४२.००	४२.००	४२.००	
x	Dog ACSR conductor 100 mm^2	"	८४.००	८४.००	८४.००	
xi	Supply of aluminium ABC cable		-	-	-	
	25mm square 4 core ABC cable	Rm.	१६०.००	१६०.००	१६०.००	
	50 mm square 4 core ABC cable	"	२६६.००	२६६.००	२६६.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
	95 mm square 4 core ABC cable	"	५२०.००	५२०.००	५२०.००	
xii	**Alternator** 3 Phase Brush less with compounded Excitation. (KEL)		-	-	-	
C	**AMF with ATS palel for DG Ankur metal or Equivalent**		-	-	-	
i	5KVA AMF with ATS palel	set	२३,३४०.००	२३,३४०.००	२३,३४०.००	
ii	7.5KVA AMF with ATS palel	"	२९,७०५.००	२९,७०५.००	२९,७०५.००	
iii	10KVA AMF with ATS palel	"	३७,१३२.००	३७,१३२.००	३७,१३२.००	
iv	15KVA AMF with ATS palel	"	४७,७४१.००	४७,७४१.००	४७,७४१.००	
v	20KVA AMF with ATS palel	"	६८,९५९.००	६८,९५९.००	६८,९५९.००	
vi	25KVA AMF with ATS palel	"	७९,५६८.००	७९,५६८.००	७९,५६८.००	
vii	30KVA AMF with ATS palel	"	९५,४८१.००	९५,४८१.००	९५,४८१.००	
	Other Necessary Accessories					
	2MP camera 1/2.7", progressive scan CMOS-upto 1920x1080 resolution, 30fps –Lens 2.8mm/ - Smart IR, upto 30m IR distance -2D/3D DNR, ROI, Corridor mode	Pcs		७,०७९.६०	७,०७९.६०	
	POE Switch 8 port poe switch	Pcs		६,१९४.७०	६,१९४.७०	
	Cat- 6 cable CCTV wiring	drum		११,०६१.९०	११,०६१.९०	
	Fiber 12 core fiber	Rm		४२.५०	४२.५०	
	Tiffin box	Pcs		६६३.७०	६६३.७०	
	Bamboo	Pcs		८००.००	८००.००	
	Patch cord	Pcs		५३०.००	५३०.००	
	Binding wire	Roll		३९८.२०	३९८.२०	
	Splicing	Core		३९८.२०	३९८.२०	
	Media Converter	Pair		६,६३७.२०	६,६३७.२०	
	Power adapter	Pcs		७८०.००	७८०.००	
	Switch Gigabyte switch 5 port	Pcs		२,६५४.९०	२,६५४.९०	
	Fiber laying charge	Rm		१२.४०	१२.४०	
	MCB/ISOLATOR ORIENT or equivalent		-	-	-	
	B CURVE MCB SP 6A-32A	pole	२४६.००	२४६.००	२४६.००	
	B CURVE MCB SP 40A	pole	२८९.००	२८९.००	२८९.००	
	B CURVE MCB SP 50A-63A	pole	२८९.००	२८९.००	२८९.००	
	C CURVE MCB SP 0.5-4A	pole	२८९.००	२८९.००	२८९.००	
	C CURVE MCB SP 6-32A	pole	२४६.००	२४६.००	२४६.००	
	C CURVE MCB SP 40A	pole	४५९.००	४५९.००	४५९.००	
	C CURVE MCB SP 50-63A	pole	४५९.००	४५९.००	४५९.००	
	C CURVE MCB SPN 0.5-4A	pole	४९३.००	४९३.००	४९३.००	
	C CURVE MCB SPN 6-32A	pole	५२८.००	५२८.००	५२८.००	
	C CURVE MCB SPN 40A	pole	५७८.००	५७८.००	५७८.००	
	C CURVE MCB SPN 50-63A	pole	५७८.००	५७८.००	५७८.००	
	C CURVE MCB DP 0.5-4A	pole	६३६.००	६३६.००	६३६.००	
	C CURVE MCB DP 6-32A	pole	५८१.००	५८१.००	५८१.००	
	C CURVE MCB DP 40A	pole	६३६.००	६३६.००	६३६.००	
	C CURVE MCB DP 50-63A	pole	६३६.००	६३६.००	६३६.००	
	C CURVE MCB TP 0.5-4A	pole	९५३.००	९५३.००	९५३.००	
	C CURVE MCB TP 6-32A	pole	८७२.००	८७२.००	८७२.००	

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.व. २०७८/०७९	आ.व. २०७९/०८०	आ.व. २०८०/०८१	
	C CURVE MCB TP 40A	pole	९५३.००	९५३.००	९५३.००	
	C CURVE MCB TP 50-63A	pole	९५३.००	९५३.००	९५३.००	
	C CURVE MCB TPN 0.5-4A	pole	१,२४२.००	१,२४२.००	१,२४२.००	
	C CURVE MCB TPN 6-32A	pole	१,१३६.००	१,१३६.००	१,१३६.००	
	C CURVE MCB TPN 40A	pole	१,२४२.००	१,२४२.००	१,२४२.००	
	C CURVE MCB TPN 50-63A	pole	१,२४२.००	१,२४२.००	१,२४२.००	
	C CURVE MCB FP 0.5-4A	pole	१,३२९.००	१,३२९.००	१,३२९.००	
	C CURVE MCB FP 6-32A	pole	१,२१५.००	१,२१५.००	१,२१५.००	
	C CURVE MCB FP 40A	pole	१,३२९.००	१,३२९.००	१,३२९.००	
	C CURVE MCB FP 50-63A	pole	१,३२९.००	१,३२९.००	१,३२९.००	
	ISOLATOR DP 40A	pole	५६८.००	५६८.००	५६८.००	
	ISOLATOR DP 63A	pole	५६८.००	५६८.००	५६८.००	
	ISOLATOR DP 80-100A	pole	५९३.००	५९३.००	५९३.००	
	ISOLATOR DP 125A	pole	६२९.००	६२९.००	६२९.००	
	ISOLATOR FP 40A	pole	९२९.००	९२९.००	९२९.००	
	ISOLATOR FP 63A	pole	९२९.००	९२९.००	९२९.००	
	ISOLATOR FP 80-100A	pole	१,०२८.००	१,०२८.००	१,०२८.००	
	ISOLATOR FP 125A	pole	१,०२८.००	१,०२८.००	१,०२८.००	
	RCCB DP 25A 30mA	pole	३,६५३.००	३,६५३.००	३,६५३.००	
	RCCB DP 40A 30mA	pole	३,६५३.००	३,६५३.००	३,६५३.००	
	RCCB DP 63A 30mA	pole	३,६५३.००	३,६५३.००	३,६५३.००	
	RCCB DP 25A 100mA	pole	३,४४५.००	३,४४५.००	३,४४५.००	
	RCCB DP 40A 100mA	pole	३,४४५.००	३,४४५.००	३,४४५.००	
	RCCB DP 63A 100mA	pole	३,४४५.००	३,४४५.००	३,४४५.००	
	RCCB DP 25A 300mA	pole	३,४४५.००	३,४४५.००	३,४४५.००	
	RCCB DP 40A 300mA	pole	३,४४५.००	३,४४५.००	३,४४५.००	
	RCCB DP 63A 300mA	pole	३,४४५.००	३,४४५.००	३,४४५.००	
	RCCB FP 25A 30mA	pole	४,२८०.००	४,२८०.००	४,२८०.००	
	RCCB FP 40A 30mA	pole	४,२८०.००	४,२८०.००	४,२८०.००	
	RCCB FP 63A 30mA	pole	४,२८०.००	४,२८०.००	४,२८०.००	
	RCCB FP 25A 100mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 40A 100mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 63A 100mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 25A 300mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 40A 300mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	RCCB FP 63A 300mA	pole	४,१२४.००	४,१२४.००	४,१२४.००	
	Street Light		-	-	-	
	General Segment					
i	LED AC street light 50W with auto on-off switch and auto dimming operation including all accessories and excluding installation	गोटा	-	-	९,०००.००	का.म.न.पा. दर रेट