




मध्यपुर थिमि नगरपालिका
नगर कार्यपालिकाको कार्यालय, थिमि, भक्तपुर
वाग्मती प्रदेश, नेपाल



ज्याला, ढुवानी तथा निर्माण सामग्रीहरूको दर(रेट)
आ.ब.०७९/०८०

सि.नं.	श्रमिकहरुको विवरण	एकाई	ज्याला दर प्रतिदिन			कैफियत
			आ.व.			
			०७३/०७८	०७८/०७९	०७९/०८०	
	सडकको कामको लागि					
१६	पिच स्प्रेयर, पिच ब्यायलर	"	१००.००	१००.००	१००.००	
१७	प्याच बर्कर (दिउँसो को समयमा काम गर्ने)	"	१००.००	१००.००	१००.००	
१८	प्याच बर्कर (दिउँसो को समयमा काम गर्ने) सुपरभाइजर सरह	"	१००.००	१००.००	१००.००	
१९	प्याच बर्कर (रात्री समयमा काम गर्ने)	"	१,२००.००	१,२००.००	१,२००.००	
२०	प्याच बर्कर (रात्री समयमा काम गर्ने) सुपरभाइजर सरह	"	१,२००.००	१,२००.००	१,२००.००	
	Description of Craftsman	"				
1	Tradotional Carving Head Craftsman	"	१,५००.००	१,५००.००	१,५००.००	
2	Traditional Carving Craffsman	"	१,७००.००	१,७००.००	१,७००.००	
3	Traditional Head Craftsman	"	१,७००.००	१,७००.००	१,७००.००	
4	Traditional Craftsman	"	१,२००.००	१,२००.००	१,२००.००	
5	Awale Head	"	२,०००.००	२,०००.००	२,०००.००	
6	Awale	"	१,७००.००	१,७००.००	१,७००.००	

नोट :-

सिनियर- : T.S.L.C वा सो सरह उत्तीर्ण गरि कम्तिमा ३ वर्षको अनुभव प्राप्त वा सम्बन्धित विषयमा प्रविणता प्रमाणतह उत्तिर्ण ।

जुनियर :- T.S.L.C वा सो सरह उत्तीर्ण वा सम्बन्धित विषयमा

संघ, संस्था, कम्पनी, व्यक्ति आदीको आपसी समझदारीबाट ज्यालादर तय गर्न सकिनेछ ।

यस मध्यपुर थिमि नगरपालिकाबाट सम्पादन हुने परामर्श सेवा सम्बन्धि कार्यहरूको विवरणको पारिश्रमिक

Madhyapur Thimi Municipality, Madhyapur Thimi Bhaktapur

Bagmati Pradesh

Remuneration of experts for consulting services / 2079-080

Description	Basic salary / m	Grade / year	nos of Grade	Total grade	total amount	Social cost @ 40%	Overhead cost @ 60%	Total / Month	Total / Day
1 Team Leader equivalent to Gazetted 2nd class, Planner, Senior engineer holding Masters degree with min. five years experience)	48,737.00	1,624.57	5.00	8,122.83	56,859.83	19,494.80	29,242.20	105,596.83	3,519.89
2 Planner, Senior engineer, sociologist or equivalent to 2nd class holding Masters degree with min. 3 to 5 years experience)	43,689.00	1,456.30	5.00	7,281.50	50,970.50	17,475.60	26,213.40	94,659.50	3,155.32
3 Architect, engineer, or expert with bachelor degree equivalent to GOV 3rd class with min 3 years experience)	43,689.00	1,456.30	3.00	4,368.90	48,057.90	17,475.60	26,213.40	91,746.90	3,058.23
4 Surveyor, CAD operator, oversior, office manager equivalent to non gazetted 1st class of GoV	34,730.00	1,157.67	3.00	3,473.00	38,203.00	13,892.00	20,833.00	72,933.00	2,431.10
5 Computer Operator, Store keeper pr equivalent to Non Gazetted 2nd class of GoV	32,902.00	1,096.73	3.00	3,290.20	36,192.20	13,160.80	19,741.20	69,094.20	2,303.14
6 Helper, Office assistant	27,612.00	920.40		-	27,612.00	11,044.80	16,567.20	55,224.00	1,840.80

यसमा उल्लेखित पारिश्रमिक नेपाल सरकारको चालु आ. व. को आधारभूत तलबमान र नेपाल सरकार भवन विकास तथा शहरी विकास विभागबाट विभिन्न समयमा परामर्श सेवाका लागि स्वीकृत दररेटको आधार मानी तयार गरिएको छ/

[Handwritten signature]

क्र.सं.	विभिन्न सामग्रीहरूको विवरण	एकाई	मूल्य (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			मूल्य	व्याज	गुणवत्ता	
3	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	"			११.००	
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	"			१२२.००	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	"			१००.००	
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	"			१०९.००	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	"			१२४.००	
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	"			९२.००	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390*100*190, Tolerance/others: Machine Made)	"			१०४.००	
CONCRETE PAVING BLOCKS						
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	व.मी.			१,३३६.३९	
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	"			१,६०३.६७	
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	"			१,६९२.७९	
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	"			१,३२४.००	
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	"			१,४९०.००	
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	"			१,४७२.००	
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	"			१,९३०.३४	
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	"			२,१३८.२३	
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	"			२,२२७.३२	
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	"			१,८४८.००	
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	"			२,०१४.००	
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	"			२,०९७.००	
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	"			१,७८४.००	




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			मा.ब.			
			०७/०७/८८	०७/८/०७/९९	०७/९/०८/८८	
10	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	"			२,२७५.००	
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	"			२,८१४.००	
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	"			३,९२९.००	
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	"			४,२९७.००	
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	"			४,६९८.००	
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	"			१,६४६.४५	
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	"			१,९८७.७४	
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	"			२,०९८.१७	
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	"			२,०८०.००	
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	"			२,३२५.००	
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	"			२,४२८.००	
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	"			१,४८०.००	
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	"			१,७०६.००	
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	"			१,८०२.००	
15	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	"			२,०५५.००	
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	"			२,३४९.००	
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	"			२,४५९.००	
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	"			३,७६६.००	
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	"			४,०५९.००	
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	"			४,३३२.००	
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	"			४,६४८.४९	
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	"			६,०४३.४९	
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	"			६,४७७.९९	
18	Romba 3D Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	"			१,६९८.००	
	Romba 3D Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	"			१,७५२.००	
	Romba 3D Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	"			१,८३७.००	
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	"			१,७७४.६८	

[Handwritten signatures and marks]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रि.)			कैफियत
			आ.ब.			
			०७३०७८	०७८१०७९	०७९१०८०	
19	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	"			२,२४९.४९	
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	"			२,७९९.४९	
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,७४९.००	
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			२,०६०.००	
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			२,३३२.००	
21	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	"			१,७१०.००	
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	"			२,०२२.००	
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	"			२,३३३.००	
22	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,६१०.००	
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,७८३.००	
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,८४८.००	
23	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,४७९.००	
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,७४९.००	
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	"			१,८३४.००	
	Concrete Paving Tiles					
24	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.			१,३६९.००	
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			१,४०७.००	
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			१,७०९.००	
25	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			२,६२४.००	
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			२,९३८.२३	
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			३,२८२.०७	
26	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			१,४८९.००	
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	"			१,६९८.००	


क्र.सं.	विभिन्न सामग्रीहरूको विवरण	एकाई	मूल्य, (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			०७३७७३८	०७३८०७९	०७३९०८०	
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above (Specification Thickness: 40mm, Dimension 1200*800*40, Tolerance/others ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption < 0.5%)	"			१,८०३.००	
	Nostalgic Pavers Grey Color with compressive strength M35 or above Thickness: 60mm, Dimension 1140x960x60mm/ Pallet (NS Standard)	"			२,४०९.००	
27	Nostalgic Pavers Single Color with compressive strength M35 or above Thickness: 60mm, Dimension 1140x960x60mm/ Pallet (NS Standard)	"			२,७६९.००	
	Nostalgic Pavers Blended Color with compressive strength M35 or above Thickness: 60mm, Dimension 1140x960x60mm/ Pallet (NS Standard)	"			२,८४८.००	
	Grass Interlock Pavers Grey					
28	Grass Interlock Pavers Grey Color with compressive strength M40 or above Thickness: 80mm, Dimension 400x600x80mm (NS Standard)	ब.मी.			१,७४९.००	
	Concrete Kurb-STONES					
29	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	र.फि.			३६३.००	
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	"			४०९.००	
30	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	"			२९७.००	
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	"			३३०.००	
31	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	"			४६४.००	
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	"			४९३.००	
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	"			४४७.००	
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	"			४७७.००	
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मि.			१,७७४.००	
2	कल्ले टायलहरू					
2.1	छानामा छाउने					
	क) मोशनबाट उत्पादित टायल	गोटा	२९.००	२९.००	२९.००	
	ख) चिम्ली भट्टाको टायल	"	१८.९०	१८.९०	१८.९०	
	ग) मोशनबाट उत्पादित घुरी	"	३६.७५	३६.७५	३६.७५	
	घ) चिम्ली भट्टाको घुरी	"	२९.४०	२९.४०	२९.४०	
2.2	भुईँमा/ कौसीमा छाप्ने टायल:					
	क) मोशनबाट उत्पादित कल्ले टायल	गोटा	१२.६०	१२.६०	१२.६०	
	ख) चिम्ली भट्टाको कल्ले टायल	"	१२.६०	१२.६०	१२.६०	
3	ढुंगाको काम (Stone work)					
3.1	Rubble Stone					
	(क) ठुलो साइजको खानीको ढुंगा (Quarry stone)	घ.फि.	७९.३९	७९.३९	७९.३९	
	(ख) ठुलो साइजको खोलाको ढुंगा (River Stone)	"	७९.३९	७९.३९	७९.३९	
	(ग) स्थानीय ढुङ्गा (Av. Lead 500 m. सम्मको)	"	७२.९०	७२.९०	७२.९०	
	(घ) कौसी खोला (चहरे) को एकनासे गोला ढुङ्गा (River round Pavel)	"	११३.३०	११३.३०	११३.३०	
	ङ) Cube Stone(10cm*10cm*10cm)	गोटा	११०.००	११०.००	११०.००	
3.2	छापे ढुङ्गा (Flag stone)					
	क) १" सम्म बाक्लो सर्फेस ड्रेस गरेको छापे ढुङ्गा	व.फि.	८४.००	८४.००	८४.००	
	ख) १ १/२" सम्म बाक्लो " "	"	१००.००	१००.००	१००.००	
	ग) २" सम्म बाक्लो ढुङ्गा " "	व.फि.	११७.००	११७.००	११७.००	
	घ) २ १/२" सम्म बाक्लो ढुङ्गा " "	"	१२७.००	१२७.००	१२७.००	
	ङ) २ १/२" - ३" सम्म बाक्लो ढुङ्गा " "	"	१४४.००	१४४.००	१४४.००	

सि.नं.	विभिन्न सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.)		
			आ.ब.		
			०७७/०७८	०७८/०७९	०७९/०८०
	vi) कालोपथ सडक Pot hole टान्नको लागि प्रयोग गरिने Pre-coated Aggregate सामग्री	"	३०.००	३०.००	३५.००
	vii) कालोपथ सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	१७५.००	१७३.००	१८६.००
	b) Most Grade	"	१९०.००	१९०.००	२०६.००
	c) Glass beads	"	१५५.००	१५५.००	१६९.००
11	विभिन्न कम्पनीबाट उत्पादित सिमेन्टहरू				
11.1	नेपालबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट NS #49 (प्रति बोरा ५० के.जी.)	ब्याग	७५०.००	७५०.००	७७०.००
11.2	भारतबाट उत्पादित विभिन्न Brand ओ.पि.सि. सिमेन्ट (प्रति बोरा ५० के.जी.)	"	८३०.००	८३०.००	७८०.००
11.3	नेपालबाट उत्पादित विभिन्न Brand पि.पि.सि. सिमेन्ट NS #385 (प्रति बोरा ५० के.जी.)	"	६५०.००	६५०.००	६००.००
11.4	सेतो सिमेन्ट (40kg/bag)	"	१२८३.००	१,२८३.००	१,२३०.००
11.5	लोड अनलोड चार्ज	"	१३.००	१३.००	१३.००
12	Ready made Premix Concrete (Supplying laying all complete work)				
12.1	Panchakanya, MAW or equivalent				
	1. M10	घ. मि	१२५००.००	१२,५००.००	१३,६५०.००
	2. M 15	"	१३०००.००	१३,०००.००	१४,७००.००
	3. M 20	"	१४०००.००	१४,०००.००	१५,५२५.००
	4. M 25	"	१५०००.००	१५,०००.००	१६,२७५.००
	5. M 30	"	१७०००.००	१७,०००.००	१७,९९५.००
	6. M 35	"	१८३००.००	१८,३००.००	१८,३८२.००
	7. M 40	"	१८९००.००	१८,९००.००	१९,९५०.००
	8. M 45	"			२१,४५०.००
13	फलामको डण्डीहरू :				
	(क) विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	७७.६०	७८.७०	९९.००
	b) 10-20 mm dia	"	७५.६०	७६.००	९८.००
	c) 25-32 mm dia	"	७६.६०	७८.७५	९९.००
	(ख) विभिन्न साइजको TOR Steel				
	a) 8 mm dia	"	७५.६०	७५.६०	९४.००
	b) 10-20 mm dia	"	७३.६०	७३.६०	९१.००
	c) 25-32 mm dia	"	७५.६०	७५.६०	९१.००
	d) 32 mm dia	"	७६.६०	७६.६०	९४.००
	(ग) विभिन्न साइजका TOR Steel				
	a) 4.75, 7 mm dia	"	७७.६०	७७.६०	९९.००
	(घ) Binding Wire (डण्डी बाँध्नेतार)	"	९१.००	९१.००	१०६.००
14	विभिन्न किसिमका काठहरू				
14.1	काठ				
	(क) ३' देखि ८' सम्मको सालकाठ	घ. फि	६,०३४.७५	६,०३४.७५	६,०९०.००
	(ख) ८' देखि १२' सम्मको सालकाठ	"	६,३१२.५०	६,३१२.५०	६,४६२.००
	(ग) १२ फिट देखि माथिको साल काठ	"	६,६६६.००	६,६६६.००	६,९३०.००
	(घ) साज काठ	"	३,३८३.५०	३,३८३.५०	३,४९८.८४
	(ङ) जामुन काठ	"	२,१७१.५०	२,१७१.५०	२,२४८.३६
	(च) सल्लाको काठ	"	१,५६५.५०	१,५६५.५०	१,६२८.१२
	(छ) मिसौ काठ	"	३,५३५.००	३,५३५.००	३,६७६.४०
	(ज) जगदी मिसौ काठ	"	५,३२२.७०	५,३२२.७०	५,५३५.६९
	(झ) उर्तीस को काठ	"	६३९.२५	६३९.२५	६५६.५०
	(ञ) स्थानीय कुकाठ (फर्मा प्रयोजनको लागि Mixed wood)	घ. फि	१,२९५.००	१,२९५.००	१,३४६.८०
	(ट) काठ दाउरा	के.जी	१८.१८	१८.१८	१९.००

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			मा.ब.			
			०७३०७८	०७८१०७९	०७९१०८०	
14.2	कुँदिएको काठको काम तयारी					
	i) भन्याङ्गको रेलिङ तथा बार्दनी आदिमा कुँदिएको स्थानीय सीसो काठको हुस्का (2'-6"x3"x3")	गोटा	१,०९०.८०	१,०९०.८०	१,०९०.८०	
	ii) भन्याङ्गको रेलिङ तथा बार्दनी आदिमा कुँदिएको जंगली स्पेशल सीसो काठको हुस्का (2'-6"x3"x3")	"	१,२७२.६०	१,२७२.६०	१,३२३.४०	
	iii) भन्याङ्गको रेलिङ तथा बार्दनी आदिमा कुँदिएको सीसो काठको हेण्ड रेल (3"x4")	र.फि.	६८६.८०	६८६.८०	७१४.२७	
	iv) भन्याङ्गको रेलिङको घुम्ने ठाउँमा कुँदिएको सीसो काठको गोली हेण्ड रेल (3"x4")	गोटा	२,२७२.४०	२,२७२.४०	२,३६३.४०	
	v) देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	१३,६३४.००	१३,६३४.००	१३,६३४.००	
	vi) देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	"	२२,७२४.००	२२,७२४.००	२२,७२४.००	
	vii) विभिन्न बुझा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३,९८९.४०	३,९८९.४०	३,९८९.४०	
	viii) घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७,३४२.८०	७,३४२.८०	७,३४२.८०	
	ix) सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	१,३६३.४०	१,३६३.४०	१,३६३.४०	
	x) मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	"	१,६३६.२०	१,६३६.२०	१,६३६.२०	
	xi) विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहित	"	२,२७२.४०	२,२७२.४०	२,२७२.४०	
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	"	१,९९९.८०	१,९९९.८०	१,९९९.८०	
	xii) ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६३.६०	३६३.६०	३६३.६०	
	xiii) कुँदिएको विभिन्न बुझा राखी बनाएको साल काठको ४"x ५"को कार्नेस विम आदि तयारी गर्ने कार्य	"	१,६३६.२०	१,६३६.२०	१,६३६.२०	
	xiv) ४"x ५"को साल काठको नाग बुझा कुँदि तयारी गरी जडान गर्ने कार्य	"	१,७२७.९०	१,७२७.९०	१,७२७.९०	
15	Wooden Parquet Flooring					
	i)Shisam wood 150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००	
	ii)Wall panelling (with wood frame) sisam wood. (75mm*16mm)	"	४६०.००	४६०.००	४९९.००	
16	विभिन्न मोटाईको प्लाइउडहरू					
16.1	Commercial					
	(क) ३ मी.मी	व.फि.	३६.००	३६.००	३६.००	
	(ख) ३.५ मी.मी.	"	२६.००	२६.००	२६.००	
	(ग) ४ मी.मी	"	२६.००	२६.००	२६.००	
	(घ) ६ मी.मी	"	४३.००	४३.००	४३.००	
	(ङ) ८ मी.मी	"	४७.००	४७.००	४७.००	
	(च) १२ मी.मी	"	८०.००	८०.००	८०.००	
	(छ) १९ मी.मी B/B	"	१०७.००	१०७.००	१००.००	
	(ज) १८ मी.मी PLY	"	११०.००	११०.००	११०.००	
16.2	P/F. Water Proof					
	(क) ४ मी.मी	व.फि.	४२.००	४२.००	४२.००	
	(ख) ६ मी.मी	व.फि.	६७.००	६७.००	६४.००	
	(ग) ८ मी.मी.	"	६३.००	६३.००	६७.००	
	(घ) ९ मी.मी.	"	८९.००	८९.००	८९.००	
	(ङ) १२ मी.मी	"	९९.००	९९.००	९९.००	
	(च) १९ मी.मी PLY	"	११३.००	११३.००	११३.००	
	(ज) १९ मी.मी B/B	"	१३९.००	१३९/७०	१३९.००	

सि. नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. क. (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			०८/०८/०८	०८/०८/०९	०८/०८/१०	
16.3	Natural Teak Plywood					
	One side lamination					
	(क) ३ मी. मी	व. मि.	४०.४०	४०.४०	४१.००	
	(ख) ४ मी. मी (Group Match of in 3 pcs)	"	७२.४४	७२.४४	७४.००	
	४ मी. मी (Regular)	"	६१.००	६१.००	६४.००	
	४ मी. मी (Crown)	"	४४.१४	४४.१४	४६.००	
	४ मी. मी (Beri)	"	४१.४४	४१.४४	४३.००	
	४ मी. मी (Whitest line)	"	४०.९४	४०.९४	४२.००	
	४ मी. मी (Beach)	"	४८.३०	४८.३०	४९.००	
	४ मी. मी (Recon 18 No.)	"	३८.८४	३८.८४	३९.००	
	(ग) ६ मी. मी	"				
16.4	DECORATIVE (THICKER)					
	6 OST	व. मि.	१२६.००	१२६.००	१३४.००	
	6 BST	"	१६०.००	१६०.००	१७२.००	
	9 OST	"	१४०.००	१४०.००	१४०.००	
	9 BST	"	१७३.००	१७३.००	१८६.००	
	12 OST	"	१४३.००	१४३.००	१६४.००	
	12 BST	"	१८७.००	१८७.००	२०९.००	
	19 B.B OST	"	१६४.००	१६४.००	१७७.००	
	19 B.B BST	"	२००.००	२००.००	२१४.००	
	18 OST	"	१८७.००	१८७.००	२०९.००	
	18 BST	व. मि.	२२९.००	२२९.००	२३८.००	
17	Ready made Door			-	-	
17.1	38 mm th. Readymade solid core door shutter			-	-	
	Plain	व. मि.	२३३.००	२३३.००	२४४.००	
	One side teak	"	२६२.००	२६२.००	२७५.००	
	Both side teak	"	२९४.००	२९४.००	३०८.००	
	One side teak waterProof	"	२८६.००	२८६.००	३००.००	
	Both side teak waterProof	"	३१७.००	३१७.००	३३२.००	
17.2	30 to 32 mm th. Readymade solid core door shutter			-	-	
	Plain	व. मि.	१९०.००	१९०.००	१९९.००	
	One side teak	"	२१३.००	२१३.००	२२३.००	
	Both side teak	"	२३९.००	२३९.००	२४०.००	
	One side teak waterProof	"	२३३.००	२३३.००	२४४.००	
	Both side teak waterProof	"	२४८.००	२४८.००	२७०.००	
17.3	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)			-	-	
	Readymade door shutter Recon, ordinary (1 side teak)	व. मि.	१८३.००	१८३.००	१९०.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२४८.००	२४८.००	२४७.००	
	Readymade door shutter Recon, ordinary (1 side teak)	"	२०९.००	२०९.००	२१७.००	
	Readymade door shutter Recon, Special (1 side teak)	"	२८१.००	२८१.००	२९२.००	
17.4	Wooden Listy			-	-	
	1/2" wide	र. मि.	१४.००	१४.००	१४.००	
	3/4" wide	"	१८.००	१८.००	१८.००	
	1.5" wide	"	२९.००	२९.००	२९.००	
	Decorative	"	४०.००	४०.००	४०.००	
17.5	Infill Material Thai Gypsum, Shera or equivalent			-	-	
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	४३९.००	४३९.००	४३९.००	
	Frame U - Studs(0.55mm*0.75mm*3m)	"	४३९.००	४३९.००	४३९.००	
	Board 9 mm	"	२,४२४.००	२,४२४.००	२,४२४.००	
	Roofing Board 6mm (1.5mX.6m)	"	६९४.००	६९४.००	६९४.००	
	Fiber mess tape (for 90mm/roll)	"	३४०.००	३४०.००	३४०.००	
	PU sasuage rod	"	२,०३९.००	२,०३९.००	२,०३९.००	




श्र.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) माहेंक (र.) को दर (रु.)			वै.फि.यत
			०.००/०.००	०.००/०.००	०.००/०.००	
18	Prelaminated Particle Board			-	-	
18.1	Plain Particle Board (Exteriors Grade)			-	-	
	(क) ९ मी.मी	व.फि.	३०.००	३०.००	३०.००	
	(ख) १२ मी.मी	"	४३.००	४३.००	४३.००	
	(ग) १८ मी.मी	"	४४.००	४४.००	४४.००	
	(घ) २५ मी.मी	"	७४.००	७४.००	७४.००	
18.2	One side lamination Melaminated faced (Exteriors Grade)			-	-	
	(क) ९ मी.मी	व.फि.	७३.००	७३.००	७३.००	
	(ख) १२ मी.मी	"	८६.००	८६.००	८६.००	
	(ग) १८ मी.मी	"	१०२.००	१०२.००	१०२.००	
	(घ) २५ मी.मी	"	१३२.००	१३२.००	१३२.००	
18.3	Both side lamination Melaminated faced (Exteriors Grade)			-	-	
	(क) ९ मी.मी	व.फि.	८६.००	८६.००	८६.००	
	(ख) १२ मी.मी	"	९९.००	९९.००	९९.००	
	(ग) १८ मी.मी	"	११४.००	११४.००	११४.००	
	(घ) २५ मी.मी	"	१४४.००	१४४.००	१४४.००	
18.4	Plain Particle Board (Interiors Grade)			-	-	
	(क) ९ मी.मी	व.फि.	२८.००	२८.००	२८.००	
	(ख) १२ मी.मी	"	३२.००	३२.००	३२.००	
	(ग) १८ मी.मी	"	४८.००	४८.००	४८.००	
	(घ) २५ मी.मी	"	६१.००	६१.००	६१.००	
18.5	One side lamination Melaminated faced (Interiors Grade)			-	-	
	(क) ३ मी.मी	व.फि.	४२.००	४२.००	४२.००	
	(ख) ६ मी.मी	"	४९.००	४९.००	४९.००	
	(ग) ९ मी.मी	"	६८.००	६८.००	६८.००	
	(घ) १२ मी.मी	"	७३.००	७३.००	७३.००	
	(ङ) १८ मी.मी	"	८९.००	८९.००	८९.००	
	(च) २५ मी.मी	"	१११.००	१११.००	१११.००	
18.6	Both side lamination Melaminated faced (Interiors Grade)			-	-	
	(क) ३ मी.मी	व.फि.	४८.००	४८.००	४८.००	
	(ख) ६ मी.मी	"	६४.००	६४.००	६४.००	
	(ग) ९ मी.मी	"	७३.००	७३.००	७३.००	
18.7	One side lamination Melaminated faced (Interiors Grade)MDF			-	-	
	(क) ३ मी.मी	व.फि.	४८.००	४८.००	४८.००	
	(ख) ४ मी.मी	"	४४.००	४४.००	४४.००	
	(ग) ६ मी.मी	"	६८.००	६८.००	६८.००	
	(घ) ९ मी.मी	"	८८.००	८८.००	८८.००	
	(ङ) १२ मी.मी	"	९९.००	९९.००	९९.००	
	(च) १८ मी.मी	"	१२७.००	१२७.००	१२७.००	
	(छ) २५ मी.मी	"	१७६.००	१७६.००	१७६.००	
18.8	Both side lamination Melaminated faced (Interiors Grade)MDF Century & equivalent			-	-	
	(क) ३ मी.मी	व.फि.	४४.००	४४.००	४४.००	
	(ख) ४ मी.मी	"	६२.००	६२.००	६२.००	
	(ग) ६ मी.मी	"	७६.००	७६.००	७६.००	
	(घ) ९ मी.मी	"	९४.००	९४.००	९४.००	
	(ङ) १२ मी.मी	"	१०४.००	१०४.००	१०४.००	
	(च) १८ मी.मी	"	१३३.००	१३३.००	१३३.००	
	(छ) २५ मी.मी	"	१८०.००	१८०.००	१८०.००	
18.9	Alstone Hybrid Board (WPC Board) Century & equivalent			-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिटा)			कैफियत
			वा.ब.	०७७०७८	०७८०७९	
	१.५×१×१	"	२,००८.००	२,००८.००	२,००८.००	
	२.५×१×१	"	२,७९१.००	२,७९१.००	२,७९१.००	
	३.५×१×१	"	४,०९६.००	४,०९६.००	४,०९६.००	
	४.५×१×१	"	४,२७१.००	४,२७१.००	४,२७१.००	
	ग) MJG/10x12/3.0/3.9/2.4/ZN			-	-	
	३×२×०.५०	गोटा	४,६६२.००	४,६६२.००	४,६६२.००	
	४×२×०.५०	"	७,४४०.००	७,४४०.००	७,४४०.००	
	५×२×०.५०	"	९,२३८.००	९,२३८.००	९,२३८.००	
	६×२×०.५०	"	११,०२६.००	११,०२६.००	११,०२६.००	
	३×२×१	"	७,७४८.००	७,७४८.००	७,७४८.००	
	४×२×१	"	१०,१३२.००	१०,१३२.००	१०,१३२.००	
	५×२×१	"	१२,४९६.००	१२,४९६.००	१२,४९६.००	
	६×२×१	"	१४,९००.००	१४,९००.००	१४,९००.००	
	घ) MJG/10x12/2.7/3.4/2.2/ZN			-	-	
	३×२×०.५०	गोटा	४,७६९.००	४,७६९.००	४,७६९.००	
	४×२×०.५०	"	६,२७४.००	६,२७४.००	६,२७४.००	
	५×२×०.५०	"	७,७८१.००	७,७८१.००	७,७८१.००	
	६×२×०.५०	"	९,२८७.००	९,२८७.००	९,२८७.००	
	३×२×१	"	६,४२६.००	६,४२६.००	६,४२६.००	
	४×२×१	"	८,४३४.००	८,४३४.००	८,४३४.००	
	५×२×१	"	१०,४४२.००	१०,४४२.००	१०,४४२.००	
	६×२×१	"	१२,४४०.००	१२,४४०.००	१२,४४०.००	
	ङ) MRM/6x8/2.2/2.7/2.2/ZN			-	-	
	३×२×०.९७	गोटा	४,०९२.००	४,०९२.००	४,०९२.००	
	४×२×०.९७	"	४,९९८.००	४,९९८.००	४,९९८.००	
	५×२×०.९७	"	६,३६२.००	६,३६२.००	६,३६२.००	
	६×२×०.९७	"	७,४६८.००	७,४६८.००	७,४६८.००	

Handwritten signatures and initials:
 1. A signature that appears to read "Santana".
 2. A signature that appears to read "Raj".
 3. A signature that appears to read "Raj".
 4. A signature that appears to read "Raj".

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिटा)			कैफियत
			आ.ब.			
			०७७०७८	०७८०७९	०७९०८०	
	३×२×०.२३	"	४,३६६.००	४,३६६.००	४,३६६.००	
	४×२×०.२३	"	४,६४४.००	४,६४४.००	४,६४४.००	
	५×२×०.२३	"	६,९८६.००	६,९८६.००	६,९८६.००	
	६×२×०.२३	"	८,२९२.००	८,२९२.००	८,२९२.००	
	३×२×०.३०	"	४,७४९.००	४,७४९.००	४,७४९.००	
	४×२×०.३०	"	६,९९२.००	६,९९२.००	६,९९२.००	
	५×२×०.३०	"	७,४४६.००	७,४४६.००	७,४४६.००	
	६×२×०.३०	"	८,९४०.००	८,९४०.००	८,९४०.००	
	Note:			-	-	
	BG= Box Gabion			-	-	
	JG= Jumbo Gabion			-	-	
	RM= Reno Mattress			-	-	
	10x12/3.0/3.9/2.4/ZN = Mesh type/Mesh wire dia. mm/Selvedge wire dia.mm/Lacing wire dia.mm/Type of coating			-	-	
	ZN = Heavy galvanized			-	-	
	PVC = PVC coated			-	-	
23	Barbed Wire (कडितार)			-	-	
	12 guage commercial,Medium duty	के.जी	९७.३४	९७.३४	१००.००	
	U-hook for barbed wire fencing	गोटा	०.७४	०.७४	०.८२	
	Fabrication of chain link mesh of size			-	-	
	1"x1" 12 guage	व.मी.	६९७.००	६९७.००	८११.००	
	1.5"x1.5" 12 guage	"	६४२.००	६४२.००	७४९.००	
	2"x2" 10 guage	"	४९७.००	४९७.००	६०२.००	
	3"x3" 10 guage	"	४२३.००	४२३.००	४९२.००	
	4"x4" 10 guage	"	३३७.००	३३७.००	३९९.००	
24	सादा तथा रंगिन जस्ता पाता (Plain/Corrugated Galvanized/Colour Iron Sheet)			-	-	
	(क) सेतो सादा जस्तापाता (G P Sheet)			-	-	
	0.2 mm (30 guage light)	वण्डल	४,६९०.००	४,६९०.००	४,७८१.००	
	0.22 mm (30 guage Medium)	"	४,९३३.००	४,९३३.००	४,९३३.००	
	0.24 mm (30 guage Heavy)	"	४,४२२.००	४,४२२.००	४,४९२.००	
	0.26 mm (28 guage light)	"	४,८४९.००	४,८४९.००	४,८९०.००	
	0.28 mm (28 guage Medium)	"	६,९४९.००	६,९४९.००	६,२७७.००	
	0.31 mm (28 guage Heavy)	"	६,७७९.००	६,७७९.००	६,८६०.००	
	0.35 mm (26 guage light)	"	७,४२२.००	७,४२२.००	७,६०३.००	
	0.38 mm (26 guage Medium)	"	७,८८४.००	७,८८४.००	७,९७९.००	
	0.41 mm (26 guage Heavy)	"	८,७०८.००	८,७०८.००	८,७४३.००	
	0.45 mm (24 guage light)	"	९,४६०.००	९,४६०.००	९,४८४.००	
	0.50 mm (24 guage Medium)	"	१०,४६९.००	१०,४६९.००	१०,४६९.००	
	0.52 mm (24 guage Heavy)	"	१०,८४९.००	१०,८४९.००	१०,८४९.००	
	0.75 mm	"	१४,४९३.००	१४,४९३.००	१४,४९३.००	
	(ख) रंगिन जस्तापाता			-	-	
	0.2 mm (30 guage light)	वण्डल	४,७९६.००	४,७९६.००	६,०८४.००	
	0.22 mm (30 guage Medium)	"	६,९९४.००	६,९९४.००	६,४०४.००	
	0.24 mm (30 guage Heavy)	"	६,४८४.००	६,४८४.००	६,९९३.००	
	0.26 mm (28 guage light)	"	६,९७३.००	६,९७३.००	७,३२९.००	
	0.28 mm (28 guage Medium)	"	७,३३६.००	७,३३६.००	७,७०२.००	
	0.31 mm (28 guage Heavy)	"	७,९४६.००	७,९४६.००	८,३४३.००	
	0.35 mm (26 guage light)	"	८,८२३.००	८,८२३.००	९,२६४.००	
	0.38 mm (26 guage Medium)	"	९,२६४.००	९,२६४.००	९,७२८.००	
	0.41 mm (26 guage Heavy)	"	१०,९३३.००	१०,९३३.००	१०,६४९.००	
	0.45 mm (24 guage light)	"	१०,९९२.००	१०,९९२.००	११,४२७.००	
	0.50 mm (24 guage Medium)	"	११,९२०.००	११,९२०.००	१२,४२९.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			आ.ब.			
			०७७०७८	०७८०७९	०७९०८०	
	0.52 mm (24 guage Heavy)	"	१२,३४४.००	१२,३४४.००	१२,८३४.००	
	0.55 mm (24 guage Medium)	"	१२,९४७.००	१२,९४७.००	१३,८२२.००	
	0.75 mm	"	१७,३८९.००	१७,३८९.००	१८,०२६.००	
	(ग) ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता (CGI Sheet)			-	-	
	0.2 mm (30 guage light)	वण्डल	४,६९०.००	४,६९०.००	४,७८९.००	
	0.22 mm (30 guage Medium)	"	४,०८८.००	४,०८८.००	४,१८९.००	
	0.24 mm (30 guage Heavy)	"	४,४८७.००	४,४८७.००	४,४३६.००	
	0.26 mm (28 guage light)	"	४,७९६.००	४,७९६.००	४,८२९.००	
	0.28 mm (28 guage Medium)	"	६,९९४.००	६,९९४.००	६,२०९.००	
	0.31 mm (28 guage Heavy)	"	६,७२६.००	६,७२६.००	६,७९२.००	
	0.35 mm (26 guage light)	"	७,४७८.००	७,४७८.००	७,४४४.००	
	0.38 mm (26 guage Medium)	"	७,८४९.००	७,८४९.००	७,९२९.००	
	0.41 mm (26 guage Heavy)	"	८,६४४.००	८,६४४.००	८,६७४.००	
	0.45 mm (24 guage light)	"	९,४९६.००	९,४९६.००	९,४९७.००	
	0.50 mm (24 guage Medium)	"	१०,४९६.००	१०,४९६.००	१०,४९६.००	
	0.52 mm (24 guage Heavy)	"	१०,७८८.००	१०,७८८.००	१०,७३९.००	
	0.75 mm	"	१४,४९३.००	१४,४९३.००	१४,४०२.००	
	घ)जस्ता पाता को घुरी (Ridge Cover) Specified thickness are thickness of base metal.			-	-	
	0.20 mm	वण्डल	१,६०२.००	१,६०२.००	१,६३२.००	
	0.22 mm	"	१,७३४.००	१,७३४.००	१,७७९.००	
	0.24 mm	"	१,८६७.००	१,८६७.००	१,८९३.००	
	0.26 mm	"	१,९७३.००	१,९७३.००	१,९८४.००	
	0.28 mm	"	२,०८०.००	२,०८०.००	२,१२२.००	
	0.31 mm	"	२,२८३.००	२,२८३.००	२,३०४.००	
	0.35 mm	"	२,४३९.००	२,४३९.००	२,४४६.००	
	0.38 mm	"	२,६४४.००	२,६४४.००	२,६८९.००	
	0.41 mm	"	२,९२०.००	२,९२०.००	२,९३३.००	
	ङ) ४ फिट * ८ फिट को जि.आई. प्लेन सिट			-	-	
	1.1 mm	पिस	३,२७४.००	३,२७४.००	३,३९०.००	
	0.90 mm	"	२,७०८.००	२,७०८.००	२,७६९.००	
	0.80 mm	"	२,४४२.००	२,४४२.००	२,४७६.००	
	0.75 mm	"	२,२९२.००	२,२९२.००	२,३२७.००	
	0.70 mm	"	२,१४२.००	२,१४२.००	२,१६७.००	
	0.62 mm	"	१,९९२.००	१,९९२.००	१,९३९.००	
	0.55 mm	"	१,७९७.००	१,७९७.००	१,७४४.००	
	0.50 mm	"	१,४६६.००	१,४६६.००	१,४८६.००	
	0.48 mm	"	१,४९६.००	१,४९६.००	१,४२८.००	
	0.45 mm	"	१,४९६.००	१,४९६.००	१,४४८.००	
	0.40 mm	"	१,२७४.००	१,२७४.००	१,२९९.००	
	0.37 mm	"	१,१८६.००	१,१८६.००	१,२०९.००	
	0.35 mm	"	१,१३३.००	१,१३३.००	१,१४२.००	
	0.30 mm	"	९८२.००	९८२.००	१,०१४.००	
	0.28 mm	"	९२०.००	९२०.००	९४७.००	
	च)४ फिट * ८ फिट को रजिन प्लेन सिट			-	-	
	0.90 mm	पिस	२,९७३.००	२,९७३.००	३,०१२.००	
	0.80 mm	"	२,६९९.००	२,६९९.००	२,७२७.००	
	0.75 mm	"	२,४३९.००	२,४३९.००	२,६०१.००	
	0.70 mm	"	२,४३४.००	२,४३४.००	२,४७६.००	
	0.62 mm	"	२,१७७.००	२,१७७.००	२,२२४.००	
	0.55 mm	"	१,९४६.००	१,९४६.००	१,९४६.००	
	0.50 mm	"	१,७८८.००	१,७८८.००	१,८४७.००	
	0.48 mm	"	१,७०८.००	१,७०८.००	१,७४०.००	

श.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (र.) को दर (रु.)			कैफियत
			०७७७०७७	०७७७०७७	०७७७०७७	
"	Steel Structural (Light gauge) frame work for building (as 90mm X 38mm wide SS C C-channel , 0.55mm thick , weight per square feet 2 kg with fabrication rebot,screw erection fitting and assembly charges) all complete work Panchakanya or equivalent company	व.फि.	७७०.००	७७०.००	८४०.००	
29	Glass मीरा			-	-	
29.1	Plain सादा (सेतो)			-	-	
	(क) ३ मी मी	व.फि.	४०.४३	४०.४३	४२.००	
	(ख) ३.५ मी मी	व.फि.	४३.६८	४३.६८	४५.००	
	(ग) ४ मी मी	व.फि.	६६.९४	६६.९४	६९.००	
	(घ) ५ मी मी *	व.फि.	७३.२४	७३.२४	७५.००	
	(ङ) ६ मी मी *	व.फि.	१०३.००	१०३.००	१०६.००	
	(च) ८ मी मी *	व.फि.	१४४.४०	१४४.४०	१४९.००	
29.2	Printed Glass (बुट्टेदार मिसा)			-	-	
	(क) ३ मी मी	व.फि.	४९.८६	४९.८६	४५.००	
	(ख) ४ मी मी *	व.फि.	४८.३४	४८.३४	६०.००	
29.3	Poly Fibre Glass			-	-	
	(क) ६ मी मी	"	१४९.९४	१४९.९४	१६४.००	
29.4	Black Color Glass			-	-	
	(क) ३ मी मी	व.फि.	९८.८८	९८.८८	१०२.००	
	(ख) ४ मी मी	"	१०६.०९	१०६.०९	१०९.००	
	(ग) ५ मी मी	"	१२३.६०	१२३.६०	१२७.००	
	(घ) ६ मी मी	"	१८४.४०	१८४.४०	१७९.००	
	(ङ) ८ मी मी	"	२४७.४०	२४७.४०	२६९.००	
	(च) १० मी मी	"	३६०.४०	३६०.४०	३७३.००	
	(छ) १२ मी मी	"	४९२.००	४९२.००	४२६.००	
29.5	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने			-	-	
	(क) ५ मि मि बाक्लो	व.फि.	११९.४८	११९.४८	१२३.००	
29.6	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture			-	-	
	(क) ४ मी मी. बाक्लो	व.मि.	६,३८६.००	६,३८६.००	६,६९०.००	
29.7	विभिन्न रंगको Reflector Glass (शिशा)			-	-	
	५ मी मी मोटो	व.फि.	१८९.४२	१८९.४२	१९६.००	
	Note: ४ फिट * ८ फिट भन्दा बढी साइजको मिसा भएमा ४० % थप रकम लाग्ने छ ।			-	-	
30	Corrugated/Plain Fiber Glass Sheet			-	-	
	(क) ०.८ मी. मी. मोटो प्लेन	व.फि.	१३४.९६	१३४.९६	१३४.९६	
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१४९.३४	१४९.३४	१४९.३४	
	(ख) १.२ मी मी. मोटो प्लेन	"	१४९.३४	१४९.३४	१४९.३४	
	१.२ मी मी. मोटो कोरोगेटेड	"	१६७.८९	१६७.८९	१६७.८९	
	(ग) २ मी मी. मोटो प्लेन	"	२३८.९६	२३८.९६	२३८.९६	
	२ मी मी. मोटो कोरोगेटेड	"	२७८.१०	२७८.१०	२७८.१०	
	(घ) ३ मी. मी. मोटो प्लेन	"	३१६.२१	३१६.२१	३१६.२१	
	३ मी. मी. मोटो कोरोगेटेड	"	४०६.८४	४०६.८४	४०६.८४	
	(ङ) Fiber Glass छानाको लागि Alumunium strip (25 mm x 1.5 mm)	र.मि.	७४.९६	७४.९६	७४.९६	
	(च) Fiber Glass छानाको लागि Ribet nut	गोटा	८.२४	८.२४	८.२४	
31	भ्याल ढोकाका लाग्ने Fixture हरु			-	-	
	Iron बाट बनेका			-	-	
	Hinge (कम्प्या)			-	-	
	(क) ३" साइज	गोटा	१६.४०	१६.४०	१६.४०	
	(ख) ४" साइज	"	३०.८०	३०.८०	३०.८०	
	(ग) ५" साइज	"	४७.३०	४७.३०	४७.३०	
	(घ) ६" साइज	"	६९.६०	६९.६०	६९.६०	

[Handwritten signatures and marks]

सि.नं.	विभिन्न सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			आ.व.			
			०७७/०७८	०७८/०७९	०७९/०८०	
	(क) चूनि चुनबाट उत्पादित सेतो चुन	के.जि.	३५.००	३५.००	३७.१०	
	(ख) विभिन्न प्रकारको रंगिन चुन	"	४०.००	४०.००	४२.४०	
	(ग) विभिन्न प्रकारको भारीतय चुन रंगिन	"	४०.००	४०.००	४२.४०	
	(घ) सिमेन्ट पेन्ट (Cement Paints)	के.जि.	७४.००	७४.००	७४.००	
	(ङ) सिमेन्ट पाइमर सेतो	"	२७०.००	२७०.००	२८८.००	
	(च) लक पाइमर (Wood Primer)	लिटर	३७६.००	३७६.००	३८९.००	
	(छ) सामान्य सेन्थेटिक इनामेल पेन्ट	लिटर	५४४.००	५४४.००	५४२.००	
	(ज) नेपाल रेडको ग्याट फिनिशिंग	लिटर	५०६.००	५०६.००	५१२.००	
	(झ) कोरुगेटेड रफ Paint	"	५००.००	५००.००	५६५.००	
	(ञ) तयारी अल्मुनियम पेन्ट	"	५४६.००	५४६.००	५५५.००	
	(ट) तयारी बार्नेस	"	४४०.००	४४०.००	४५५.००	
	(ठ) तयारी बार्नेर सेन्थेटिक	"	३७५.००	३७५.००	३८१.००	
	(ड) भारीतय धिनर	"	१५०.००	१५०.००	२३८.००	
	(ढ) लक एण्ड ग्लास पुटिन	के.जी.	१३१.००	१३१.००	१३६.००	
	(ण) मेटल पुटिन	"	१५५.००	१५५.००	१६०.००	
	(त) चुन पेन्ट गर्ने राख्ने गम	"	२६७.००	२६७.००	२१०.००	
	(थ) नेपाली धिनर	लिटर	१५०.००	१५०.००	२२४.००	
	(द) तारपिन तेल	"	१५०.००	१५०.००	२२१.००	
	(ध) रेड अक्साइड पेन्ट (Red oxide Paint)	"	२७५.००	२७५.००	२७०.००	
	(न) लक पिज्जरभेटिव पेन्ट	"	३००.००	३००.००	२३६.००	
	(प) Black Japan Paint	"	२८६.००	२८६.००	४९६.००	
	(फ) राम तिलक	के.जि.	६०.००	६०.००	५७.००	
	(ब) गेरु रंग	के.जि.	१३७.००	१३७.००	१४१.००	
	(भ) चपा पालिस	के.जि.	१,१००.००	१,१००.००	१,३६४.००	
	(म) तयारी नासेनल डिस्टेम्पर (Asian, Berger or equivalent)	लि.	१७५.००	१७५.००	२३१.००	
	(य) तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लि.	५७०.००	५७०.००	५४४.००	
	(र) तयारी वेदरकोट पेन्ट (exterior)	लि.	६७०.००	६७०.००	६५२.००	
	(र) Road Marking Paint	"	५७९.००	५७९.००	५९९.००	
	(ल) लिनसिड आयल (linsed Oil)	"	२१५.००	२१५.००	२२१.००	
	(व) स्थानीय स्पीट	लि.	११८.००	११८.००	१२१.००	
	(स) मोबिकल/फेबिकल	के.जि.	३००.००	३००.००	२७१.००	
	(प) Tata Red Oxide Paint	"	२७५.००	२७५.००	३०२.५०	
	(ह) गह्रा चुन (ईण्डीयन)	"	३५.००	३५.००	३८.५०	
	(स) Wall putty equaivalent Asian, Berger & other company.	के.जि.	४०.००	४०.००	४०.००	
	(न) Plaster of Parish (POP)	के.जि.	२३.००	२३.००	२३.००	
	wood keeper (chapara type)	लि.	६००.००	६००.००	६६०.००	
	Redoxide zink cromate primer For Bridge	लि.	४६३.००	४६३.००	४७९.००	
	Silk Breathless easy	लि.	१,२१६.००	१,२१६.००	१,३१९.००	
	Road divider (polythene)	गोटा	१,६२२.००	१,६२२.००	१,७८०.००	
	Dust bin (polythene) 165 ltr	गोटा	३,०८३.००	३,०८३.००	३,३८२.००	
	Wall putty Epoxy flooring			-	-	
	wall plast wall putty (40kg)	व्याग	१,३०६.००	१,३०६.००	१,३८४.३६	
	Readymade Plaster of Parish cornice and molding			-	-	
	POP Molding 1" to 1½"	र.मि	२३८.००	२३८.००	२३८.००	
	Up to 5" wide	र.मि	२८५.००	२८५.००	२८५.००	
	Up to 8" wide	र.मि	३९३.००	३९३.००	३९३.००	
	Above 8" wide	र.मि	१६१.००	१६१.००	१६१.००	
	Plaster of paris	के.जि.	२३.००	२३.००	२३.००	
	Wall putty-Normal	के.जि.	३५.००	३५.००	३५.००	
	Wall putty-water proof	के.जि.	६०.००	६०.००	६०.००	
	2mm Epoxy Floor coating with Ultrafresh -OPD (4layer & 5 component	व.मी.	२,०८२.००	२,०८२.००	२,२०६.९२	
	2mm Epoxy Antistatic Floor coating for OT((4 layer & 9 component	"	३,६८८.००	३,६८८.००	३,९०९.२८	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) माहक (रु.) को दर (रिटा)			कैफियत
			मा.व.	मा.व.	मा.व.	
			०७३०७८	०७८०७९	०७९०८०	
	Acropreg W	"	६१९.००	६१९.००	६१९.००	
	Wall putty	के.मि.	३९.००	३९.००	३९.००	
37.3	Acro Texture ISO certified 9001-2008 (Silicone & Ceramic technology / All weather resistance / Fire retardant / Heat reflecting / Algae & Fungi resistant / Ultra violet resistant) for painting works			-	-	
1	Acro Spanezia maestro finishes texture			-	-	
1.1	Mediterrano texture	व.फि.	१२८.००	१२८.००	१२८.००	
1.2	Travertino texture	"	१९४.००	१९४.००	१९४.००	
1.3	Velvetino texture	"	१६७.००	१६७.००	१६७.००	
1.4	Gtione plaster and Colorato texture(Multicolour texture)	"	१३३.००	१३३.००	१३३.००	
1.5	Stucco veneziano texture	"	१४०.००	१४०.००	१४०.००	
1.6	Pearl skin texture	"	१२०.००	१२०.००	१२०.००	
1.7	Marmorino texture	"	१४६.००	१४६.००	१४६.००	
2	Acro texture			-	-	
2.1	Acro spray flat/Acro spray dews texture	व.फि.	७४.००	७४.००	७४.००	
2.2	Featherglow/Royal touch/Superfine/Ceratex texture	"	७४.००	७४.००	७४.००	
2.3	Rustic texture	"	९९.००	९९.००	९९.००	
2.4	Rockart texture	"	९३.००	९३.००	९३.००	
2.5	Graffiato texture	"	१०३.००	१०३.००	१०३.००	
2.6	Marmocastro texture	"	९०.००	९०.००	९०.००	
2.7	Marmoplast texture	"	९०.००	९०.००	९०.००	
2.8	Sabbia texture	"	११२.००	११२.००	११२.००	
2.9	Manhattan texture	"	११२.००	११२.००	११२.००	
2.10	Sandy stone texture	"	१४४.००	१४४.००	१४४.००	
2.11	Selva Granite texture	"	११६.००	११६.००	११६.००	
2.12	Elligance stone texture	"	१०७.००	१०७.००	१०७.००	
2.13	Granite tone texture	"	९८.००	९८.००	९८.००	
2.14	Romaart texture	"	१२४.००	१२४.००	१२४.००	
2.15	Insulplast texture	"	१३४.००	१३४.००	१३४.००	
3	Acro Bio-guard (Hospital Paint)	"	४४.००	४४.००	४४.००	
4	Acro Elastocarb(anti carbonisation paint)	"	३८.००	३८.००	३८.००	
1	EXTERIOR SURFACE WEATHERCOAT PAINTS			-	-	
	1.ACROGUARD 3X	व.फि.	२३.००	२३.००	२३.००	
	2. ACROGUARD	"	२१.००	२१.००	२१.००	
	3. ACROSHIELD	"	१७.००	१७.००	१७.००	
	4. ACROTEX MATT	"	३१.००	३१.००	३१.००	
2	INTERIOR SURFACE EMULSION PAINTS			-	-	
	1. ACROPEARL EMULSION PAINTS	व.फि.	२४.००	२४.००	२४.००	
	2. ACROSILK EMULSION PAINTS	"	२०.००	२०.००	२०.००	
	3. AQUALIN EMULSION PAINTS	"	१६.००	१६.००	१६.००	
	4. AQUALIN ACRYLIC WASHABLE DISTEMPER	"	११.००	११.००	११.००	
	5. ACRO GOLD ENAMEL PAINTS	"	१८.००	१८.००	१८.००	
	Expansion joint			-	-	
1	Horizontal Area fixing clips affixed aluminium joint covers VEDA FRANCE Series JDH 5.2.050 standard load.	र.मि.	१४,४४०.००	१४,४४०.००	१४,४४०.००	
2	Clips Affixed Mill Finish Aluminium for standard and seismic joint covers VEDA FRANCE CJV-180 Alu.	"	१२,८७४.००	१२,८७४.००	१२,८७४.००	
3	Extruded Aluminium Joint Covers VEDA FRANCE CJE- PF flat.	"	१४,९३४.००	१४,९३४.००	१४,९३४.००	
4	Folded Joint Covers VEDA France Series CJP a silver anodized coating.	"	१८,०२४.००	१८,०२४.००	१८,०२४.००	
5	Vertical Joints Standard and Seismic interior use VEDA FRANCE Series JDV 4.2	"	२४,७४०.००	२४,७४०.००	२४,७४०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. (VAT) बाहेक (रु.) को दर (रु.)			कैफियत
			आ.व.	०७७०७८	०७८०७९	
6	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.4 flat	"	१३,३९०.००	१३,३९०.००	१३,३९०.००	
7	Vertical Joints Exterior use VEDA FRANCE Series JDV 4.6 flat	"	१९,०४४.००	१९,०४४.००	१९,०४४.००	
8	Vertical Joints VEDA FRANCE Series JDV 4.10 / 4.12 flat	"	२८,८४०.००	२८,८४०.००	२८,८४०.००	
9	Suspended Ceiling Joints VEDA FRANCE Series JDV 4.14	"	१२,३६०.००	१२,३६०.००	१२,३६०.००	
10	Floor Joint VEDA FRANCE Series JDH 5.2 standard loads.	"	२१,११४.००	२१,११४.००	२१,११४.००	
11	Floor Joint VEDA FRANCE Series JDH 5.4 standard loads.	"	३३,४७४.००	३३,४७४.००	३३,४७४.००	
12	Floor Joint VEDA FRANCE Series JDH 5.8 standard loads.	"	३६,०४०.००	३६,०४०.००	३६,०४०.००	
13	Floor Joint VEDA FRANCE Series JDH 5.26 heavy loads.	"	३८,६२४.००	३८,६२४.००	३८,६२४.००	
14	CAR Park Joint VEDA FRANCE Series JDH 5.30 standard loads(15 to 35mm)	"	१६,४८०.००	१६,४८०.००	१६,४८०.००	
15	CAR Park Joint VEDA FRANCE Series JDH 5.32 standard loads (40 to 70mm)	"	३१,९३०.००	३१,९३०.००	३१,९३०.००	
16	BED Affixed Control Joints VEDA FRANCE Series JF 1700	"	१९,३१३.००	१९,३१३.००	१९,३१३.००	
17	BED Affixed Control Joints VEDA FRANCE Series JF LUXE 2700	"	२९,३४४.००	२९,३४४.००	२९,३४४.००	
18	BED Affixed Control Joints VEDA FRANCE Series JF Deco.	"	९,२७०.००	९,२७०.००	९,२७०.००	
19	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/1	"	१,४४४.००	१,४४४.००	१,४४४.००	
20	Adhesive Affixed Control Joints VEDA FRANCE Series JF 600/2	"	२,०६०.००	२,०६०.००	२,०६०.००	
21	Adhesive Affixed Control Joints VEDA FRANCE Series JF 1600	"	१४,४४०.००	१४,४४०.००	१४,४४०.००	
22	Stair Nosing VEDA France MDM VD 320/550/1010	"	९,७८४.००	९,७८४.००	९,७८४.००	
38	Wall Paper					
	Wall paper (10m.x 0.53m)	रोल	१,२३६.००	१,२३६.००	१,२३६.००	
	Fittings for wall paper	व.फि	७.००	७.००	७.००	
	White glue for wall paper	लि.	१०८.००	१०८.००	१०८.००	
39	Eradication of peepal & other plants					
	a) Stem up to 1" thickness	गोटा	-	-	-	
	b) Stem up to 1"-2" thickness	"	-	-	-	
	c) Stem up to 2"-3" thickness	"	-	-	-	
	d) Stem up to 3"-4" thickness	"	-	-	-	
40	Gypsum board					
	Supplying and fixing of Thai gypsum board application work					
40.1	i) फल्स सिलिङ गर्ने	व.फि	-	-	-	
	ii) Water resistant false ceiling	"	-	-	-	
	iii) Wall partition	"	११९.००	११९.००	११९.००	
	iv) Wall paneling	"	७९.००	७९.००	७९.००	
	v) Metalized polited laminated Board (MPL) board	"	७६.००	७६.००	७६.००	
	12.5mm thick Gypsum Board False ceiling including all necessary material	"	७०.००	७०.००	७०.००	
41	Calcium Silicate Board supplying & fitting all complete work					
41.1	RAMCO HILLUX Brand					
	6mm thick	व.फि	-	-	-	
	8mm thick	"	-	-	-	
	10mm thick	"	-	-	-	


[Handwritten signatures and marks]

श.सं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. (VAT) बाहेक (रु.) को दर (रेट)			कैफियत
			आ.ब.	०७९/०८०	०७९/०८०	
	12mm thick	"	-	-	-	
41.2	Cement flexy board False ceiling work		-	-	-	
	Ceiling work 6mm thick	व.मी.	-	-	-	
	Floring board 25mm*80*40	गोटा	-	-	-	
	Wooden Plank 8*150*3000mm	"	-	-	-	
	Skirting 8*50*300mm	"	-	-	-	
	Texture board 6mm*80*40	"	-	-	-	
	Solid infill wall 3"	व.मी.	-	-	-	
	Laminated safety glass 6.38mm	"	-	-	-	
	Structure glazing with laminated safety glass 6.38	"	-	-	-	
41.3	Solid Infill wall (Shera, Everest or Thal Gypsum or equivalent		-	-	-	
	Solid infill wall 3" with EPS AND Foam concrete	व.मी.	३,७९३.००	३,७९३.००	३,७९३.००	
41.4	Solid Infill wall (Chinese or equivalent)		-	-	-	
	Solid infill wall 3"	व.मी.	१,७७०.००	१,७७०.००	१,७७०.००	
41.5	Solid Infill wall WITH TWO SIDE .5MM MS plate, powder quoted infill with high presurred Polyrethen with 40 kg+2 kg/cu mtr		-	-	-	
	Solid infill wall 50mm	व.मी.	३,२८८.००	३,२८८.००	३,२८८.००	
42	Interlocking Cement Concrete Block(Not less than M20 RCC Block)		-	-	-	
	a) Curb stone (M 25)	र.मि.	१,२००.००	१,२००.००	१,२००.००	
	25 mm thick C.C. Tile (Grey color)		-	-	-	
	Burfi , Round , Bobby Checker	व.फि.	४४.९०	४४.९०	४४.९०	
	25 mm thick C.C. Tile (Red color)		-	-	-	
	Burfi , Round , Bobby Checker	व.फि.	४६.२०	४६.२०	४६.२०	
	50 mm thick CC Block (Grey color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि.	५३.५५	५३.५५	५३.५५	
	50 mm thick CC Block (Red color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि.	५४.६०	५४.६०	५४.६०	
	60 mm thick CC Block (Grey color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि.	५५.६५	५५.६५	५५.६५	
	60 mm thick CC Block (Red color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि.	५७.७५	५७.७५	५७.७५	
	70 mm thick CC Block (Red color)		-	-	-	
	Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि.	६४.०५	६४.०५	६४.०५	
	60 mm thick CC Block (Ocm or equivalent)		-	-	-	
	Brick type (23*11*6cm)non colour	गोटा	१०.५०	१०.५०	१०.५०	
	Hexagon (22*22 cm) non colour	"	२४.९५	२४.९५	२४.९५	
	Hexagon (22*22 cm) colour	"	२६.२५	२६.२५	२६.२५	
	Squire paver (30*30*4.5cm)non colour	"	३३.६०	३३.६०	३३.६०	
	Squire paver (30*30*4.5cm)colour	"	३५.७०	३५.७०	३५.७०	
	inter block(24*13*6cm)	"	१४.७०	१४.७०	१४.७०	
	Isave paver (20*16*6cm)	"	१६.८०	१६.८०	१६.८०	
	supply of concrete Block different items United concrete or other Equivaient		-	-	-	
	Hollow Block (16*8*6")	गोटा	८१.९०	८१.९०	८१.९०	
	Hollow Block (16*8*4")	"	७२.४५	७२.४५	७२.४५	
	Corner Hollow Block (16*8*6")	"	९३.४५	९३.४५	९३.४५	
	Lintel Block (16*8*6")	"	९३.४५	९३.४५	९३.४५	
	Pavers Block (fish or other shape) 60mm thick	"	२९.००	२९.००	२९.००	
	concrete Brick (9*4*2.5")	"	१३.६५	१३.६५	१३.६५	
43	छानामा टाइलको बृद्धा काटने र पानी पट्टी कार्य		-	-	-	



क्र.सं.	विवरण सामग्रीहरूको विवरण	एकक	मूल्य, (VAT) बटिक (रु.) को दर (रु.)			टिप्पणी
			मूल्य	बटिक	टोटल	
8	UPVC Sliding Door without net (frame 60*60 mm, rash 88*42 mm, white colour with brown double glass)	"	१०,८२२.००	१०,८२२.००	१०,८२२.००	
9	Supply & fixing of 80*50 mm white colour casement window	"	१,१११.००	१,१११.००	१,१११.००	
46	Prefab Panel for wall Partition solid wall panel (1 SWP) or Equivalent					
46.1	Supply and erection of different mm th. cement base prefabricated Shera, that gypsum, everest solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partition wall all complete					
	a) 40 mm thick	व.फि.	-	-	-	
	b) 50 mm thick	"	२१९.००	२१९.००	२१९.००	
	c) 75 mm thick	"	३०२.००	३०२.००	३०२.००	
46.2	False ceiling/ partition/ external cladding of everest or equivalent fibre designer board					
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि.	९३.००	९३.००	९३.००	
	Supplying, making, fixing of 70mm thick exterior with full height of partition with everest fibre cement board	"	२३९.००	२३९.००	२३९.००	
	Supplying, making, fixing of 66mm thick exterior with full height of partition with everest fibre cement board	"	२४४.००	२४४.००	२४४.००	
	Supplying, making, fixing of 91mm thick exterior with full height of partition with everest fibre cement board	"	३११.००	३११.००	३११.००	
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	"	२३४.००	२३४.००	२३४.००	
	Supplying, making, fixing of 50mm thick full height of partition with everest RAPICON wall panels	"	२१३.००	२१३.००	२१३.००	
	Supplying, making, fixing of 75mm thick full height of partition with everest RAPICON wall panels	"	२८८.००	२८८.००	२८८.००	
46.3	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	"	-	-	-	
46.4	Cement board Aerocon C Board CK Birala, Everest or equivalent					
	6 mm thick	"	३४.००	३४.००	३४.००	
	8 mm thick	"	४२.००	४२.००	४२.००	
	10 mm thick	"	४३.००	४३.००	४३.००	
	12 mm thick	"	६४.००	६४.००	६४.००	
46.5	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire					
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि.	३९३.००	३९३.००	३९३.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	"	४२४.००	४२४.००	४२४.००	
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	"	४२४.००	४२४.००	४२४.००	
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	"	११२.००	११२.००	११२.००	
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent					
	50 mm thick	"	२६३.००	२६३.००	२६३.००	
	75 mm thick	"	३४७.००	३४७.००	३४७.००	
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	"	२८२.००	२८२.००	२८२.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			मा.ब.			
			०७७०७८	०७८१०७९	०७९१०८०	
	दुई/तीन पैनल भएको स्टाइलड भ्याल (८४X४०X१ २० मी मी) शिशा ५ मी मी जाली बापा समेत भएको ।	"	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनल भएको स्टाइलड भ्याल फिक्स भेन्टीलेसन भएको (८४X४०X१ २० मी मी) शिशा ५ मी मी सहित (सादा)	"	५७५.०१	५७५.०१	५७५.०१	
	दुई/तीन पैनल भएको स्टाइलड भ्याल फिक्स भेन्टीलेसन भएको (८४X४०X१ २० मी मी) शिशा ५ मी मी जाली बापा सहित भएको ।	"	५२१.९६	५२१.९६	५२१.९६	
	102 series windows			-	-	
	Providing and fixing of aluminium windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X4'6" or 27 sqft / window)	ब.फि	५५२.७३	५५२.७३	५५२.७३	
	Providing and fixing of aluminium windows with top fixed glass of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass without fly mesh shutter (window size 6'X5' or avg area 30 sqft/ window)	"	६३१.२४	६३१.२४	६३१.२४	
	Providing and fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear glass	"	४६४.६७	४६४.६७	४६४.६७	
	Providing and fixing of aluminium fix windows of section (102 series) 1.2 mm th. Fitted with 5 mm clear fly mesh (size 2'X4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	90 series windows			-	-	
	Providing and fixing sliding windows of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	५१९.८४	५१९.८४	५१९.८४	
	Providing and fixing sliding window with top fix glass of section 90 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	५४८.४९	५४८.४९	५४८.४९	
	Providing and fixing aluminium fix windows of section 90 series 1.2 th. Fitted with 5 mm clear glass	"	४३६.०३	४३६.०३	४३६.०३	
	Providing and fixing flymesh shutter of section 90 series 1 th. Fitted withss flymesh (2'4'6")	"	१४८.५३	१४८.५३	१४८.५३	
	78 series windows			-	-	
	Providing and fixing sliding windows of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'4'6" or avg area 27 sqft per window)	"	४५६.१९	४५६.१९	४५६.१९	
	Providing and fixing sliding window with top fix glass of section 78 series 1.2 mm th. Fitted with 5 m clear glass without fly mesh shutter (window size 6'5' or avg area 30 sqft per window)	"	४८६.९५	४८६.९५	४८६.९५	
	Providing and fixing aluminium fix windows of section 78 series 1.2 th. Fitted with 5 mm clear glass	"	४०८.४५	४०८.४५	४०८.४५	
	Providing and fixing flymesh shutter of section 78 series 1 th. Fitted with SS flymesh (2'4'6")	"	१३४.७३	१३४.७३	१३४.७३	
	Casement window and doors			-	-	
	Providing and fixing aluminium casement windows of section 38 series 1.2 mm th. Fitted with 5 mm clear glass avg. area of each shutter 6.sq.ft	"	४३४.६९	४३४.६९	४३४.६९	
	Providing and fixing aluminium casement doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	४८०.३१	४८०.३१	४८०.३१	
	Providing and fixing swing doors of section 102 series 1.2 mm th. Fitted with 5 mm clear glass	"	७३८.३९	७३८.३९	७३८.३९	
	Partation work			-	-	
	Providing and fixing aluminum full height partation of section 64 series 1.1 mm th. Fitted with 5 mm clear glass & 9 mm BSL board av. Panel area 10 sqft	"	३४९.०४	३४९.०४	३४९.०४	





क्र.सं.	विभिन्न सामग्रीहरूको विवरण	एकाई	मु.भ.क. (VAT) माहिक (रु.) को दर (रु.)			टिप्पणी
			०९९०००	०९९०००	०९९०००	
4.2	Liquid Concrete Hardener & Dust Proofer	"	४४०.००	४४०.००	४४०.००	
4.3	Anti Bacterial Floor & Wall Coating [Epoxy]	"	२४००.००	२४००.००	२,४००.००	
4.4	Anti Bacterial Floor & Wall Coating [Polyurethane]	"	१,०००.००	१,०००.००	१,०००.००	
4.5	Anti bacterial Floor & Wall Coating [Acrylic]	"	२,०००.००	२,०००.००	२,०००.००	
4.6	Self Levelling Flooring System [Epoxy]	"	१,१३०.००	१,१३०.००	१,१३०.००	
4.7	Self Levelling Flooring System [Polyurethane]	"	१,५३०.००	१,५३०.००	१,५३०.००	
4.8	Self Levelling Cementitious Flooring System	"	१२१.००	१२१.००	१२१.००	
5	ENGINEERING GROUTS					
5.1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जि.	११०.००	११०.००	११०.००	
5.2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	"	१२४.००	१२४.००	१२४.००	
5.3	Hard wearing cementitious tile grout	"	११०.००	११०.००	११०.००	
5.4	Hard wearing epoxy based tile grout	"	१,०००.००	१,०००.००	१,०००.००	
5.5	Super Plasticizer, Shrinkage Compensating Grout Admixture	"	४००.००	४००.००	४००.००	
5.6	High Strength Precision Grade, Non Shrink Structural Epoxy AnchorgROUT	"	२,४००.००	२,४००.००	२,४००.००	
5.7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Mi Cartridge]	मि.जि.	४,४००.००	४,४००.००	४,४००.००	
5.8	Low Viscosity Injection Epoxy Grout	के.जि.	३,४००.००	३,४००.००	३,४००.००	
5.9	Low Viscosity Polyurethane Injection Grout Dose : 231 cubic inchec per gallon	"	१२,४००.००	१२,४००.००	१२,४००.००	
5.10	Low Viscosity Acrylate Gel Injection Grout	"	८,४००.००	८,४००.००	८,४००.००	
5.11	Low Viscosity Soil Stabilization Injection Grout	"	१४,०००.००	१४,०००.००	१४,०००.००	
6	BONDING ADHESIVES (Polymer & Epoxy Resin)					
6.1	Acrylic Bonding Agent For Concrete & Mortar	के.जि.	७४०.००	७४०.००	७४०.००	
6.2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	"	९४०.००	९४०.००	९४०.००	
6.3	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification & Bonding Adhesive	"	१,२००.००	१,२००.००	१,२००.००	
6.4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	"	१,८००.००	१,८००.००	१,८००.००	
7	FIBERS (Steel & Polypropylene)					
7.1	FIBERMESH MF [Monofilament PP Fibers]	के.जि.	१,२००.००	१,२००.००	१,२००.००	
7.2	FIBERMESH FB [Collated PP Fibers]	"	१,४००.००	१,४००.००	१,४००.००	
7.3	FIBERMESH MACRO [Structural PP Fibers]	"	२,०००.००	२,०००.००	२,०००.००	
7.4	Loose steel Fibers	"	२४०.००	२४०.००	२४०.००	
7.5	Glued Steel Fibers	"	३४०.००	३४०.००	३४०.००	
7.6	Crimped Steel Fibers	"	२४०.००	२४०.००	२४०.००	
8	SURFACE TREATMENT					
8.1	Protective, Decorative Anti Carbonation Coating	के.जि.	१,२००.००	१,२००.००	१,२००.००	
8.2	Protective, Decorative Insulating Anti Carbonation Coating	"	१,३४०.००	१,३४०.००	१,३४०.००	
8.3	Concrete Penetrating Corrosion Inhibitor	"	४,४००.००	४,४००.००	४,४००.००	
8.4	Protective Acrylic Sealer	"	१,४००.००	१,४००.००	१,४००.००	
8.5	Protective Polyurethane Sealer	"	१,८००.००	१,८००.००	१,८००.००	
8.6	Water Based Fire Retardant Coating	"	१,४००.००	१,४००.००	१,४००.००	
8.7	High Performance Water Repellent Paint	लि.	१०,०९८.००	१०,०९८.००	१०,०९८.००	
8.8	Concentrated & Emulsified Chemical Mould Release Agent	"	४००.००	४००.००	४००.००	
8.9	Ready to use Chemical Mould Release Agent	"	४००.००	४००.००	४००.००	
8.10	Concrete Curing Aid	के.जि.	४४०.००	४४०.००	४४०.००	
8.11	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	"	७१४.००	७१४.००	७१४.००	
	CONCRETE REPAIRS					
9	Rust Remover & Passivator	लि.	१,०००.००	१,०००.००	१,०००.००	
9.1	Corrosion Inhibitor	के.जि.	१,२००.००	१,२००.००	१,२००.००	
9.2	Micro Concrete [M55] for Permanent Repairs	"	१४०.००	१४०.००	१४०.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रु.) आ.व.			कैफियत
			०७३१०७८	०७८१०७९	०७९१०८०	
9.3	Single Component Polymer Modified Cementitious Repair Mortar	"	१७५.००	१७५.००	१७५.००	
9.4	Two Component Polymer Modified Cementitious Repair Mortar	"	२५०.००	२५०.००	२५०.००	
9.5	Cementitious, Waterproof Crack Repair Mortar	"	२००.००	२००.००	२००.००	
9.6	Acrylic Based Crack Filling Putty	"	१,२००.००	१,२००.००	१,२००.००	
9.7	Resin, Polycoboxylate Base For ultra High Strenth Concrete Repairing Dose : Admixture 10% By Wt of Cement	"	७१४.००	७१४.००	७१४.००	
	PREPACKED MORTARS					
10	Tile, Mabrrle, Granite etc. Adhesive	के.जि.	८५.००	८५.००	८५.००	
10.1	Marble & Granite etc. Adhesive	"	३५०.००	३५०.००	३५०.००	
10.2	Coarse and water resistant Readymix plastering Mortar	"	८५.००	८५.००	८५.००	
10.3	High Performanance Polymer Based Wall Putty (Skim Coat)	"	८५.००	८५.००	८५.००	
10.4	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	"	९०.००	९०.००	९०.००	
10.5	WATERPROOFING SYSTEMS					
11	INTEGRAL					
	Integral Waterproofing Additive for Concrete & Plaster	के.जि.	२७५.००	२७५.००	२७५.००	
11.1	Silica Cement Admixture / Microsilica / Silica Fume	"	३२९.००	३२९.००	३२९.००	
11.2	LIQUID APPLIED					
	Single Pack Polymer Modified Flexible Waterproof Coating System Dose :Cover Area 30 Sq ft- 45 Sq ft/Kg 2 coat	के.जि.	७००.००	७००.००	७००.००	
11.3	Two Component Polymer Modified Flexible Acrylic Elastomeric Waterproof Coating System Dose :cover Area :5 Sqft- 7 Sqft/Kg 2 coats	"	५००.००	५००.००	५००.००	
11.4	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose :consumption: 1.5 kg/m2	"	७५०.००	७५०.००	७५०.००	
11.5	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose :cover area: 6 sqft/litre 3 coat	लि.	८५०.००	८५०.००	८५०.००	
11.6	Arcylic elastomeric exterior water proof coating for exterior wall Dose :35 sqft/litre 2 coat	"	७५०.००	७५०.००	७५०.००	
11.5	Crystalline Based Waterproofing Systems	के.जि.	३५०.००	३५०.००	३५०.००	
11.6	Fast Setting Plugging Compound for stopping running water	"	४००.००	४००.००	४००.००	
11.7	Polyurethane based Waterproofing Coating System	"	१,६५०.००	१,६५०.००	१,६५०.००	
11.8	Polymer Modified Bitumen based Waterproofing Coating System	"	१,२५०.००	१,२५०.००	१,२५०.००	
11.9	Epoxy Resin based Waterproofing Coating System	"	१,६८३.००	१,६८३.००	१,६८३.००	
11.10	Efflorescence Resistance Penetrating Primer Dose :Cover Area: 80 Sq ft /lt 1 coat	"	६००.००	६००.००	६००.००	
	PREFORMED					
	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	व.मि.	१,८००.००	१,८००.००	१,८००.००	
11.12	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	"	२,०००.००	२,०००.००	२,०००.००	
11.13	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	"	१,०५०.००	१,०५०.००	१,०५०.००	
11.14	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	"	१,५००.००	१,५००.००	१,५००.००	
11.15	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	"	१,५००.००	१,५००.००	१,५००.००	
11.16	1.2 mm High Polymer PVC Membranes	"	२,०००.००	२,०००.००	२,०००.००	
11.17	PVC Adhesive	के.जि.	२,५००.००	२,५००.००	२,५००.००	
11.18	1.2 mm EPDM Membranes	व.मि.	२,५००.००	२,५००.००	२,५००.००	
11.19	EPDM Adhesive	के.जि.	२,५००.००	२,५००.००	२,५००.००	
11.20	EPDM Primer	"	३,०००.००	३,०००.००	३,०००.००	
11.21	2mm TPO Membranes	व.मि.	३,५००.००	३,५००.००	३,५००.००	

Sanjams 10/9

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	गु.भ.क. (VAT) माहौक (रु.) को दर (रु.)			कैफियत
			गु.भ.क.	मा.भ.	कैफियत	
11.22	Polythene & Polypropylene Polymer Compound Waterproof Membrane	"	६००.००	६००.००	६००.००	
11.23	100% Synthetic Rubber Roof Coating	के.जि.	४,४००.००	४,४००.००	४,४००.००	
	SPECIALTY					
12	Antistripping Agent for Bitumen	के.जि.	४४०.००	४४०.००	४४०.००	
12.1	Anti Termite [Imidacloprid 30.5%]	"	१२,०००.००	१२,०००.००	१२,०००.००	
12.2	Expanding Concrete Joint WATERSTOP	र.मी.	२,४००.००	२,४००.००	२,४००.००	
12.3	WB ADHESIVE Primer for Expanding Waterstop	"	७,४००.००	७,४००.००	७,४००.००	
12.4	Swellable WATERSTOP	"	२,४००.००	२,४००.००	२,४००.००	
12.5	SEALGUARD PVC WATERSTOP - PVC Waterstops	"	२,४००.००	२,४००.००	२,४००.००	
12.6	Nodular Drain with Geotextile Roof Garden	व.मि.	२,४००.००	२,४००.००	२,४००.००	
12.7	SEALGUARD GEOTEX [P] -Polyester Geotextile	"	११०.००	११०.००	११०.००	
12.8	THERMOSEAL XPS - Extruded Polystyrene Boards [25 mm]	"	१,६००.००	१,६००.००	१,६००.००	
12.9				-	-	
	THERMOSEAL XPS - Extruded Polystyrene Boards [40 mm]	व.मि.	३,०००.००	३,०००.००	३,०००.००	
13	STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING			-	-	
13.1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र.मी.	६,४००.००	६,४००.००	६,४००.००	
13.2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	"	१०,०००.००	१०,०००.००	१०,०००.००	
13.3	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 200 GSM	व.मि.	६,०००.००	६,०००.००	६,०००.००	
13.4	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 400 GSM	"	१२,०००.००	१२,०००.००	१२,०००.००	
13.5	FRP [Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 600	"	१६,०००.००	१६,०००.००	१६,०००.००	
13.6	FRP [Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	"	१२,०००.००	१२,०००.००	१२,०००.००	
13.7	EPOXY PRIMER	के.जि.	३,४००.००	३,४००.००	३,४००.००	
13.8	SATURANT	"	३,४००.००	३,४००.००	३,४००.००	
13.9	LAMINATE ADHESIVE	"	२,४००.००	२,४००.००	२,४००.००	
13.11	EPOXY TOPCOAT	"	३,४००.००	३,४००.००	३,४००.००	
13.12	POLYURETHANE TOPCOAT	"	४,४००.००	४,४००.००	४,४००.००	
13.13	Fiber anchor system 5to 10 mm	र.मी.	२,४००.००	२,४००.००	२,४००.००	
13.14	Carbon Laminate [50 mm Wide 2 mm Thick]	"	१०,०००.००	१०,०००.००	१०,०००.००	
13.15	Carbon Laminate [75 mm Wide 2 mm Thick]	"	१२,०००.००	१२,०००.००	१२,०००.००	
14	Soil Stabiliser / Admixture			-	-	
14.1	Resin, sulfate resistant, admixture for medium strength concrete and for mud road / gravel road / eco brick tiles, hollow blocks production Dose :0.25 to0.4 % by wt of cement	के.जि.	६६३.००	६६३.००	६६३.००	
15	Concrete curing compound			-	-	
15.10	Concrete Curing Aid	के.जि.	४४३.००	४४३.००	४४३.००	
15.20	Resin,silica based multi function, water proofing and curing compound Dose :cover area: 0.15kg/m2	"	७२१.००	७२१.००	७२१.००	
50	परम्परागत निर्माण सामग्रीहरू :-					
	१) दधि अषा ठूलो ८"×२-३/८"×४"	गोटा	२७.००	२७.००	४४.००	भ.न.पा.
	२) दधि अषा सानो ८३/८"×२-१/८"×४-१/४"	"	२९.००	२९.००	३२.००	भ.न.पा.
	३) दधिअषा ठूलोको कु	"	३८.००	३८.००	६०.००	भ.न.पा.
	४) दधिअषा सानोको कु अषा	"	४०.००	४०.००	४४.००	भ.न.पा.
	५) मा अषा ठूलो ८-७/८"×२-१/४"×४-३/४"	"	२२.००	२२.००	३५.००	भ.न.पा.
	६) मा अषा ठूलो 241x60x158 mm	"	२५.००	२५.००	२५.००	
	७) मा अषा सानो ८-३/८"×२"×४"	"	२२.००	२२.००	२३.००	भ.न.पा.
	८) धुरी चाड ठूलो ९-३/८"×१-१/२"×३/४"	"	८४.००	८४.००	८४.००	
	९) धुरी 230x295x25 mm	"		-	-	
	१०) धुरी चाड सानो	"	२५.००	२५.००	३५.००	भ.न.पा.

Intam
10/12/20
[Signature]
[Signature]
[Signature]

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			मा.ब.	मा.ब.	मा.ब.	
	ix) Φ 13 mm Bulldog grip	"	७२.००	७२.००	७२.६९	
	x) Φ 26 mm Bulldog grip	"	३६९.००	३६९.००	६८९.४२	
	xi) Φ 32 mm Bulldog grip	"	४४९.००	४४९.००	४८३.७४	
	xii) Φ 36 mm Bulldog grip	"	६७०.००	६७०.००	७२२.९३	
	xiii) Φ 40 mm Bulldog grip	"	६७०.००	६७०.००	७२२.९३	
	xiv) Steel wire Rope (Right hand ordinary lay, WSC wire strand core, Tensile strength of wire 1570 N/mm ² , Performed, 'A' Heavy Galvanized coating Nondrying lubrication oil and prestretched			-	-	
	xv) Wire mesh netting	व.मि.	४९२.००	४९२.००	४४७.००	
	xvi) Sign Board with Fittings (Size - 60cm X 90cm)	पिस	६,६९४.००	६,६९४.००	७,२२३.००	
	xvii) Bolts, Nuts & Washers (Galvanised 4.6 grade)	के.जि.	२४८.००	२४८.००	२७८.३८	
	xvii) Bolts, Nuts & Washers (Hotdip friction Grip)	"	३६९.००	३६९.००	३८९.४२	
	High tensile friction grip nut bolts	"	३३४.००	३३४.००	३६९.४७	
	Galvanization			-	-	
	Zinc Above 98.5% purity	के.जि.	३०९.००	३०९.००	३३३.४९	
	Premix of Zinc amonium chloride	"	४९४.००	४९४.००	६४२.०९	
	Hydraucloric acid	लि.	४९.००	४९.००	४४.२४	
53	Concrete Post (Size 4"X4")			-	-	
	Length 7'	गोटा	८८२.७४	८८२.७४	९४९.९८	
	Length 5'	"	४४९.३७	४४९.३७	४७०.४९	
	Length 3'	"	२२९.९९	२२९.९९	२३४.८३	
54	Sheet piling work : Providing, preparing and installing of piling of ms pipe and sheets false work including necessary supports and removing after completion for foundation, basement and shear wall	व.मि.	३,०००.००	३,०००.००	३,९९८.६०	
55	Readymade RCC Door & windows frame (4"X2.75" of 1:1:1 concrete mix design safety plate all complete work.	र.फि.	२३४.३२	२३४.३२	२४९.८३	
	" Ventilation	"	२३४.३२	२३४.३२	४९९.६६	
	" Arc frame semi circular	"	४६८.६४	४६८.६४	४६८.६४	
56	EPS (Expanded Polystyrene) and cement based light weight Sandwich Panel with 4.5mm thick Calcium Silicate board (Non-Asbestos) as face board (Size : 2270*610mm)			-	-	
	a) 50 mm thick	व.फि.	९८०.००	९८०.००	९८०.००	
	b) 60 mm thick	"	२४४.००	२४४.००	२४४.००	
	c) 75 mm thick	"	३००.००	३००.००	३००.००	
	d) 90 mm thick	"	३४४.००	३४४.००	३४४.००	
	e) 120 mm thick	"	४९४.००	४९४.००	४९४.००	
57	EPS (Expanded Polystyrene) and cement based light weight Solid Panel without face board (Size 1800*610mm)			-	-	
	b) 60 mm thick	व.फि.	९६०.००	९६०.००	९६०.००	
	c) 75 mm thick	"	२९४.००	२९४.००	२९४.००	
	d) 90 mm thick	"	२४०.००	२४०.००	२४०.००	
58	EPS (Expanded Polystyrene) and cement based light weight Hollow Panel (Size: 1800*610mm)			-	-	
	d) 90 mm thick	व.फि.	९९०.००	९९०.००	९९०.००	
59	Glass Fibre reinforced (GRP) Pole			-	-	
	(a) 7m GRP Normal Pole	गोटा	६४,०००.००	६४,०००.००	६४,०००.००	
	(b) 8m GRP Normal Pole	"	७०,०००.००	७०,०००.००	७०,०००.००	
	(c) 9m GRP Normal Pole	"	८०,०००.००	८०,०००.००	८०,०००.००	
60	Glass Fibre (GRP) for Hnadrails Basic rate			-	-	
	(a) Post, Section-51X51	के.जि.	८,९३४.००	८,९३४.००	८,९३४.००	
	(b) top rail. Section-51X51	"	४,८४४.००	४,८४४.००	४,८४४.००	
	(c) Middle rail, Section-51X51	"	४,८४४.००	४,८४४.००	४,८४४.००	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.) को दर (रिट)			कैफियत
			भा.ब.			
			०७७/०७८	०७८/०७९	०७९/०८०	
	(d) Joining Kit, Od-42	"	३,७८२.००	३,७८२.००	३,७८२.००	
	(e) Toe guard, Ht.-100mm	"	२,९६४.००	२,९६४.००	२,९६४.००	
	(f) Base Plate	"	१,४४०.००	१,४४०.००	१,४४०.००	
	(g) SS Hardware for Toe guard	गोटा	१,२००.००	१,२००.००	१,२००.००	
	(h) SS Hardware for Base Plate	के.जि.	१,७६८.००	१,७६८.००	१,७६८.००	
	(i) SS anchor bolt	गोटा	२४०.००	२४०.००	२४०.००	
	(j) Aluminium Revet, one lot	लट	२,१००.००	२,१००.००	२,१००.००	

[Handwritten signatures and initials]

[Handwritten signature]