०८ १

मध्यपुर थिमि नगरपालिका
नगर कार्यपालिकाको कार्यालय,थिमि,भक्तपुर
प्रदेश नं ३, नेपाल

Electrical and Plumbing

ज्याला, ढुवानी तथा निर्माण सामग्री हरुको दर रेट

आ.ब.०७६।०७७

SANITARY WORK

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
१	**Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरु)**					
	White glazed porcelain pan					
	i)530mm size white glazed without siphon	सेट	२५२४	२५२४	२६००	
	ii)500 mm size white glazed without siphon	,,	२७४१	२७४१	२८२३	
	iii)580 mm size orrisa Pan	,,	३३७१	३३७१	३४७२	
	iii)580 mm size white glazed Indian pan	,,	१०४९	१०४९	१०८०	
	iv) Siphon 'p' or 's' type	,,	५९०	५९०	६०८	
	v) Asian Pan 51x40 Rectangular	,,	२५२४	२५२४	२६००	
	Porcelain Clay Cistern					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	,,	३५५९	३५५९	३६६६	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	,,	६६७	६६७	६८७	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	,,	३६९८	३६९८	३८०९	
	Commode					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७	१५८७	१६३५	
	ii) White glazed porcelain clay EWC regular commode with 's ' \ p trap	,,	१८२५	१८२५	१८८०	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)	,,	१८११९	१८११९	१८६६३	
	iv) White glazed porcelain clay One Piece commode with 'P ' & 'S ' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	,,	२८८७५	२८८७५	२९७४१	
	v) White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	,,	२०३८९	२०३८९	२१००१	
	vi)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	,,	५२५२	५२५२	५४१०	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	vii) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	"	८६५६	८६५६	८९१६	
	viii) 600 to 900 mm Grab bar	"	६०६२	६०६२	६२४४	
	Bidet set					
	i) Porcelain clay white glaze Bidet.	सेट	३६९२	३६९२	३८०३	
	Urinal set					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	४१७४	४१७४	४२९९	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)	"	१८८०	१८८०	१९३६	
	iv)White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	"	१६१९	१६१९	१६६८	
	Porcelain Clay Urinal Squatting Plate					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	१२१२	१२१२	१२४८	
	ii) Porcelain clay white glaze squatting plate large size	"	१४५४	१४५४	१४९८	
	iii) Porcelain clay super color squatting plate large size.	"	२८३१	२८३१	२९१६	
	iv) Urinal Spreader	"	९१५	९१५	९४२	
	Wash basin					
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	१०९५	१०९५	११२८	
	iii) Porcelain clay white glaze wash basin (50×40) cm	"	१४८१	१४८१	१५२५	
	iv) Do but wash basin (45×32)cm	"	१०६५	१०६५	१०९७	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१	१२०१	१२३७	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	"	८३४८	८३४८	८५९८	
	ix) white glazed porcelain clay 0-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	"	१३७७६	१३७७६	१४१८९	

Santanu

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	"	९७८५	९७८५	१००७९	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	"	६२३२	६२३२	६४१९	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	"	२०५४९	२०५४९	२११६५	
	Pedestal:					
	i) Porcelain clay white glaze pedestal	"	१३७८	१३७८	१४१९	
	ii)White glazed Porcelain clay half pedestal complete set.	"	१६७०	१६७०	१७२०	
	iii) First color glazed Porcelain clay half pedestal complete set.	"	१९७३	१९७३	२०३२	
	iv) Two piece pedestal with Basin" complete set.(Duravit, Grohe, American standard or equivalent)	"	१३३१३	१३३१३	१३७१२	
	Urinal Partition					
	White glaze porcelain clay (68×30)cm division plate	"	१७४१	१७४१	१७९३	
	Lab sink					
	i) Porcelain clay white glaze large size	"	२२२२	२२२२	२२८९	
	ii) Porcelain clay white glaze small size	"	१६५३	१६५३	१७०३	
	iii) Porcelain clay janittor sink 58×71×43.5 size	"	२७५५३	२७५५३	२८३८०	
	Kitchen sink					
	i) Porcelain clay large	सेट	३७६३	३७६३	३८७६	
	ii) Porcelain clay small	"	३४०९	३४०९	३५११	
	iii) drain board white 53x45	"	१३०४	१३०४	१३४३	
	iv) Soap dish	"	६६१	६६१	६८१	
	v) White glaze-foot rest	"	४१९	४१९	४३२	
	vi) White glaze Toilet paper holder	"	११५७	११५७	११९२	
	PVC Cistern Set					
	i) single flush	सेट	१९७३	१९७३	२०३२	
	ii) Deluxe single flush	"	२२०४	२२०४	२२७०	
	iii)Dual flush 6/3 lit. cistern complete set.	"	२९६६	२९६६	३०५५	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	iv) concealed cistern with plate complete set.(Viega, Geberit, American standard or equivalent)	"	१६८६२	१६८६२	१७३६८	
	v) 32 mm pvc bottel trap set.	पिस	४७६	४७६	४९०	
	vi) 1.5x45 cm pvc pipe connector set.	"	१४३	१४३	१४७	
	vi) Bakellite toilet seat cover set.	"	२७६	२७६	२८४	
3	**Stainless Steel Accessories etc.**					
	Stainless steel Deep sink 45×45×30 size	"	१८१८५	१८१८५	१८७३१	
	Stainless steel Orissa pan LP 210 size	"	८४८६	८४८६	८७४१	
	Stainless steel wash basin model 251 12" round size with pedestal	"	१३२६२	१३२६२	१३६६०	
	Stainless steel wash basin 500 mm model 277 with complete set	"	१०२७६	१०२७६	१०५८४	
	Stainless steel commode S trap with self closing complete set	"	१७५५४	१७५५४	१८०८१	
	Wall mixer (single lever) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	१४६३४	१४६३४	१५०७३	
	Bath tub (single lever)with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	१८४३२	१८४३२	१८९८५	
	External Shower Wall mixer (single control) bath faucet with hand shower(Grohe, Hansgrohe, American standard or equivalent)	"	२५७६४	२५७६४	२६५३७	
	Wall mixer (single control) bath faucet with hand shower(conceal system)(Grohe, Hansgrohe, American standard or equivalent)	"	१५९५२	१५९५२	१६४३१	
	Wall mixer (single control) shower faucet (conceal system)(Jaquare, Somany, Essel or equivalent)	"	४१८२	४१८२	४३०७	
	conceal mixer faucet(Jaquare, Somany, Essel or equivalent)	"	६४५५	६४५५	६६४९	
	Stainless steel Angle valve(Grohe, Hansgrohe, American standard or equivalent)	"	८२७	८२७	८५२	
	Stainless steel two way Angle valve(Jaquare, Somany, Essel or equivalent)	"	११५७	११५७	११९२	
	Stainless steel bowl 19"×16" diamond board 37" long	"	२६७३	२६७३	२७५३	
	Stainless steel bowl with diamond board 37" long	"	३६६०	३६६०	३७७०	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Stainless steel bowl with ordinary board 37" long	"	२३१४	२३१४	२३८३	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	१३९१७	१३९१७	१४३३५	
	Stainless steel double bowl with single drain board ordinary	"	५७८६	५७८६	५९६०	
	Stainless steel p trap bottle trap for basin	"	२३२४	२३२४	२३९४	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	८४०८	८४०८	८६६०	
	Stainless steel Kitchen sink faucet(Jaquar, Somany, Essel or equivalent)	"	५५६५	५५६५	५७३२	
	Stainless steel Kitchen sink mixture(Jaquar, Somany, Essel or equivalent)	"	८४०८	८४०८	८६६०	
	Stainless steel 1500mm flexible hose pipe(connection pipe)	"	१४६२	१४६२	१५०६	
	Stainless steel Hose ringer 1200 mm	"	१२७४	१२७४	१३१२	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	१७९८	१७९८	१८५२	
	Stainless steel basin mixer(single control)(Grohe, hansgrohe, American standard or equivalent)	"	६९४३	६९४३	७१५१	
	Stainless steel single faucet for basin(Jaquar, Somany, Essel or equivalent)	"	४४२५	४४२५	४५५८	
	Stainless steel Sink 700*450*200	"	२४२४६	२४२४६	२४९७३	
	Stainless steel Sink table top1200*600*300	"	३३५०४	३३५०४	३४५०९	
	Steel Split clamp with washer all complete	"				
	75 mm dia	पिस	३३१	३३१	३४१	
	110 mm dia	"	४४१	४४१	४५४	
	160 mm dia	"	७७१	७७१	७९४	
	Stainless steel telephonic shower(Jaquare, Somany, Essel or equivalent)	गोटा	१२४०	१२४०	१२७७	
	Stainless steel shower with sliding bar(Jaquare, Somany, Essel or equivalent)	"	२९७६	२९७६	३०६५	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"	९७८५	९७८५	१००७९	
	Stainless steel bottle trap (Viega, Somany, Jaquar or equivalent)	"	६४७	६४७	६६६	
	Stainless steel towel bar 450 mm	"	१२४०	१२४०	१२७७	

Santanu

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Stainless steel water tank fitting with all complete set (304 grade steel)					
	Capacity 500 ltr	सेट	१२१२४	१२१२४	१२४८८	
	Capacity 1000 ltr	,,	१७६९९	१७६९९	१८२३०	
	Capacity 1500 ltr	,,	२७२१२	२७२१२	२८०२८	
	Capacity 2000 ltr	,,	३२७४३	३२७४३	३३७२५	
	Sinks Other Types:					
	Super lab sink					
	i) super lab sink large size	,,	४३१३	४३१३	४४४२	
	ii) super lab sink small size	,,	३४०१	३४०१	३५०३	
	Super kitchen sink					
	i) super kitchen sink large size	,,	७४६५	७४६५	७६८९	
	ii) super kitchen sink small size	,,	६७५६	६७५६	६९५९	
4	**Modern Sanitaryware:Grohe, Hansgrohe, American Standard or eqv.**					
	iv) Hand dryer Germany	,,	१९३९७	१९३९७	१९९७९	
	v) Hand Dryer Chinese	,,	७१६४	७१६४	७३७९	
	vi) Indian Mark Brand Flush valve	,,	५७३१	५७३१	५९०३	
	xii)Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	,,	३५२६७	३५२६७	३६३२५	
	xv) European pattern liquid soap container stainless steel	,,	६०६२	६०६२	६२४४	
	xvii)Looking Mirror Modi guard 450x600mm (18"x 24")	,,	१४५९	१४५९	१५०३	
	European Pattern C.P. Grab Bar for disable					
	a) 30cm long bend type	,,	४७८६	५३६०	५५२१	
	b) 45 cm long bend type	,,	५०१२	५६१३	५७८१	
	c) 60 cm long bend type	,,	६४१८	७१८८	७४०४	
5	**C.P. Accessories(jaquar, somany, essel or equivalent)**					
	1) Toilet paper holder	,,	५१०	५१०	५२५	
	2) Soap dish	,,	५१०	५१०	५२५	
	3) Towel rod ½"×18" size	,,	५१०	५१०	५२५	
	4) Towel rod ¾" ×24" size	,,	५६७	५६७	५८४	
	5) Glass shelf	,,	६८०	६८०	७००	
	6) C.P. bottle trap	,,	१२४६	१२४६	१२८३	
	7) 32 mm×60cm long C.P flush pipe	,,	५१०	५१०	५२५	
	8) 15 mm flush cock push type	,,	११३३	११३३	११६७	
	9) 15 mm dia. C.P. shower arm	,,	९७६	९७६	१००५	
	10) 15 mm dia. C.P. spreader	,,	९४०	९४०	९६८	
	11) 15 mm dia. C.P. wall mixture	,,	५४३५	५४३५	५५९८	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	i) 3" dia. Shower rose , revolving type	,,	९०६	९०६	९३३	
	ii) 4" dia. Shower rose , revolving type	,,	१०२०	१०२०	१०५१	
	iii) Shower rose ordinary	,,	५६७	५६७	५८४	
	iv) Shower rod 12" long	,,	२८३	२८३	२९१	
	C.P. 15 mm dia. Angle Valve	,,	१२४४	१२४४	१२८१	
	C.P. 15 mm dia Concealed Stop Cock	,,	१८०७	१८०७	१८६१	
	C.P 15mm Bib Cock	,,	१३६१	१३६१	१४०२	
	C.P. 15 mm dia swan neck Pillar Cock	,,	१३३१	१३३१	१३७१	
	C.P. 15 mm dia Stop Cock	,,	१३३१	१३३१	१३७१	
	C.P. 15 mm dia Sink Cock	,,	१३०९	१३०९	१३४८	
	C.P. 15 mm dia Sink Mixture	,,	४४७२	४४७२	४६०६	
	C.P. 32 mm dia Flush Valve	,,	५४०४	५४०४	५५६६	
	C.P. 32 mm dia Waste Coupling for basin	,,	४२४	४२४	४३७	
	C.P. 32 mm dia Waste Coupling for Urinal	,,	६८९	६८९	७१०	
	C.P. Basin Mixture	सेट	४६४०	४६४०	४७७९	
	15 mm dia Bath Tub Spout with Wall Hinge	,,	१७३१	१७३१	१७८३	
	C.P. Exclusive Shower Arm with Hinge	,,	२०१४	२०१४	२०७४	
	15 mm bath tub spout with bottom attachment of telephonic shower	,,	४१६९	४१६९	४२९४	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	,,	६८४९	६८४९	७०५४	
	C.P. flexible pipe	गोटा	१८१	१८१	१८६	
	C.P. Grating					
	i) 4" dia.	,,	५०	५०	५२	
	ii) 5" dia.	,,	६२	६२	६४	
	i) C.P. Toilet Paper Holder	,,	९२९	९२९	९५७	
	ii) C.P. Soap Dish(Polyurethane)	,,	१०४२	१०४२	१०७३	
	iii) C.P. Towel Rod 18"	,,	१५७८	१५७८	१६२५	
	iv) C.P. Towel Rod 24"	,,	१६६३	१६६३	१७१३	
	v) C.P. Glass Shelf 22"	,,	२२६०	२२६०	२३२८	
	vi) C.P. Coat Hook Double	,,	८१२	८१२	८३६	
	ix) C.P. Angle Cock					
	15mm C.P. Angle Cock	,,	९२७	९२७	९५५	
	15 mm C.P. Angle Cock Long Thread	,,	९८६	९८६	१०१६	
	x) C.P. Conceal Stop Cock	,,				
	i) 15 mm Reduced body	,,	११३६	११३६	११७०	
	ii) 15 mm Extra Heavy Body	,,	१३९०	१३९०	१४३२	
	xi) C.P. Bib Cock	,,				

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	२६१२	२६१२	२६९०	
	ii) 15mm C.P. Bib Cock	"	९५२	९५२	९८१	
	iii) 15mm C.P. Bib Cock with nozzle	"	१०५४	१०५४	१०८६	
	xii) C.P. Pillar Cock	"				
	i) 15 mm C.P. Pillar Cock With Aerator	"	१२६३	१२६३	१३०१	
	ii) 15mm Auto Closing Pillar Cock With Aerator	"	२५२७	२५२७	२६०३	
	i) 15mm C.P. Sink Cock	"	१६००	१६००	१६४८	
	ii) C.P. Sink Mixer	"	३९६६	३९६६	४०८५	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	"	३४५६	३४५६	३५६०	
	xv) C.P. Bottle Trap 32mm	"	१८५२	१८५२	१९०८	
	32 mm C.P. Conceal Flush Valve Dual Flow	"	३८७४	३८७४	३९९०	
	xvii) C.P. Waste Coupling	"				
	32 mm C.P. Waste Coupling H/T	"	४४६	४४६	४५९	
	32 mm C.P. Waste Coupling F/T	"	४४६	४४६	४५९	
	xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock	"	२६९४	२६९४	२७७५	
	xix) 15 mm C.P. Wall Mixer					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	"	४४६३	४४६३	४५९७	
	15 mm C.P. Wall Mixer With Upper Bead Pipe	"	४४६३	४४६३	४५९७	
	xx) C.P. Basin Mixer	"				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	"	३७०६	३७०६	३८१७	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	"	३८९१	३८९१	४००८	
	xxi) 15mm Bath Tub Spout with wall flange	"				
	15mm Bath Tub Spout with wall Flange	"	१२६३	१२६३	१३०१	
	15mm Bath Tub Spout with button attachment	"	२०२१	२०२१	२०८२	
	xxii) C.P. Casted Shower Arm with Flange	"				
	15 mm Casted Shower Arm Light	"	६७३	६७३	६९३	
	15 mm Casted Shower Arm Heavy	"	१०९४	१०९४	११२७	
	xxiii) 15 mm Telephonic Hand Shower					
	With 1.50 m. PVC Tube	"	१७९१	१७९१	१८४५	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	With 1.5 Flexible Tube	„	२७७९	२७७९	२८६२	
	xxiv) Auto closing urinal flush valve					
	15mm presmatic auto closing urinal flush valve	गोटा	३२२४	३२२४	३३२१	
	xxiv) Other accessories					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	४८३४	४८३४	४९७९	
	15 mm Braided Hose for E.W.C.	„	२९८	२९८	३०७	
	15 mm Health Faucet (Commode Spray)	„	११४६	११४६	११८०	
	15 mm pillar cock with 200 mm extended lever handle	„	१५१५	१५१५	१५६०	
	15 mm Bib cock with 200 mm extended lever handle	„	१५९८	१५९८	१६४६	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	„	५९५६	५९५६	६१३५	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	„	५७७६	५७७६	५९४९	
	Sensor mixer for wash basin (Battery operated)	„	२०४८१	२०४८१	२१०९५	
	Wall mounted Sensor mixer for operatation theater (Battery operated)	„	२०४८१	२०४८१	२१०९५	
	Sensor conceal type flushing valve for Western commode (battery operated)	„	१६२२१	१६२२१	१६७०८	
	Sensor valve for Urinal	„	१०६५१	१०६५१	१०९७१	
	Basin cock Sensor	„	१४४१८	१४४१८	१४८५१	
	15mm U shaped sink cock	„	१७१२	१७१२	१७६३	
	Sink Mixture with U shape swinging spout	„	३३५८	३५५८	३६६५	
	15mm metallic Health Faucet (Commode Spray)	„	२१७१	२१७१	२२३६	
	Electric & Solar Geyser					
	i) 10 lit. cap. electric water heater	गोटा	११२४१	११२४१	११५७८	
	ii) 25 lit cap. " " "	„	१७३३१	१७३३१	१७८५१	
	iii) 35 lit cap " " "	„	२१५४६	२१५४६	२२१९२	
	iv) 50 lit cap " " "	„	२५७६२	२५७६२	२६५३५	
	iv) Gas water heater with cylinder	„	८२००	८२००	८४४६	
	xi)15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	१२१२३	१२१२३	१२४८७	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
8	**C.I. Manhole Cover including frame.**					
8.1	**Square Frame (in outer dia)**					
	Medium Duty					
	i) 10" × 10" (4 Kg.)	सेट	६६९	६६९	६८९	
	ii) 12" × 12" (5 Kg.)	,,	८३६	८३६	८६१	
	iii) 14" × 14" (7 Kg.)	,,	११७१	११७१	१२०६	
	v) 16" × 16" (10 Kg.)	,,	१६७३	१६७३	१७२३	
	vi) 18" × 18" (14 Kg.)	,,	२५०९	२५०९	२५८४	
	viii) 20" × 20" (16 Kg.)	,,	२६७७	२६७७	२७५७	
	ix) 22" × 22" (20 Kg.)	,,	३३४६	३३४६	३४४६	
	x) 24" × 24" (24 Kg.)	,,	४२९४	४२९४	४४२३	
	xi) 27" × 27" (31 Kg.)	,,	५१८६	५१८६	५३४२	
	Heavy Duty					
	iii) 14" × 14" (14 Kg.)	,,	२३४२	२३४२	२४१२	
	ix) 22" × 22" (22 Kg.)	,,	३६८१	३६८१	३७९१	
	xi) 27" × 27" (45 Kg.)	,,	७५२८	७५२८	७७५४	
8.2	**Rounded Manhole Cover (Outer dia.)**					
	Medium class					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	९०९२	९०९२	९३६५	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	,,	१२१२३	१२१२३	१२४८७	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	,,	१५१५४	१५१५४	१५६०९	
	iv) 22" dia. Medium class. (125 Kg.)	,,	१९३९७	१९३९७	१९९७९	
	v) 22" dia. Heavy class. (208Kg.)	,,	२८९७४	२८९७४	२९८४३	
	vi) 24" dia. Medium class. (40 Kg.)	,,	६२०७	६२०७	६३९३	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	,,	७७५९	७७५९	७९९२	
	viii) 24" Round Manhole cover with square frame (IS:1726) (70 Kg.)	,,	१११५३	१११५३	११४८८	
	ix) 26" Round Manhole cover with square frame (IS:1726) (85 Kg.)	,,	१३५७८	१३५७८	१३९८५	
	x) 28" Round Manhole cover with square frame (IS:1726) (116 Kg.)	,,	१७९४२	१७९४२	१८४८०	
	xi) 30" Round Manhole cover with square frame (IS:1726) (116 Kg.)	,,	१७९४२	१७९४२	१८४८०	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
8.3	**C.I. Tank Cover Locking Types**					
	Round					
	18" (8 Kg.)	सेट	१६७३	१७२३	१७७५	
	20" (12 Kg.)	"	२४५४	२५२७	२६०३	
	22" (14 Kg.)	"	२७८८	२८७१	२९५७	
	24" (16 Kg.)	"	३३४६	३४४६	३५४९	
	28" (24 Kg.)	"	५०१९	५१६९	५३२४	
	Square					
	18" x 18" (13 Kg.)	सेट	२७८८	२८७१	२९५७	
	24" x 24" (50 Kg.)	"	१००३८	१०३३९	१०६४९	
	Rectangular					
	18" x 24" (27 Kg.)	सेट	५५७७	५७४४	५९१६	
8.4	**C.I. Gully Gratings & Jali**					
	Round Jali Strip Mediun Duty					
	4"	सेट	१००	१०३	१०६	
	5"	"	१३४	१३८	१४२	
	6"	"	१७८	१८३	१८८	
	10"	"	६१३	६३१	६५०	
	Square Jali Strip Mediun Duty					
	4" x 4"	सेट	८९	९१	९४	
	5" x 5"	"	११२	११५	११८	
	6" x 6"	"	१३४	१३८	१४२	
	9" x 9"	"	३९०	४०१	४१३	
	10" x 10"	"	५०२	५१७	५३३	
	12" x 12"	"	७२५	७४६	७६८	
	C.I. Gully Gratings					
	i) 15"×18" Medium (18 Kg.)	सेट	३६८१	३७९१	३९०५	
	ii) 15"×18" Heavy (25 Kg.)	सेट	५०१९	५१६९	५३२४	
	Grit Cover					
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (बिभिन्न साइजमा)	के.जी.	१६२	१६६	१७१	
	Aluminum Grating 4" dia.	गोटा	४२	४३	४४	
9	**G.I. Water Tank (17 Gauge)**					
	i) 100 gls	गोटा	८३१७	८३१७	८५६७	
	ii) 200 gls	"	१३०६६	१३०६६	१३४५८	
	iii) 300 gls	"	१६४३४	१६४३४	१६९२७	
	iv) 400 gls	"	१९७३०	१९७३०	२०३२२	
	v) 500 gls	"	२३०३६	२३०३६	२३७२७	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	G.I. Water Tank (16 BWG TATA Sheet)					
	i) 100 gls	गोटा	८७७३	८७७३	९०३६	
	ii) 200 gls	„	१३२६७	१३२६७	१३६६५	
	iii) 300 gls	„	१७६१५	१७६१५	१८१४३	
	iv) 400 gls	„	२११०६	२११०६	२१७३९	
	v) 500 gls	„	२४५९७	२४५९७	२५३३५	
10	**Roof Top PVC Water Tank**					
	i) 200 lit – 5000 lit cap.	ली.	११	११	११	
	ii) 5000 lit – 10,000 lit cap	„	१२	१२	१२	
	iii) Horizontal PVC water tank	„	१२	१२	१२	
11	**Water Pumps/Hand Pumps**					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	१५८२	१५८२	१६२९	
	Water Pump :					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	१०८८५	१०८८५	११२१२	
	ii) ½ H.P. Water Pump mono block type	„	६२५८	६२५८	६४४६	
	iii) 1.0 H.P. water pump Multistage	„	१४२५८	१४२५८	१४६८६	
	iv)1.0 H.P. water pump (mono block type)	„	९४६५	९४६५	९७४९	
	v) 2.0 H.P. water pump	„	२२५८७	२२५८७	२३२६५	
	vi) 2.0 H.P.3 phase water pump	„	२३८४७	२३८४७	२४५६२	
	vii) 5.0 HP 3 phase water pump	„	२८६५६	२८६५६	२९५१६	
	Jet Water Pump					
	i) 1.10 H.P.	सेट	२१६३०	२१६३०	२२२७९	
	ii) Double Stage jet 1.10 H.P.		२५९५६	२५९५६	२६७३५	
	ii) 1.5 H.P.	„	२९२०१	२९२०१	३००७७	
	Super Sunction					
	i) ½ H.P	सेट	८९२२	८९२२	९१९०	
	ii) 0.75 H.P.	„	८३२८	८३२८	८५७८	
	iii) 1.0 H.P.	„	१४२७६	१४२७६	१४७०४	
	Water Pump (Grundfoss, pentair, Pedrello or equiv)					
	i) 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८२०२	१८२०२	१८७४८	
	ii) 2 H.P. single pump set " "	„	२९२३३	२९२३३	३०११०	
	Fire pump					
	Submersible Pump (Italian)					
	i) 1.0 H.P.	„	२६०८९	२६०८९	२६८७२	
	ii) 2.0 H.P.	„	४८३९७	४८३९७	४९८४९	
	Electric Water Pump (Chinese)					
	i) ½ H.P	„	१७०३	१७०३	१७५४	
	ii) ¾ H.P.	„	२२१९	२२१९	२२८६	

Santanu - [illegible]

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.) आ.व. २०७४/७५	२०७५/७६	२०७६/७७	कैफियत
	iii) 1.0 H.P.	,,	३२७०	३२७०	३३६८	
	Submersible Pump Sarvo/Bimal or equivalent					
	i) ½ H.P open well type	,,	१६६५५	१६६५५	१७१५५	
	ii) 1.1 H.P open well type	,,	२४३८८	२४३८८	२५१२०	
	iii) 1.5 H.P open well type	,,	२९७४१	२९७४१	३०६३३	
	Vertical Submersible Pump Sarvo/Bimal or equivalent	,,				
	i) 1.1 H.P	,,	२७२५४	२७२५४	२८०७२	
	iii) 1.5 H.P	,,	३२९३२	३२९३२	३३९२०	
12	**Fire fighting equipment and accessories (safeguard india or equiv)**					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170^{o} U-shape hose reel carrier with drum set	सेट	(			
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	,,	(			
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	,,	(			
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	,,	(			
13	**Fire extinguisher ABC stored Pressure** आपतकालिन आगलागी हुंदा प्रयोग गरिने सामाग्री (**safeguard india or equivalent)**					
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	(			
	ii) 2 kg size ABC ,, ,, ,,	गोटा	(			
	iii) 3.0kg size ABC ,, ,, ,,	,,	(			
	iii) 5.0kg size ABC ,, ,, ,,	,,	(			
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	(			
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	,,	(			
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	,,	(			

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	,,	(			
	viii) 2.5 kg size ABC ,, ,, ,,	,,	(			
	ix) Co_2 Type fire extinguisher 6.80 lit .	,,	(			
	x) Foam type fire extinguisher 9 lit capacity	गोटा	(			
14	**Insulation for hot water pipe 'Acroflex'**		(			
	15mm Insulation 6 mm wall thickness	र.मी	(			
	20mm Insulation 6 mm wall thickness	,,	(			
	25mm Insulation 6 mm wall thickness	,,	(			
	32mm Insulation 6 mm wall thickness '	,,	(			

Santanu

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
15	**ACRYLIC GLASS SHELF**		(			
	i) Acrylic glass shelf best quality	सेट	(			
	ii) Acrylic glass shelf ordinary	"	(			
	iii) Shower curtain	"	(			
16	**Water Purification System**		(			
	Euro Guard Water purification system (one litre per minute)	युनिट	(			
	Euro-guard water purification system (hi-flow 3 lit/min)	"	(			
	AQUA-ALO water purifier (1.0 lit/min)	"	(			
	AQUA-power water purifier	"	(			
	RO feed pump	सेट	(			
	Fire Sprinkler	"	(			
	Supply,installation, testing and commisioning of Aeration system (FRP Tray type)	"	(			
	Supply, installation, testing and commisioning of Dual Media Filter (DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144"x14" Ø)	"	(			
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	"	(			
	Filter Media for existing filtration system		(			
	Pebbles	के.जी.	(			
	Coarse silex	"	(			
	Gravel	"	(			
	Golden sand	"	(			
	Anthracite	"	(			
	MNo2	"	(			
	Activated Carbon	"	(			
	Motor starter switch	"	(			
	Pressure sensor switch for water tank(Italian)	"	(			

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
17	विभिन्न साइजको **Bath tub .fiber (Duravit, grohe, American standard or equiv)**					
	a) Bath tub – 3'6" Medium	सेट	(			
	Bath tub – 3'6" Heavy	,,	(			
	b) Bath tub – 4'0" Medium	,,	६७०५	६७०५	६९०६	
	Bath tub _ 4'0" Heavy	,,	७७८७	७७८७	८०२१	
	c) Bath Tub – 4'6" Medium	,,	८१११	८१११	८३५४	
	Bath tub – 4'6" Heavy	,,	८१३७	८१३७	८३८१	
	d) Bath tub – 5'0" Medium	,,	८८६८	८८६८	९१३४	
	Bath tub _ 5'0" Heavy	,,	२९३५५	२९३५५	३०२३६	
	e) Bath Tub – 5'6" Medium	,,	७९५७	७९५७	८१९६	
	Bath tub – 5'6" Heavy	,,	९३७३	९३७३	९६५४	
	f) Bath Tub – 6'0" Medium	,,	१२८७५	१२८७५	१३२६१	
	Bath tub – 6'0" Heavy	,,	३६८२३	३६८२३	३७९२८	
18	**Shower Tray 3'0"×3'0"**	गोटा	५००	५००	५१५	
	Pipes and fittings					
19	**PPR Pipe (Poly propylene random co-polymer pipe Panchakanya , Nepatop or Eqv.)**					
	1) PP-R Pipe (PN-10)					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	६३	४७।७९	४९	
	25mm " 2.3 mm thick 0.164kg/m	,,	९५	७२।५७	७५	
	32mm 2.9 mm thick 0.26kg/m	,,	१५२	११५।९३	११९	
	40mm 3.7 mm thick 0.412kg/m	,,	२३९	१८३।१९	१८९	
	50mm 4.6 mm thick 0.638kg/m	,,	३७२	२८४।०७	२९३	
	63 mm 8.6 mm thick 0.638kg/m	,,	५८८	४४९।५६	४६३	
	75 mm	,,	८२०	६२७।४३	६४६	
	90 mm	,,	११८१	९०३।५४	९३१	
	110 mm	,,	१७५१	१३३९।८२	१३८०	
	2) PP-R Pipe (PN-16)					
	20mm 2.80 mm thick 0.148kg/m	,,	८४	६४।६०	६७	
	25mm 3.50 mm thick 0.26kg/m	,,	१३१	१००।००	१०३	
	32mm 3.7 mm thick 0.230kg/m	,,	२०९	१५९।२९	१६४	
	40mm 5.50 mm thick 0.575kg/m	,,	३३५	२५५।७५	२६३	
	50mm 6.90 mm thick 0.896kg/m	,,	५२१	३९९।१२	४११	
	63 mm 4.6 mm thick 0.638kg/m	,,	८२०	६२७।४३	६४६	
	75 mm	,,	११६९	८९३।८१	९२१	
	90 mm	,,	१६७०	१२७६।९९	१३१५	
	110 mm	,,	२५०१	१९१३।२७	१९७१	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	3) PP-R Pipe (PN-20)					
	20mm 3.4 mm thick 0.172 kg/m	,,	१००	७६।११	७८	
	25mm 4.20 mm thick 0.266kg/m	,,	१५५	११८।५८	१२२	
	32mm 5.40 mm thick 0.434kg/m	,,	२५२	१९२।९२	१९९	
	40mm 6.70 mm thick 0.671kg/m	,,	३९०	२९८।२३	३०७	
	50mm 8.30 mm thick 1.04kg/m	,,	६०५	४६२।८३	४७७	
	63mm 8.6mm thick 1.04kg/m	,,	९६०	७३४।५१	७५७	
	75 mm	,,	१३६१	१०४१।५९	१०७३	
	90 mm	,,	१९५५	१४९५।५८	१५४०	
	110 mm	,,	२९१५	२२२९।२०	२२९६	
	PP-R Pipe Accessories :					
	Elbow (90^{0})					
	20mm	गोटा	१३	९।७३	१०	
	25mm	,,	२७	१९।४७	२०	
	32mm	गोटा	४५	३२।७४	३४	
	40mm	,,	९५	६९।०३	७१	
	50mm	,,	१५९	११५।०४	११८	
	63 mm	,,	२८०	२०२।६५	२०९	
	75 mm	,,	५२६	३८०।५३	३९२	
	90 mm	,,	८८८	६४२।४८	६६२	
	110 mm	,,	१६५३	११९६।४६	१२३२	
	Equal Tee					
	20mm	,,	१८	१३।२७	१४	
	25mm	,,	३२	२३।८९	२५	
	32mm	,,	५६	४०।७१	४२	
	40mm	,,	१०९	७८।७६	८१	
	50mm	,,	१८५	१३३।६३	१३८	
	63mm	,,	३३७	२४३।३६	२५१	
	75 mm	,,	५८४	४२३।०१	४३६	
	90 mm	,,	१०६९	७७४।३४	७९८	
	110 mm	,,	१८५८	१३४४।२५	१३८५	
	Coupler					
	20mm	गोटा	११	७।९६	८	
	25mm	,,	१३	९।७३	१०	
	32mm	,,	२७	१९।४७	२०	
	40mm	,,	५२	३७।१७	३८	
	50mm	,,	८६	६१।९५	६४	
	63 mm	,,	१५१	१०८।८५	११२	
	75 mm	,,	२९२	२११।५०	२१८	
	90 mm	,,	४३२	३१२।३९	३२२	
	110 mm	,,	७८८	५७०।८०	५८८	
	45 Degree Elbow					
	20 mm	,,	१८	१३।२७	१४	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	25 mm	,,	३०	२१।२४	२२	
	32 mm	,,	४६	३३।६३	३५	
	40 mm	,,	८६	६१।९५	६४	
	50 mm	,,	१४४	१०४।४२	१०८	
	63 mm	,,	२३८	१७२।५७	१७८	
	75 mm	,,	४६७	३३८।०५	३४८	
	90 mm	,,	७८८	५७०।८०	५८८	
	110 mm		१३७८	९९७।३५	१०२७	
	Union (Plastic)					
	20mm	गोटा	७०	५०।४४	५२	
	25mm	,,	११९	८५।८४	८८	
	32mm	,,	१९२	१३८।९४	१४३	
	40mm	,,	२९०	२१०।६२	२१७	
	50mm	,,	४५६	३३०।०९	३४०	
	63mm	,,	५४४	३९३।८१	४०६	
	Reducing Coupler					
	25mm*20mm	,,	१४	१४।१६	१५	
	32mm*20mm	,,	१९	१७।७०	१८	
	32mm*25mm	,,	२१	१९।४७	२०	
	40mm*20mm	,,	३१	२९।२०	३०	
	40mm*25mm	,,	३७	३०।०९	३१	
	40mm*32mm	,,	४४	४०।७१	४२	
	50mm*20mm	,,	५८	५३।९८	५६	
	50mm*25mm	,,	६४	५२।२१	५४	
	50mm*32mm	,,	६९	५९।२९	६१	
	50mm*40mm	,,	७६	६२।८३	६५	
	63mm*32mm	,,	११७	८४।९६	८८	
	63mm*40mm	,,	१२२	१०६।१९	१०९	
	63mm*50mm	,,	१३१	१०६।१९	१०९	
	75mm*40mm	,,	१९५	२११।५०	२१८	
	75mm*50mm	,,	२३९	२१५।९३	२२२	
	75mm*63mm	,,	२४१	२१७।७०	२२४	
	90mm*50mm	,,	४८३	४०१।७७	४१४	
	90mm*63mm	,,	५२१	४३०।९७	४४४	
	90mm*75mm	,,	६१४	५०७।०८	५२२	
	110mm*75mm		८१८	७१०।६२	७३२	
	110mm*90mm		९४९	७९०।२७	८१४	
	Reducing Tee					
	25*20*25 mm	,,	२६	२५।६६	२६	
	32*20*32 mm	,,	४२	३८।०५	३९	
	32*25*32 mm	,,	४५	४०।७१	४२	
	40*20*40 mm	,,	६६	५३।९८	५६	
	40*25*40 mm	,,	६९	६१।०६	६३	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	40*32*40 mm	"	७६	६५।४९	६७	
	50*20*50 mm	"	८८	८३।००	८५	
	50*25*50 mm	"	९३	९०।००	९३	
	50*32*50 mm	"	१५१	१२२।१२	१२६	
	50*40*50 mm	"	१६१	१२६।५५	१३०	
	63*32*63 mm	"	१९९	१९०।२७	१९६	
	63*40*63 mm	"	१९३	१९२।००	१९८	
	63*50*63 mm	"	२१४	२००।८८	२०७	
	75*50*75 mm	"	४३९	४३५।००	४४८	
	75*63*75 mm	"	४५८	४५५।००	४६९	
	90*63*90 mm	"	९२६	८०२।६५	८२७	
	90*75*90 mm	"	९९३	८८७।६१	९१४	
	110*75*110 mm	"	१६२२	१४३७।१७	१४८०	
	110*90*110 mm		१७००	१४७९।६५	१५२४	
	Reducing Elbow					
	25mm*20mm	"	२२	१९।४७	२०	
	32mm*20mm	"	३२	३४।५१	३६	
	32mm*25mm	"	४१	४२।४८	४४	
	High Footed Pipe Clip					
	20mm	गोटा	१४	१०।६२	११	
	25mm	"	१७	१२।३९	१३	
	32mm	"	२२	१९।४७	२०	
	40mm	"	२५	२१।२४	२२	
	50mm	"	३४	२३।८९	२५	
	63 mm	"	३९	३१।८६	३३	
	Low Footed Pipe Clip					
	20mm	"	७	५।३१	५	
	25mm	"	८	६।१९	६	
	32mm	"	१४	१२।३९	१३	
	40mm	"	१९	१६।८१	१७	
	50mm	"	३०	२६।५५	२७	
	63 mm	"	३८	३३।६३	३५	
	"Y" type Pipe Clip					
	20mm	"	२५	१६।८१	१७	
	25mm	"	२५	१९।४७	२०	
	32mm	"	३४	२३।८९	२५	
	40 mm		४८	४८।००	४९	
	End Plug (short)					
	20mm	"	१४	५।३१	५	
	25mm	"	२२	८।८५	९	
	32mm	"	३४	११।५०	१२	
	End Plug with Ring					
	20mm	"	२५	१९।४७	२०	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.) आ.व.			कैफियत
			२०७४/७५	२०७५/७६	२०७६/७७	
	End Plug (long)					
	20mm	„	१०	७।९६	८	
	End Cap					
	20mm	„	१४	१०।६२	११	
	25mm	„	२२	१६।८१	१७	
	32mm	„	३४	२५।६६	२६	
	40mm	„	५३	३८।०५	३९	
	50mm	„	८८	६७।२६	६९	
	63 mm	„	१६४	१२९।२०	१३३	
	75 mm	„	२४६	२०७।०८	२१३	
	Cross Tee					
	20mm	„	२५	२२।१२	२३	
	25mm	„	३६	३३।६३	३५	
	32mm	„	६४	५७।५२	५९	
	Short Passover					
	20mm	„	७०	६४।६०	६७	
	25mm	„	९९	९२।९२	९६	
	32mm	„	१४३	१४४।२५	१४९	
	Long Bypass					
	20mm	„	९३	७४।३४	७७	
	25mm	„	१३५	१२२।१२	१२६	
	32mm	„	१९१	१७९।६५	१८५	
	Male Tee					
	20mmx1/2"	„	१४५	१२२।१२	१२६	
	25mmx1/2"	„	१४२	१२९।२०	१३३	
	25mmx3/4"	„	१७६	१५३।९८	१५९	
	32mmx1/2"	„	२१९	१८६।७३	१९२	
	32mmx3/4"	„	२२४	१९३।८१	२००	
	32mmx1"	„	४०१	३३७।१७	३४७	
	Female Tee					
	20mmx1/2"	„	१०८	९९।१२	१०२	
	25mmx1/2"	„	१२२	१२९।२०	१३३	
	25mmx3/4"	„	१६०	१५०।४४	१५५	
	32mmx1/2"	„	१८१	१४७।७९	१५२	
	32mmx3/4"	„	२००	१७३।४५	१७९	
	32mmx1"	„	३२३	२९१।१५	३००	
	Male elbow					
	20mmx1/2"	„	१३९	११७।७०	१२१	
	25mmx1/2"	„	१४३	१२९।२०	१३३	
	25mmx3/4"	„	१७४	१५८।४१	१६३	
	32mmx1/2"	„	१८८	१८८।००	१९४	
	32mmx3/4"	„	२०५	२११।५०	२१८	
	32mmx1"	„	३९६	३५०।४४	३६१	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Female elbow					
	20mmx1/2"	„	१०५	९६।४६	९९	
	25mmx1/2"	„	१४८	१२७।००	१३१	
	25mmx3/4"	„	१३६	१२९।२०	१३३	
	32mmx1/2"		२००	१७२।५७	१७८	
	32mmx3/4"	„	२२९	२०२।६५	२०९	
	32mmx1"	„	२८१	२८४।०७	२९३	
	Male Coupling					
	20mmx1/2"	„	१३६	११४।१६	११८	
	20mmx3/4"	„	१६३	१२०।३५	१२४	
	25mmx1/2"	„	१३०	१३८।९४	१४३	
	25mmx3/4"	„	१६४	१६०।१८	१६५	
	32mmx1/2"	„	१८२	१४४।२५	१४९	
	32mmx3/4"	„	२३	१५३।९८	१५९	
	32mmx1"	„	३८५	३०९।७३	३१९	
	40mmx1-1/4"	„	५४८	५२३।०१	५३९	
	50mmx1-1/2"	„	८२८	७८८।५०	८१२	
	63mmx2"		१२०१	१०४०।७१	१०७२	
	75mmx2-1/2"	„	३२९	२५८६।७३	२६६४	
	Female Coupling					
	20mmx1/2"	„	१०२	९३।९२	९६	
	20mmx3/4"	„	१२५	१०९।७३	११३	
	25mmx1/2"	„	११४	१२२।१२	१२६	
	25mmx3/4"		१२८	१२३।८९	१२८	
	32mmx1/2"	„	१२३	१०५।३१	१०८	
	32mmx3/4"	„	१३१	११२।३९	११६	
	32mmx1"	„	३००	२६५।४९	२७३	
	40mmx1-1/4"	„	४८२	४५९।२९	४७३	
	50mmx1-1/2"	„	६२६	५९४।६९	६१३	
	63mmx2"		९२२	७९७।३५	८२१	
	75mmx2-1/2"	„	१८२२	१८२२।००	१८७७	
	Male Union					
	20mmx1/2"	„	२४५	२५८।४१	२६६	
	25mmx3/4"	„	३५२	३७०।८०	३८२	
	32mmx1"	„	५०६	५४४।२५	५६१	
	40mmx1$^{1/4}$"	„	९७७	९८०।५३	१०१०	
	50mmx1/2"	„	१३४२	१३१०।६२	१३५०	
	63mmx2"	„	३११७	३३८१।४२	३४८३	
	Female Union					
	20mmx1/2"	„	२३८	२४८।६७	२५६	
	25mmx3/4"	„	३४६	३२२।१२	३३२	
	32mmx1"	„	४८७	५२१।२४	५३७	
	40mmx1$^{1/4}$"	„	७४६	७१८।५८	७४०	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	50mmx1/2"	,,	१२५३	१२२८।३२	१२६५	
	63mmx2"	,,	२३७२	२२३९।८२	२३०७	
	Stop Valve					
	a) 20 mm	,,	२८८	२९७।३५	३०६	
	b) 25 mm	,,	३८१	३९२।०४	४०४	
	c) 32 mm	,,	४६२	४७३।४५	४८८	
	d) 40mm	,,	६१०	५०७।०८	५२२	
	e)50 mm	,,	१०१३	८४५।१३	८७०	
	f) 63 mm	,,	१४६१	१२६९।९१	१३०८	
	Male base elbow					
	20mm x 1/2"	,,	१३९	१३३।६३	१३८	
	25mm x 3/4"	,,	१८०	१६४।६०	१७०	
	Female base elbow					
	20mm x 1/2"	,,	१४७	१३०।९७	१३५	
	25mm x 1/2"	,,	१७५	१६१।०६	१६६	
	25mm x 3/4"	,,	१६२	१५८।४१	१६३	
	Metal Ball valve (double)					
	20mmx1/2"	,,	६५७	५४९।५६	५६६	
	25mmx3/4"	,,	८८७	८०५।३१	८२९	
	32mmx1"	,,	१२८४	९९३।८१	१०२४	
	40mmx1-1/4"	,,	३२५७	२८३०।०९	२९१५	
	50mmx1-1/2"	,,	४५८६	३८८८।५०	४००५	
	Metal Ball valve (Single)					
	20mmx1/2"	,,	६४८	५०७।०८	५२२	
	25mmx3/4"	,,	८७२	८११।५०	८३६	
	32mmx1"	,,	१२७४	११२०।३५	११५४	
	Conceal Valve (Lux)					
	20mm	,,	७५५	९४८।६७	९७७	
	Conceal Valve (Nor)					
	20mm	,,	७१९	७९८।२३	८२२	
	Ball Valve (Plastic)					
	20mm	,,	११२	८०।५३	८३	
	25mm	,,	१५१	१०९।७३	११३	
	32mm	,,	२४४	१९०।२७	१९६	
	40mm	,,	४७८	४०५।३१	४१७	
	50mm	,,	६१४	५८७।६१	६०५	
	63 mm	,,	१०९१	९९३।८१	१०२४	
	Ball Valve (Brass)					
	20mm	,,	३११	२९१।१५	३००	
	25mm	,,	४४१	३५९।२९	३७०	
	32mm	,,	७३८	४८८।५०	५०३	
	40mm	,,	१७६२	८०७।०८	८३१	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
21	**CPVC Pipes & Fittings for hot and cold water distribution system** CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)					
	1/2" dia	Rm	११५	११५	११८	
	3/4" dia	,,	१६०	१६०	१६५	
	1" dia	,,	२१०	२१०	२१६	
	1-1/4" dia	,,	२६१	२६१	२६९	
	1-1/2" dia	,,	३६६	३६६	३७६	
	2" dia	,,	५५९	५५९	५७५	
	CPVC Pipe SDR 11 (28.1 Kg/cm2)					
	1/2" dia	,,	१३३	१३३	१३७	
	3/4" dia	,,	१७८	१७८	१८३	
	1" dia	,,	२४८	२४८	२५६	
	1-1/4" dia	,,	३००	३००	३०९	
	1-1/2" dia	,,	४१८	४१८	४३०	
	2" dia	,,	६७७	६७७	६९८	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	,,	३६५	३६५	३७६	
	3/4"	,,	४८६	४८६	५०१	
	1"	,,	५८८	५८८	६०५	
	1-1/4"	,,	१३७१	१३७१	१४१२	
	1-1/2"	,,	१६४३	१६४३	१६९२	
	2"	,,	२११७	२११७	२१८१	
	CPVC Reducer Brass Coupling	गोटा				
	3/4" X 1/2"	,,	१३८	१३८	१४२	
	1" X 1/2"	,,	१८१	१८१	१८६	
	CPVC Tee	गोटा				
	1/2"	,,	३६	३६	३७	
	3/4"	,,	७७	७७	७९	
	1"	,,	११७	११७	१२१	
	1-1/4"	,,	२२०	२२०	२२७	
	1-1/2"	,,	३२०	३२०	३३०	
	2"	,,	६८७	६८७	७०७	
	CPVC Reducer Tee	गोटा				
	1/2" x 1/2" x 3/4"	,,	७०	७०	७३	
	3/4" x 3/4" x1/2"	,,	१०७	१०७	११०	
	3/4" x 1/2" x 3/4"	,,	१३४	१३४	१३८	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	3/4" x 1/2" x 1/2"	,,	१५३	१५३	१५८	
	1" x 1" x 3/4"	,,	१६१	१६१	१६६	
	1-1/2" x 1-1/2" x 1"	,,	२५१	२५१	२५८	
	2" x 2" x 1"	,,	४३६	४३६	४४९	
	1-1/4" x 1-1/4" x 1/2"	,,	१४२	१४२	१४६	
	1-1/4" x 1-1/4" x 1"	,,	१५३	१५३	१५८	
	2" x 2" x 1/2"	,,	४२८	४२८	४४१	
	1" x 1" x 1/2"	,,	१००	१००	१०३	
	CPVC Brass FPT Tee	गोटा				
	1/2" x 1/2" x 1/2"	,,	१२०	१२०	१२४	
	3/4" x 3/4" x 1/2"	,,	१२५	१२५	१२९	
	1" x 1" x 1/2"	,,	१३९	१३९	१४३	
	1-1/4" x 1-1/4" x 1-1/4"	,,	५०१	५०१	५१६	
	1-1/4" x 1-1/4" x 1/2"	,,	२७२	२७२	२८०	
	CPVC Elbow 90º	गोटा				
	1/2"	,,	२५	२५	२६	
	3/4"	,,	५२	५२	५४	
	1"	,,	९५	९५	९८	
	1-1/4"	,,	१७९	१७९	१८५	
	1-1/2"	,,	२६७	२६७	२७५	
	2"	,,	५७२	५७२	५९०	
	CPVC Reducer Elbow 90º					
	3/4" X 1/2"		५३	५३	५४	
	CPVC Brass FPT Elbow 90º	गोटा				
	1/2" x 1/2"	,,	८४	८४	८६	
	3/4" x 1/2"	,,	९७	९७	१००	
	3/4" x 3/4"	,,	१११	१११	११४	
	1" X 1/2"	,,	२१५	२१५	२२१	
	1" X 1"	,,	५९६	५९६	६१४	
	1-1/4" x 1-1/4"	,,	७७४	७७४	७९७	
	CPVC Elbow 45º	गोटा				
	1/2"	,,	३०	३०	३१	
	3/4"	,,	५४	५४	५६	
	1"	,,	७७	७७	८०	
	1-1/4"	,,	१३६	१३६	१४०	
	1-1/2"	,,	१९७	१९७	२०३	
	2"	,,	४२७	४२७	४४०	
	CPVC Male Adapter (CPVC Threads)	गोटा				
	1/2"	,,	२२	२२	२३	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	3/4"	,,	३९	३९	४०	
	1"	,,	५९	५९	६१	
	1-1/4"	,,	१०६	१०६	१०९	
	1-1/2"	,,	१४९	१४९	१५३	
	2"	,,	२९०	२९०	२९९	
	CPVC Reducing Male Adapter (CPVC Threads)	गोटा				
	3/4" x 1/2"	,,	४१	४१	४२	
	CPVC Male Adapters (Brass Threads)					
	1/2"	,,	२०६	२०६	२१२	
	3/4"	,,	२६७	२६७	२७५	
	1"	,,	४२१	४२१	४३४	
	1-1/4"	,,	९२६	९२६	९५३	
	1-1/2"	,,	१०८०	१०८०	१११३	
	2"	,,	२२२४	२२२४	२२९०	
	CPVC Reducing Male Adapter (Brass Threads)					
	3/4" x 1/2"	,,	२२९	२२९	२३६	
	CPVC Female Adapter (CPVC Threads)					
	1/2"		३१	३१	३२	
	3/4"		५१	५१	५३	
	1"		७७	७७	७९	
	CPVC Female Adapters Brass Threads	गोटा				
	1/2"	,,	१९८	१९८	२०४	
	3/4"	,,	२६९	२६९	२७७	
	1"	,,	३४९	३४९	३६०	
	1-1/4"	,,	९१७	९१७	९४५	
	1-1/2"	,,	१०२०	१०२०	१०५०	
	2"	,,	१९९४	१९९४	२०५४	
	CPVC Caps					
	1/2"	,,	१३	१३	१३	
	3/4"	,,	२५	२५	२५	
	1"	,,	३७	३७	३८	
	1-1/4"	,,	७२	७२	७४	
	1-1/2"	,,	१०६	१०६	१०९	
	2"	,,	२२५	२२५	२३२	
	CPVC Union					
	1/2"	,,	२७०	२७०	२७९	
	3/4"	,,	३९८	३९८	४१०	
	1"	,,	४७१	४७१	४८५	
	1-1/4"	,,	८६२	८६२	८८८	
	1-1/2"	,,	९४२	९४२	९७१	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	2"	,,	१३५२	१३५२	१३९३	
	CPVC Cross Tee					
	1/2"	,,	४९	४९	५१	
	3/4"	,,	१०६	१०६	१०९	
	CPVC Step Over Bend					
	1/2"	,,	६३	६३	६५	
	3/4"	,,	१०४	१०४	१०७	
	CPVC Ball Valve (CTS Sockets)					
	1/2"	,,	६६१	६६१	६८१	
	3/4"	,,	८०५	८०५	८२९	
	1"	,,	९२१	९२१	९४९	
	1-1/4"	,,	१८७९	१८७९	१९३५	
	1-1/2"	,,	२३९१	२३९१	२४६२	
	2"	,,	३०७५	३०७५	३१६७	
	CPVC Flow Guard Adhesive Solution					
	50ML	,,	१९९	१९९	२०५	
	118ML	,,	३२९	३२९	३३९	
	237ML	,,	५३३	५३३	५४९	
	473ML	,,	८३८	८३८	८६३	
	946ML	,,	१४७१	१४७१	१५१५	
	Plastic Strap					
	1/2"	,,	५	५	५	
	3/4"	,,	५	५	६	
	1"	,,	८	८	८	
	1-1/4"	,,	११	११	१२	
	1-1/2"	,,	१५	१५	१५	
	2"	,,	१८	१८	१९	
	Metal Strap					
	1/2"	,,	१३	१३	१३	
	3/4"	,,	१६	१६	१७	
	1"	,,	२१	२१	२१	
	1-1/4"	,,	२५	२५	२५	
	1-1/2"	,,	२७	२७	२८	
	2"	,,	२९	२९	३०	
	Tee Holder					
	1/2" X 1/2" X 1/2"	,,	५	५	६	
	3/4" X 3/4" X 1/2"	,,	८	८	८	
	Elbow Holder					
	1/2" X 1/2"	,,	५	५	६	
	1/2" X 3/4"	,,	७	७	७	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
		आ.व.			
		२०७४/७५	२०७५/७६	२०७६/७७	
Snap Fix Repair Coupling					
1/2"	,,	२२९	२२९	२३६	
3/4"	,,	२४८	२४८	२५६	
End plug threaded 1/2"	,,	११	११	१२	
MS SEAMLESS PIPES					
-PIPES: ASTM-A-106 Gr.'B'/SA-1 106Gr.'B'/SA-53/API 5L Gr.'B'/IS:1239					
MS PIPE SEAMLESS SIZE OD (MM)	,,				
21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	,,	४११	४५२	४६६	
26.7mm OD 3/4" SCH.40, 2.87 mm thickness	,,	४९३	५४२	५५८	
33.4 mm OD 1" SCH.40, 3.38mm thickness	,,	६१८	६८०	७००	
42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	,,	७६३	८३९	८६४	
48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	,,	८७३	९६०	९८९	
60.3mm OD 2" SCH.40, 3.91 mm thickness	,,	११२१	१२३३	१२७०	
73mm OD 3" SCH.40,5.16 .mm thickness	,,	१७२३	१८९५	१९५२	
88.9mm OD 3.5" SCH.40, 5.49 mm thickness	,,	२२५५	२४८१	२५५५	
101.6mm OD 4" SCH.40, 5.74 mm thickness	,,	२९१४	३२०५	३३०१	
114.3mm OD 5" SCH.40, 6.02 mm thickness	,,	३२१०	३५३१	३६३७	
141.3mm OD 6" SCH.40, 6.557 mm thickness	,,	४३४७	४७८२	४९२५	
168.3mm OD 4" SCH.40, 7.11 mm thickness	,,	५६४३	६२०७	६३९३	
ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)					
Single Socket (R/R)	Mtr	४१०	४५१	४६५	
Single Socket (R/R)	,,	७६२	८३८	८६३	
Single Socket (R/R)	,,	८२१	९०३	९३०	
Single Socket Self Fit	,,	१०५८	११६४	११९९	
Single Socket Self Fit	,,	१२९४	१४२३	१४६६	
Single Socket Self Fit	,,	१७७८	१९५६	२०१५	
Single Socket Self Fit	,,	२०९३	२३०२	२३७१	
Single Socket Self Fit	,,	२७९५	३०७५	३१६७	
Single Socket Self Fit	,,	३३३१	३६६४	३७७४	
Long Radius Bend - 45 Degree	Pc	१०८३	११९१	१२२७	
Long Radius Bend - 45 Degree	,,	१९७७	२१७५	२२४०	
Long Radius Bend - 45 Degree	,,	३५६९	३९२६	४०४४	
Long Radius Bend - 45 Degree	,,	६९२१	७६१३	७८४१	
Long Radius Bend - 60 Degree	,,	११९३	१३१२	१३५१	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Long Radius Bend - 60 Degree	,,	२१८६	२४०५	२४७७	
	Long Radius Bend - 60 Degree	,,	४०१०	४४११	४५४३	
	Long Radius Bend - 60 Degree	,,	७५९३	८३५२	८६०३	
	Long Radius Bend - 90 Degree	,,	५८५	६४४	६६३	
	Long Radius Bend - 90 Degree	,,	१४१३	१५५४	१६०१	
	Long Radius Bend - 90 Degree	,,	२६०६	२८६७	२९५३	
	Long Radius Bend - 90 Degree	,,	४८७४	५३६१	५५२२	
	Long Radius Bend - 90 Degree	,,	८९८०	९८७८	१०१७४	
	Fab. Coupler	,,	१६८	१८५	१९१	
	Fab. Coupler	,,	४०४	४४४	४५७	
	Fab. Coupler	,,	८६९	९५६	९८५	
	Fab. Coupler	,,	१७००	१८७०	१९२६	
	Fab. Coupler	,,	३१२७	३४४०	३५४३	
	End Cap	,,	३६०	३९६	४०८	
	End Cap	,,	५९२	६५१	६७१	
	End Cap	,,	९४५	१०४०	१०७१	
	End Cap	,,	१३८०	१५१८	१५६४	
	Equal Tee	,,	१०३०३	११३३३	११६७३	
	Equal Tee	,,	५९२९	६५२२	६७१८	
	Equal Tee	,,	३२९१	३६२०	३७२९	
	Gully Trap with grating	,,	९६२	१०५८	१०९०	
	Rodding Point	,,	५७०	६२७	६४६	
	Adjustable Bend 7 Degree to 37.5 Degree	,,	६०८	६६९	६८९	
	Adjustable Bend 7 Degree to 87.5 Degree	,,	८३४	९१७	९४५	
	Inspection Chamber Body	,,	३०००	३३००	३३९९	
	Inspection Chamber Riser	,,	१४९०	१६३९	१६८८	
	Inspection Chamber Lid with Cover	,,	२८२९	३११२	३२०५	
	Inspection Chamber Body	,,	८२८४	९११२	९३८५	
	Inspection Chamber Riser	,,	२६३४	२८९७	२९८४	
	Inspection Chamber Lid with Cover	,,	४३९५	४८३५	४९८०	
	GEBERIT					
	Geberit Products					
	Concealled Cisterns 9cm	,,	७४३१	७४३१	७६५४	
	Concealled Cisterns Kombo fix 8cm	,,	९१०३	९१०३	९३७६	
	Dual Flush Actuator Plate Shiny Chrome	,,	३६४६	३६४६	३७५५	
	Concealled Cisterns 12cm	,,	९१४०	९१४०	९४१५	
	Dual Flush Actuator Plate Shiny Chrome	,,	३६४६	३६४६	३७५५	
	Traps for Wash Basins	,,	१००४	१००४	१०३५	
	Sensor for Urinal 9V DC	,,	२५७६४	२५७६४	२६५३७	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	Sensor for Urinal 230V AC	"	२५७६४	२५७६४	२६५३७	
	control box for urinal sensor	"	७०७८	७०७८	७२९०	
	Sensor Faucet Cold / Mixed water 6V DC	"	३२१५९	३२१५९	३३१२४	
	Sensor Faucet Cold / Mixed water 230V AC	"	३२१५९	३२१५९	३३१२४	
	PVC Lead Free White Pipes SCHEDULE 40					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	PVC Lead Free White Pipes SCH 40 (...... Kg/cm2)	m.				
	1/2" dia. (42.19 Kg/cm2)	"	११४	११४	११८	
	3/4"dia. (33.75 Kg/cm2)	"	१४७	१४७	१५१	
	1" dia. (31.64 Kg/cm2)		२२६	२२६	२३३	
	1-1/4" dia. (26.01 Kg/cm2)	"	२७९	२७९	२८७	
	1-1/2" dia. (23.20 Kg/cm2)	"	३४२	३४२	३५२	
	2" dia. (19.69 Kg/cm2)		४८५	४८५	५००	
	2-1/2" dia. (21.09 Kg/cm2)	"	६७८	६७८	६९८	
	3" dia. (18.28 Kg/cm2)	"	८५६	८५६	८८२	
	4" dia. (15.47 Kg/cm2)		१२५६	१२५६	१२९४	
	6" dia. (12.66 Kg/cm2)	"	२६१६	२६१६	२६९५	
	PVC Tee - Soc	गोटा				
	1/2"	"	३२	३२	३२	
	3/4"	"	४४	४४	४५	
	1"	"	६९	६९	७१	
	1-1/4"	"	१०९	१०९	११२	
	1-1/2"	"	१४३	१४३	१४७	
	2"	"	२२१	२२१	२२७	
	2-1/2"	"	६३३	६३३	६५२	
	3"	"	८३१	८३१	८५६	
	4"	"	१५०३	१५०३	१५४८	
	6"	"	८३३६	८३३६	८५८६	
	PVC Reducer Tee - Soc	गोटा				
	3/4 x 1/2	"	६३	६३	६५	
	1 x 1/2	"	९७	९७	१००	
	1 x 3/4	"	९७	९७	१००	
	1-1/2 X 1/2	"	३२९	३२९	३३९	
	1-1/2 X 3/4	"	३२९	३२९	३३९	
	1-1/2 X 1	"	३२९	३२९	३३९	
	1-1/2 X 1-1/4	"	३२९	३२९	३३९	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.) आ.व. २०७४/७५	२०७५/७६	२०७६/७७	कैफियत
	2 X 1/2	,,	४०६	४०६	४१८	
	2 X 3/4	,,	४०६	४०६	४१८	
	2 X 1	,,	४०६	४०६	४१८	
	2 X 1-1/4	,,	४०६	४०६	४१८	
	2 X 1-1/2	,,	४०६	४०६	४१८	
	2-1/2 X 1/2	,,	१०४३	१०४३	१०७४	
	2-1/2 X 3/4	,,	१०४३	१०४३	१०७४	
	2-1/2 X 1	,,	१०४३	१०४३	१०७४	
	2-1/2 X 1-1/4	,,	१०४३	१०४३	१०७४	
	2-1/2 X 1-1/2	,,	१०४३	१०४३	१०७४	
	2-1/2 X 2	,,	१०४३	१०४३	१०७४	
	3 X 1/2	,,	१५२३	१५२३	१५६८	
	3 X 3/4	,,	१५२३	१५२३	१५६८	
	3 X 1	,,	१५२३	१५२३	१५६८	
	3 X 1-1/4	,,	१५२३	१५२३	१५६८	
	3 X 1-1/2	,,	१५२३	१५२३	१५६८	
	3 X 2	,,	१५२३	१५२३	१५६८	
	3 X 2-1/2	,,	१५२३	१५२३	१५६८	
	6 X 1-1/4	,,	८००७	८००७	८२४८	
	6 X 1-1/2	,,	८००७	८००७	८२४८	
	6 X 2	,,	८००७	८००७	८२४८	
	6 X 2-1/2	,,	८००७	८००७	८२४८	
	6 X 3	,,	८००७	८००७	८२४८	
	6 X 4	,,	८००७	८००७	८२४८	
	PVC Brass Tee - Soc x Fipt SCH 80	गोटा				
	1/2"		१६१	१६१	१६६	
	3/4"		२९२	२९२	३००	
	3/4" X 1/2"		२३७	२३७	२४४	
	1" X 1/2"		४२०	४२०	४३३	
	PVC 90° Elbow - Soc	गोटा				
	1/2"	,,	२६	२६	२७	
	3/4"	,,	३०	३०	३१	
	1"	,,	५३	५३	५५	
	1-1/4"	,,	९३	९३	९५	
	1-1/2"	,,	१०९	१०९	११२	
	2"	,,	१६७	१६७	१७२	
	2-1/2"	,,	४९६	४९६	५११	
	3"	,,	५९४	५९४	६१२	
	4"	,,	१२१६	१२१६	१२५२	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.) आ.व. २०७४/७५	२०७५/७६	२०७६/७७	कैफियत
	6"	,,	५१२१	५१२१	५२७५	
	PVC Brass 90º Elbow Soc x Fipt SCH 80	गोटा				
	1/2"	,,	१७३	१७३	१७८	
	3/4"	,,	२४२	२४२	२४९	
	3/4" X 1/2"	,,	२५०	२५०	२५८	
	PVC 45º Elbow - Soc	गोटा				
	1/2"	,,	५५	५५	५७	
	3/4"	,,	८६	८६	८८	
	1"	,,	१०२	१०२	१०५	
	1-1/4"	,,	१४३	१४३	१४७	
	1-1/2"	,,	१८०	१८०	१८५	
	2"	,,	२३४	२३४	२४१	
	2-1/2"	,,	६६९	६६९	६८९	
	3"	,,	१०४०	१०४०	१०७१	
	4"	,,	१८६६	१८६६	१९२२	
	6"	,,	५१३५	५१३५	५२८९	
	PVC Coupling - Soc	गोटा				
	1/2"	,,	१७	१७	१८	
	3/4"	,,	२६	२६	२७	
	1"	,,	४१	४१	४३	
	1-1/4"	,,	५६	५६	५७	
	1-1/2"	,,	७६	७६	७८	
	2"	,,	११७	११७	१२१	
	2-1/2"	,,	२४७	२४७	२५४	
	3"	,,	३८६	३८६	३९८	
	4"	,,	६०४	६०४	६२२	
	6"	,,	२४२०	२४२०	२४९३	
	PVC Reducer Coupling - Soc	गोटा				
	3/4 X 1/2	,,	४२	४२	४४	
	1 X 3/4	,,	७३	७३	७५	
	1-1/2 X 1-1/4	,,	१३१	१३१	१३४	
	2 X 1-1/2	,,	२०८	२०८	२१४	
	4 x 2	,,	१३९२	१३९२	१४३४	
	4 X 3	,,	१३९२	१३९२	१४३४	
	6 X 4	,,	२८९५	२८९५	२९८२	
	PVC Reducer Bushing - (Flush Style)	गोटा				
	3/4 X 1/2	,,	३५	३५	३६	
	1 X 1/2	,,	५०	५०	५१	
	1 X 3/4	,,	५०	५०	५१	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	1-1/4 X 1/2	,,	८६	८६	८८	
	1-1/4 X 3/4	,,	८६	८६	८८	
	1-1/4 X 1	,,	८६	८६	८८	
	1-1/2 X 1/2	,,	९०	९०	९३	
	1-1/2 X 3/4	,,	९०	९०	९३	
	1-1/2 X 1	,,	९०	९०	९३	
	1-1/2 X 1-1/4	,,	९०	९०	९३	
	2 X 1/2	,,	१६५	१६५	१७०	
	2 X 3/4	,,	१६५	१६५	१७०	
	2 X 1	,,	१६५	१६५	१७०	
	2 X 1-1/4	,,	१६५	१६५	१७०	
	2 X 1-1/2	,,	१६५	१६५	१७०	
	2-1/2 X 1-1/4	,,	२३२	२३२	२३९	
	2-1/2 X 1-1/2	,,	२३२	२३२	२३९	
	2-1/2 X 2	,,	२३२	२३२	२३९	
	3 X1-1/2	,,	३४४	३४४	३५४	
	3 X2	,,	३४४	३४४	३५४	
	3 X2-1/2	,,	३४४	३४४	३५४	
	4 X 2	,,	६७६	६७६	६९६	
	4 X 3	,,	६७६	६७६	६९६	
	6 X 2	,,	२२७१	२२७१	२३३९	
	6 X 3	,,	२२७१	२२७१	२३३९	
	6 X 4	,,	२२७१	२२७१	२३३९	
	PVC Cap - Soc	गोटा				
	1/2"	,,	२४	२४	२५	
	3/4"	,,	३०	३०	३१	
	1"	,,	४२	४२	४४	
	1-1/4"	,,	६०	६०	६२	
	1-1/2"	,,	६६	६६	६८	
	2"	,,	७९	७९	८२	
	2-1/2"	,,	२५४	२५४	२६१	
	3"	,,	२७८	२७८	२८६	
	4"	,,	६३३	६३३	६५२	
	6"	,,	२४९८	२४९८	२५७३	
	PVC Union - Soc With EPDM O-Ring Seal	गोटा				
	1/2"	,,	२५४	२५४	२६१	
	3/4"	,,	२९१	२९१	२९९	
	1"	,,	२९८	२९८	३०७	
	1-1/4"	,,	९६०	९६०	९८९	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	1-1/2"	,,	१००१	१००१	१०३१	
	2"	,,	१३५०	१३५०	१३९१	
	2-1/2"	,,	१८८९	१८८९	१९४६	
	3"	,,	३०१८	३०१८	३१०८	
	4"		४१७८	४१७८	४३०३	
	PVC Male Adaptor - Soc x MBSP	गोटा				
	1/2"	,,	४६	४६	४७	
	3/4"	,,	५४	५४	५६	
	1"	,,	७१	७१	७३	
	1-1/4"	,,	८७	८७	९०	
	1-1/2"	,,	१२१	१२१	१२४	
	2"	,,	१५६	१५६	१६०	
	2-1/2"	,,	५४५	५४५	५६२	
	3"	,,	६४८	६४८	६६७	
	4"	,,	१०२५	१०२५	१०५६	
	6"	,,	२३५९	२३५९	२४३०	
	PVC Brass Male Adapter - Soc x Mipt SCH 80	गोटा				
	1/2"	,,	२६२	२६२	२७०	
	3/4"	,,	३५०	३५०	३६१	
	1"	,,	५२७	५२७	५४२	
	PVC Female Adaptor - Soc x FBSP	गोटा				
	1/2"	,,	५९	५९	६१	
	3/4"	,,	६१	६१	६३	
	1"	,,	६४	६४	६६	
	1-1/4"	,,	१६७	१६७	१७१	
	1-1/2"	,,	२४५	२४५	२५२	
	2"	,,	२३८	२३८	२४५	
	PVC Brass Female Adapter - Soc x Fipt SCH 80	गोटा				
	1/2"	,,	२२०	२२०	२२६	
	3/4"	,,	३११	३११	३२१	
	1"	,,	३९९	३९९	४११	
	PVC Ball Valve - Soc	गोटा				
	1/2"	,,	८८१	८८१	९०८	
	3/4"	,,	१०४८	१०४८	१०७९	
	1"	,,	१४६६	१४६६	१५१०	
	1-1/4"	,,	१९८५	१९८५	२०४४	
	1-1/2"	,,	३०२७	३०२७	३११८	
	2"	,,	३८२८	३८२८	३९४३	
	2-1/2"	,,	६३२३	६३२३	६५१३	

	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	3"	,,	१००१८	१००१८	१०३१८	
	4"	,,	१६५५६	१६५५६	१७०५२	
	6"	,,	३५९६१	३५९६१	३७०४०	
	PVC Adhesive Solution (Med. Bonded 705)	गोटा				
	118ML	,,	३०६	३०६	३१५	
	237ML	,,	४३९	४३९	४५२	
	473ML	,,	७९५	७९५	८१९	
	946ML	,,	१३०८	१३०८	१३४७	
	PVC Adhesive Solution (Heavy Bonded 717)	गोटा				
	118ML	,,	४९२	४९२	५०७	
	237ML	,,	६४९	६४९	६६८	
	473ML	,,	११३८	११३८	११७२	
	946ML	,,	१९६९	१९६९	२०२८	
13	**Rainwater Collection System sintex or Prince Brand Roof) 140 mm Dia.**					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	१५९	१५९	१६४	
	JOINT BRACKET To connect two lengths of roof water	Pc.	२५७	२५७	२६४	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	३५२	३५२	३६२	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	४३२	४३२	४४५	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	४३२	४३२	४४५	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	९५	९५	९८	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	३०५	३०५	३१४	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	७७	७७	७९	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	५०	५०	५२	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	३२	३२	३२	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	७७	७७	८०	
	RUBBER GASKET To provide leak proof joints.	Pc.	३०	३०	३१	
	75 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	६३	६३	६५	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	३८	३८	३९	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	१२६	१२६	१३०	
	180 mm dia.					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	३०२	३०२	३११	
	JOINT BRACKET To connect two lengths of roof water	Pc.	३५८	३५८	३६९	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof-water pipe line which is connected to the down line pipe.	Pc.	५१८	५१८	५३३	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	५९२	५९२	६१०	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.) आ.व. २०७४/७५	२०७५/७६	२०७६/७७	कैफियत
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	५९२	५९२	६१०	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	१४०	१४०	१४५	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	४२४	४२४	४३७	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	१०८	१०८	१११	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	९१	९१	९४	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	५१	५१	५३	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	११०	११०	११३	
	RUBBER GASKET To provide leak proof joints.	Pc.	४१	४१	४२	
	110 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	६८	६८	७०	
	RUBBER SEALS To ensure, leak-proof joint of single socket elbow.	Pc.	४४	४४	४५	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	२४३	२४३	२५०	
	250 mm dia.					

[illegible]	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	५८५	५८५	६०३	
	JOINT BRACKET To connect two lengths of roof water	Pc.	६१४	६१४	६३२	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	९६५	९६५	९९४	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	१३८७	१३८७	१४२९	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	१३८७	१३८७	१४२९	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	३०२	३०२	३११	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	८०२	८०२	८२६	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	३००	३००	३०९	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	१६४	१६४	१६९	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	१२२	१२२	१२५	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	३१८	३१८	३२७	
	RUBBER GASKET To provide leak proof joints.	Pc.	१६६	१६६	१७१	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	160 mm dia.					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	८२	८२	८४	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	१९१	१९१	१९७	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	४३७	४३७	४५१	
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems					
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	२४७	२४७	२५४	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	४३८	४३८	४५१	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	२६२	२६२	२७०	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	४७०	४७०	४८४	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	४४७	४४७	४६१	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	६७३	६७३	६९३	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	४७३	४७३	४८७	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	६९६	६९६	७१७	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	९५९	९५९	९८८	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	११९६	११९६	१२३२	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	१०२२	१०२२	१०५२	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	१३५०	१३५०	१३९१	
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY					
	DWV Bend 45 Degree **75 mm size**	pcs	१४०	१४०	१४४	
	DWV Bend 87.5 Degree	"	१७७	१७७	१८३	
	DWV Bend 87.5 Degree with Door	"	८१	८१	८४	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
		आ.व.			
		२०७४/७५	२०७५/७६	२०७६/७७	
DWV Socket Plug	"	१८९	१८९	१९५	
DWV Cleansing Pipe	"	११४	११४	११७	
DWV Coupler	"	२०२	२०२	२०८	
DWV Single Tee	"	२२२	२२२	२२८	
DWV Single Tee with Door	"	३४९	३४९	३६०	
DWV Cross Tee	"	४९१	४९१	५०६	
DWV Cross Tee with Door	"	३६१	३६१	३७२	
DWV Double 'Y'	"	४८१	४८१	४९६	
DWV Double 'Y' with Door	"	२२६	२२६	२३२	
DWV Single 'Y'	"	२८८	२८८	२९७	
DWV Single 'Y' with Door	"	१२	१२	१२	
DWV Pipe Clip	"	२५	२५	२५	
DWV Vent Cowel	"	२३०	२३०	२३७	
DWV Bend 45 Degree **110mm size**	"	२८२	२८२	२९१	
DWV Bend 87.5 Degree	"	३२३	३२३	३३२	
DWV Bend 87.5 Degree with Door	"	१०३	१०३	१०६	
DWV Socket Plug	"	३७०	३७०	३८१	
DWV Cleansing Pipe	"	२०६	२०६	२१२	
DWV Coupler	"	६८४	६८४	७०५	
DWV Double 'Y'	"	८०८	८०८	८३२	
DWV Double 'Y' with Door	"	५६६	५६६	५८३	
DWV Cross Tee	"	६४२	६४२	६६१	
DWV Cross Tee with Door	"	३७०	३७०	३८१	
DWV Single Tee	"	४३७	४३७	४५०	
DWV Single Tee with Door	"	४५३	४५३	४६७	
DWV Single 'Y'	"	४७५	४७५	४८९	
DWV Single 'Y' with Door	"	४७	४७	४८	
DWV Vent Cowel	"	१६१	१६१	१६६	
DWV Reducer 110*75 mm	"	३६	३६	३७	
DWV Pipe Clip 110mm size	"	४३६	४३६	४४९	
DWV W.C. Connectore (Straight type)	"	३४८	३४८	३५९	
DWV W.C. Connectore (Bend type)	"	१७४	१७४	१७९	
DWV Nahani Trap - 3" Height without Jali75 mm	"	२४	२४	२४	
DWV Nahani Trap Jali	"	५३९	५३९	५५५	
DWV P-Trap with Leap Ring 10*110 mm	"	७७३	७७३	७९६	
DWV P-Trap with Leap Ring 25*110 mm	"	२३२	२३२	२३९	
DWV Multi Floor Trap 4" w/o Jali 75 mm	"	४७०	४७०	४८४	
DWV Reducer 60*110 mm	"	४४९	४४९	४६३	
DWV Coupler **160mm size**	"	१०७७	१०७७	११०९	
DWV Single Tee	"	११५७	११५७	११९२	
DWV Single Tee with Door	"	२०१६	२०१६	२०७६	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
		आ.व.			
		२०७४/७५	२०७५/७६	२०७६/७७	
DWV Single 'Y'	"	२११८	२११८	२१८१	
DWV Single 'Y' with Door	"	७४२	७४२	७६४	
DWV Bend 87.5 Degree	"	९८८	९८८	१०१८	
DWV Bend 87.5 Degree with Door	"	८६४	८६४	८९०	
DWV Bend 45 Degree	"				
FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	५८४	५८४	६०२	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	६०६	६०६	६२४	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	६३०	६३०	६४९	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	५९३	५९३	६११	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	६०४	६०४	६२२	
FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	१०७८	१०७८	१११०	
FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	११२०	११२०	११५३	
FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	११६३	११६३	११९८	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	१०९६	१०९६	११२९	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	१११६	१११६	११४९	
FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	१६८८	१६८८	१७३९	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	१७१८	१७१८	१७६९	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	१७४६	१७४६	१७९९	
FOAMCORE Plain Both End (3mtrs length) SN-4	"	२८०१	२८०१	२८८५	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	२८४९	२८४९	२९३५	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	२८९९	२८९९	२९८६	
FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	३७०९	३७०९	३८२०	
FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	३७७३	३७७३	३८८६	
FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	३८३८	३८३८	३९५३	
FOAMCORE Plain Both End (3mtrs length) SN-4	"	४५८३	४५८३	४७२०	

	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	४६६३	४६६३	४८०३	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	४७४३	४७४३	४८८५	
		"				
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	५८३	५८३	६०१	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	५९८	५९८	६१६	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	६१३	६१३	६३१	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	५९४	५९४	६१२	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	६०५	६०५	६२३	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	१०७७	१०७७	११०९	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	११०९	११०९	११४२	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	११३९	११३९	११७४	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	१०९७	१०९७	११३०	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	१११६	१११६	११४९	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	१६८८	१६८८	१७३९	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	१७१८	१७१८	१७६९	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	१७४७	१७४७	१८००	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	२८०१	२८०१	२८८५	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	२८४९	२८४९	२९३५	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	२८९८	२८९८	२९८५	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	३७०९	३७०९	३८२०	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	"	३७७३	३७७३	३८८६	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	"	३८३८	३८३८	३९५३	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	४५८३	४५८३	४७२०	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	४६६३	४६६३	४८०३	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	४७४३	४७४३	४८८५	

क्र.सं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR					
	DWV Coupler SN-8 110mm	per pc	२९४	२९४	३०३	
	DWV Coupler SN-4 160 mm	"	७०८	७०८	७२९	
	DWV Coupler SN-4 200 mm	"	१४४७	१४४७	१४९१	
	DWV Coupler SN-4 250 mm	"	२६९७	२६९७	२७७८	
	DWV Coupler SN-2 315mm	"	४३३८	४३३८	४४६८	
	DWV Coupler SN-4 315 mm	"	४७३६	४७३६	४८७८	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	१००१	१००१	१०३१	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	२७८७	२७८७	२८७०	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	५२०५	५२०५	५३६१	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	११६६८	११६६८	१२०१८	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	२७७०५	२७७०५	२८५३६	
	Multilayer Composite Pipe (Sanghai, or eqv.)					
	Cold Water Pipe (White)					
	12-16 mm ½"	Rm	१०१	१०१	१०४	
	14-18 mm ½"	"	१११	१११	११४	
	16-20 mm ½"	"	११९	११९	१२२	
	20-25 mm ¾"	"	१८०	१८०	१८६	
	25-32 mm 1"	"	२८१	२८१	२९०	
	32-40 mm 1¼"	"	४४६	४४६	४५९	
	41-50 mm 1½"	"	६५३	६५३	६७३	
	Hot Water Pipe (Orange)					
	12-16 mm ½"	Rm	१११	१११	११४	
	14-18 mm ½"	"	१२३	१२३	१२६	
	16-20 mm ½"	"	१४१	१४१	१४५	
	20-25 mm ¾"	"	२०८	२०८	२१४	
	25-32 mm 1"	"	३०२	३०२	३११	
	32-40 mm 1¼"	"	४६५	४६५	४७९	
	Gas Lines Pipe (Yellow)					
	12-16 mm ½"	Rm	८७	८७	९०	
	14-18 mm ½"	"	८७	८७	९०	
	MULTILAYER COMPOSITE Fittings					
	a. Equal Straight Union					
	½"ø (16mm ø)	गोटा	१३३	१३३	१३७	
	½"ø (18mm ø)	"	१४०	१४०	१४५	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
		आ.व.			
		२०७४/७५	२०७५/७६	२०७६/७७	
½"ø (20mm ø)	"	१५४	१५४	१५९	
¾" ø (25 mm ø)	"	२२५	२२५	२३२	
1" ø (32 mm ø)	"	३५१	३५१	३६२	
1¼" ø (40 mm ø)	"	१२९६	१२९६	१३३५	
1½" ø (50 mm ø)	"	१९५८	१९५८	२०१६	
b. Unequal Straight Union					
25 - 16 mm ø	"	२५२	२५२	२६०	
25 - 18 mm ø	"	२६१	२६१	२६९	
25 - 20 mm ø	"	२७५	२७५	२८३	
32 - 16 mm ø	"	३३८	३३८	३४८	
32 - 18 mm ø	"	३५६	३५६	३६६	
32 - 20 mm ø	"	३८३	३८३	३९४	
32 - 25 mm ø	"	४१०	४१०	४२२	
40 - 32 mm ø	"	११२१	११२१	११५४	
50 - 20 mm ø	"	१६३४	१६३४	१६८३	
50 - 32 mm ø	"	१९५८	१९५८	२०१६	
50 - 40 mm ø	"	१८४५	१८४५	१९००	
c. Male Union					
16mm x ½"M	गोटा	९५	९५	९७	
18mm x ½"M	"	११०	११०	११३	
20mm x ½"M	"	१२६	१२६	१३०	
25mm x ½"M	"	१५३	१५३	१५८	
25mm x ¾"M	"	१९४	१९४	१९९	
25mm x 1"M	"	२४८	२४८	२५५	
32mm x ¾"M	"	२८४	२८४	२९२	
32mm x 1"M	"	३११	३११	३२०	
32mm x 1½"M	"	३१५	३१५	३२४	
40mm x 1"M	"	९९५	९९५	१०२४	
40mm x 1½"M	"	१०३०	१०३०	१०६०	
50mm x 1"M	"	१५६३	१५६३	१६१०	
50mm x 1¼"M	"	१५९०	१५९०	१६३८	
50mm x 1½"M	"	२१६०	२१६०	२२२५	
50mm x 2"M	"	१६२३	१६२३	१६७१	
d. Female Straight Union					
16mm x ½"F	गोटा	१०४	१०४	१०७	
18mm x ½"F	"	११३	११३	११६	
20mm x ½"F	"	१२२	१२२	१२६	
25mm x ½"F	"	१६२	१६२	१६७	
25mm x ¾"F	"	१९४	१९४	१९९	
25mm x 1"F	"	१९८	१९८	२०४	
32mm x ½"F	"	२०३	२०३	२०९	
32mm x ¾"F	"	२०७	२०७	२१३	
32mm x 1"F	"	२९३	२९३	३०१	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.) आ.व.			कैफियत
		२०७४/७५	२०७५/७६	२०७६/७७	
40mm x 1½"F	"	११६८	११६८	१२०३	
50mm x 1¼"F	"	१५७५	१५७५	१६२२	
50mm x 1½"F	"	२१६०	२१६०	२२२५	
50mm x 2"F	"	१६३८	१६३८	१६८७	
e. Equal Elbow					
½"ø (16mm ø)	गोटा	१२६	१२६	१३०	
½"ø (18mm ø)	"	१५३	१५३	१५८	
½"ø (20mm ø)	"	२०७	२०७	२१३	
¾" ø (25 mm ø)	"	३१५	३१५	३२४	
1" ø (32 mm ø)	"	५०९	५०९	५२४	
1¼" ø (40 mm ø)	"	१६५६	१६५६	१७०६	
1½" ø (50 mm ø)	"	२५६५	२५६५	२६४२	
f. Unequal Elbow					
40 - 32 mm ø	"	१८३६	१८३६	१८९१	
50 - 20 mm ø	"	२११५	२११५	२१७८	
50 - 40 mm ø	"	२१५६	२१५६	२२२०	
g. Female Elbow					
16mm x ½"F	गोटा	१६७	१६७	१७१	
18mm x ½"F	"	१८५	१८५	१९०	
20mm x ½"F	"	२०३	२०३	२०९	
25mm x ½"F	"	२२५	२२५	२३२	
25mm x ¾"F	"	२७९	२७९	२८७	
25mm x 1"F	"	३०६	३०६	३१५	
32mm x ¾"F	"	३२९	३२९	३३९	
32mm x 1"F	"	४१०	४१०	४२२	
50mm x 1¼"F	"	२११५	२११५	२१७८	
h. Male Elbow					
25mm x ¾"M	"	२२५	२२५	२३२	
25mm x 1"M	"	२९३	२९३	३०१	
32mm x ¾"M	"	२२१	२२१	२२८	
32mm x 1"M	"	३७४	३७४	३८५	
40mm x 1"M	"	१२१५	१२१५	१२५१	
50mm x 1"M	"	१७३२	१७३२	१७८४	
i. Equal Tee					
½"ø (16mm ø)	गोटा	२२५	२२५	२३२	
½"ø (18mm ø)	"	२५२	२५२	२६०	
½"ø (20mm ø)	"	३१५	३१५	३२४	
¾" ø (25 mm ø)	"	४५५	४५५	४६८	
1" ø (32 mm ø)	"	७११	७११	७३२	
1¼" ø (40 mm ø)	"	२६५८	२६५८	२७३७	
1½" ø (50 mm ø)	"	३८८४	३८८४	४०००	
j. Unequal Tee					
20 mm x 16 mm x 20 mm	"	२०३	२०३	२०९	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
		आ.व.			
		२०७४/७५	२०७५/७६	२०७६/७७	
20 mm x 18 mm x 20 mm	"	२२५	२२५	२३२	
25 mm x 16 mm x 25 mm	"	३३८	३३८	३४८	
25 mm x 18 mm x 25 mm	"	३८३	३८३	३९४	
25 mm x 20 mm x 25 mm	"	३९६	३९६	४०८	
32 mm x 16 mm x 32 mm	"	६५३	६५३	६७२	
32 mm x 18 mm x 32 mm	"	६७५	६७५	६९५	
32 mm x 20 mm x 32 mm	"	७०२	७०२	७२३	
32 mm x 25 mm x 32 mm	"	७२०	७२०	७४२	
40 mm x 32 mm x 32 mm	"	१९६७	१९६७	२०२५	
40 mm x 32 mm x 40 mm	"	२२७८	२२७८	२३४६	
50 mm x 20 mm x 50 mm	"	३१०५	३१०५	३१९८	
50 mm x 32 mm x 32 mm	"	२०४७	२०४७	२१०८	
50 mm x 32 mm x 50 mm	"	३१३७	३१३७	३२३१	
50 mm x 40 mm x 40 mm	"	३१४७	३१४७	३२४२	
50 mm x 40 mm x 50 mm	"	३५९५	३५९५	३७०२	
k. Female Tee					
16mm x ½"F x 16mm	गोटा	२२५	२२५	२३२	
18mm x ½"F x 18mm	"	२३४	२३४	२४१	
20mm x ½"F x 20mm	"	२५२	२५२	२६०	
25mm x ½"F x 25mm	"	२३७	२३७	२४४	
25mm x ¾"F x 25mm	"	२६१	२६१	२६९	
25mm x 1"F x 25mm	"	३३८	३३८	३४९	
32mm x ½"F x 32mm	"	३६५	३६५	३७५	
32mm x ¾"F x 32mm	"	३७४	३७४	३८५	
32mm x 1"F x 32mm	"	५०७	५०७	५२२	
40mm x ¾"F x 32mm	"	१४९६	१४९६	१५४१	
50mm x ¾"F x 40mm	"	२२१९	२२१९	२२८६	
l. Equal Ball Valve Union					
½"ø (16mm ø)	गोटा	२६२	२६२	२७०	
½"ø (18mm ø)	"	२९१	२९१	२९९	
½"ø (20mm ø)	"	३८३	३८३	३९४	
¾" ø (25 mm ø)	"	६३५	६३५	६५४	
1" ø (32 mm ø)	"	८८२	८८२	९०८	
1¼" ø (40 mm ø)	"	२८८२	२८८२	२९६८	
1½" ø (50 mm ø)	"	४१५९	४१५९	४२८४	
m. Female Ball Valve Union					
16mm x ½"F	गोटा	२४४	२४४	२५१	
18mm x ½"F	"	२८०	२८०	२८८	
20mm x ½"F	"	३१३	३१३	३२३	
20mm x ¾"F	"	३५१	३५१	३६२	
25mm x ¾"F	"	६५३	६५३	६७२	
25mm x 1"F	"	६६६	६६६	६८६	
32mm x 1"F	"	७०२	७०२	७२३	

निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफियत
		आ.व.			
		२०७४/७५	२०७५/७६	२०७६/७७	
n. Plug					
1¼" ø (40 mm ø)	"	१४४०	१४४०	१४८३	
1½" ø (50 mm ø)	"	१९८०	१९८०	२०३९	
p. Wall Plated Female Elbow					
16mm x ½"F	गोटा	१८९	१८९	१९५	
18mm x ½"F	"	२०७	२०७	२१३	
20mm x ½"F	"	२२५	२२५	२३२	
q. Nipple					
N 1/2F*1/2F	गोटा	४९	४९	५०	
N 1/2M*1/2M	"	४९	४९	५०	
N 3/4F*1/2F	"	६८	६८	७०	
N 1F*1/2F	"	७७	७७	८०	
N 1F*3/4F	"	८७	८७	९०	
N 3/4M*1/2M	"	६८	६८	७०	
N 1M*1/2M	"	७७	७७	८०	
N 1M*3/4M	"	८७	८७	९०	
N 1/2F*1/2M	"	५९	५९	६०	
N 1/2F*3/4M	"	६८	६८	७०	
N 1/2F*1M	"	१०७	१०७	११०	
N 1/2M*3/4F	"	६८	६८	७०	
N 1/2M*1F	"	११२	११२	११५	
N 3/4F*3/4M	"	८७	८७	९०	
N 3/4F*1M	"	९६	९६	९९	
N 3/4M*1F	"	१२७	१२७	१३१	
Supplying laying & jointing of Nepal Plastic (Blue colour slotted)Pvc pipe for different size of Ordinary Boring work by manually					
a.1) 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	४८६	४८६	५०१	
a.2) Failure chagre per well	संख्या	१३५०	१३५०	१३९१	
b.1) 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	६९३	६९३	७१४	
b.2) Failure chagre per well	संख्या	३६००	३६००	३७०८	
c.1) 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	१३२३	१३२३	१३६३	
c.2) Failure chagre per well	संख्या	४६८०	४६८०	४८२०	
[illegible]) 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	१८७२	१८७२	१९२८	
[illegible]) Failure chagre per well	संख्या	५४००	५४००	५५६२	
[illegible]mercible pump installation fixing [illegible]ition with GI touching wire all complete work	संख्या	१५७५	१५७५	१६२२	
[illegible]C.C. Hume Pipe & Hume Pipe Collar					

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैपि
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	PIPES					
	a) NP-2					
	150 mm dia.	र.मि	५१८	५९६	६६७।२६	
	200 mm dia.	,,	६७३	७८५	८६७।२६	
	250 mm dia.	,,	८४३	९८३	१०८४।९६	
	300 mm dia.	,,	११४२	१३३०	१४६३।७२	
	350 mm dia.	,,	१२६२	१४७०	१६१९।४७	
	375 mm dia.	,,	१३८२	१६१०	१६१०।००	
	400 mm dia.	,,	१५८९	१८५२	२०३८।९४	
	450 mm dia.	,,	१६८२	१९६०	२१५९।२९	
	500 mm dia.	,,	१८८७	२२००	२४२०।३५	
	600 mm dia.	,,	२४९०	३०७७	३१९४।६९	
	700 mm dia.	,,	३२४९	३७८५	४१६६।३७	
	750 mm dia.	,,	३५१३	४०९२	४५०२।६५	
	800 mm dia.	,,	३९२१	४५६७	५०३०।०९	
	900 mm dia.	,,	५२९८	६१७२	६७९४।६९	
	1000 mm dia.	,,	६१८२	७१८५	७९२३।८९	
	1200 mm dia.	,,	७५४०	८७७६	९६६७।२६	
	1500 mm dia.	,,	१५८५१	१८४५०	१८४५०।००	
	b) NP-3					
	150 mm dia.	र.मि	११५६	१२९१	१४२१।२४	
	200 mm dia.	,,	१५४०	१७२०	१८९५।५८	
	250 mm dia.	,,	१९२५	२१४९	२३६४।६०	
	300 mm dia.	,,	२७६७	३०८८	३३९६।४६	
	350 mm dia.	,,	३१०४	३४६४	३९४१।५९	
	375 mm dia.	,,	३३१८	३७०२	३७०२।००	
	400 mm dia.	,,	३५३६	३९४८	४३४३।३६	
	450 mm dia.	,,	३९६९	४४३२	४८७९।६५	
	500 mm dia.	,,	४४२५	४९४०	५४३५।४०	
	600 mm dia.	,,	५४६८	६१०४	६७१६।८१	
	700 mm dia.	,,	६६०२	७३७२	८१०९।७३	
	750 mm dia.	,,	७५८३	८४६७	९३१६।८१	
	800 mm dia.	,,	८२७६	९२४०	१०१६४।६०	
	900 mm dia:	,,	१०७३४	११९८५	१३१८४।०७	
	1000 mm dia.	,,	११९२७	१३३१२	१४६४७।७९	
	1200 mm dia.	,,	१४११६	१५८४७	१७४३८।९४	
	1500 mm dia.	,,	२२३०७	२४८९४	२४८९४	
	R.C.C. Hume Pipe Collar					
	a) NP-2					
	150 mm dia.	गोटा	१२९	१६५	१६५	
	200 mm dia.	,,	१७०	१९५	१९५	

Santanu. [signature] [signature] [signature]

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफि
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	250 mm dia.	,,	२११	२४५	२४५	
	300 mm dia.	,,	२८६	३३२	३३२	
	350 mm dia.	,,	३१५	३६५	३६५	
	375 mm dia.	,,	३४६	३६५	३६५	
	400 mm dia.	,,	३९८	४६३	४६३	
	450 mm dia.	,,	४२०	४९०	४९०	
	500 mm dia.	,,	४७२	५५०	५५०	
	600 mm dia.	,,	६२३	७६९	७६९	
	700 mm dia.	,,	८१२	९४६	९४६	
	750 mm dia.	,,	८७८	१०२३	१०२३	
	800 mm dia.	,,	९८०	११४१	११४१	
	900 mm dia.	,,	१३२४	१५४३	१५४३	
	1000 mm dia.	,,	१५४५	१७९९	१७९९	
	1200 mm dia.	,,	१८८५	२१९६	२१९६	
	1500 mm dia.	,,	३९६२	४६१५	४६१५	
	b) NP-3					
	150 mm dia.	,,	२८९	३२३	३२३	
	200 mm dia.	,,	३८५	४२९	४२९	
	250 mm dia.	,,	४८१	५३७	५३७	
	300 mm dia.	,,	६९१	७७१	७७१	
	350 mm dia.		७७६	८६५	८६५	
	375 mm dia.		८२९	९२४	९२४	
	400 mm dia.	,,	८८३	९८६	९८६	
	450 mm dia.	,,	९९३	११०७	११०७	
	500 mm dia.	,,	११०७	१२३४	१२३४	
	600 mm dia.	,,	१३६८	१५२६	१५२६	
	700 mm dia.	,,	१६५०	१८४३	१८४३	
	750 mm dia.	,,	१८९५	२११६	२११६	
	800 mm dia.	,,	२०६८	२३०९	२३०९	
	900 mm dia.	,,	२६८३	२९९६	२९९६	
	1000 mm dia.	,,	२९८२	३३२७	३३२७	
	1200 mm dia.	,,	३५४९	३९६१	३९६१	
	1500 mm dia.	,,	५५७७	६२२३	६२२३	
	R.C.C.Spigot Pipes (Socket System)					
	a) NP-2					
	150 mm dia.	र.मि	(	७६६	७६६	
	200 mm dia.	,,	(	९७६	९७६	
	250 mm dia.	,,	(	१२२१	१२२१	
	300 mm dia.	,,	(	१६५६	१६५६	
	350 mm dia.	,,	(	२००७	२००७	
	400 mm dia.	,,	(	२३००	२३००	
	450 mm dia.	,,	(	२४३८	२४३८	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	500 mm dia.	,,	(	२७३६	२७३६
	600 mm dia.	,,	(	३६०८	३६०८
	700 mm dia.	,,	(	४७०९	४७०९
	750 mm dia.	,,	(	५०९०	५०९०
	800 mm dia.	,,	(	५६८४	५६८४
	900 mm dia.	,,	(	७३३९	७३३९
	1000 mm dia.	,,	(	८४८१	८४८१
	1200 mm dia.	,,	(	१०२७४	१०२७४
	b) NP-3				
	150 mm dia.	र.मि	१३०६	१६०३	१६०३
	200 mm dia.	,,	१७७२	२१३९	२१३९
	250 mm dia.	,,	२२१३	२६७४	२६७४
	300 mm dia.	,,	३१८१	३८४२	३८४२
	350 mm dia.	,,	(	४३१३	४३१३
	400 mm dia.	,,	४०६७	४९१३	४९१३
	450 mm dia.	,,	४५६६	५५१३	५५१३
	500 mm dia.	,,	५०८९	६१४१	६१४१
	600 mm dia.	,,	६२८८	७५९२	७५९२
	700 mm dia.	,,	७५९३	९१६९	९१६९
	800 mm dia.	,,	९५१७	११४९३	११४९३
	900 mm dia.	,,	१२३४६	१४९०७	१४९०७
	1000 mm dia.	,,	१३७१७	१६५६४	१६५६४
	1200 mm dia.	,,	१६३२७	१९५०६	१९५०६
	1500 mm dia.	,,	२६२४७	३०८३५	३०८३५
	1600 mm dia.	,,	३०२७५	३५५६६	३५५६६
	1800 mm dia.	,,	४०३२३	४७३३९	४७३३९
27	**High Density Polythene Pipe NS-40**				
	Pipes of different sizes, series & pressure				
	HDP Pipe	Kg	२१४।०	२६५।०	२८१
27.1	**2.5Kg/cm^2 Series II**				
	63 mm (0.403 Avg.wt. Kg/m)	Rm	८६	१०७	११३
	75 mm (0.557 Avg.wt Kg/m)	,,	११९	१४८	१५६
	90 mm (0.799 Avg.wt Kg/m)	,,	१७१	२१२	२२४
	110 mm (1.185 Avg.wt Kg/m)	,,	२५४	३१४	३३३
	125 mm (1.530 Avg.wt Kg/m)	,,	३२७	४०५	४३०
	140 mm (1.897 Avg.wt Kg/m)	,,	४०६	५०३	५३३
	160 mm (2.453 Avg.wt Kg/m)	,,	५२५	६५०	६८९
	180 mm (3.148 Avg.wt Kg/m)	,,	६७४	८३४	८८४
	200 mm (3.875 Avg.wt Kg/m)	,,	८२९	१०२७	१०८८
	225 mm (4.822 Avg.wt Kg/m)	,,	१०३२	१२७८	१३५४
	250 mm (6.012 Avg.wt Kg/m)	,,	१२८७	१५९३	१६८९
	280 mm (7.471 Avg.wt Kg/m)	,,	१५९९	१९८०	२०९९

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	315 mm (9.417 Avg.wt Kg/m)	,,	२०१५	२५१०	२६६०
	355 mm (11.957 Avg.wt Kg/m)	,,	२५५९	३१६९	३३५९
	400 mm (15.221 Avg.wt Kg/m)	,,	३२५७	४०३४	४२७६
	450 mm (19.163 Avg.wt Kg/m)	,,	४१०१	५१७४	५४८४
	500 mm (23.836 Avg.wt Kg/m)	,,		६४३६	६८२२
27.2	**4 Kg/cm^2 Series III**				
	40 mm (0.251 Avg.wt Kg/m)	Rm	५४	६७	७१
	50 mm (0.378 Avg.wt Kg/m)	,,	८१	१००	१०६
	63 mm (0.585 Avg.wt Kg/m)	,,	१२५	१५५	१६४
	75 mm (0.846 Avg.wt Kg/m)	,,	१८१	२२४	२३८
	90 mm (1.220 Avg.wt Kg/m)	,,	२६१	३२३	३४३
	110 mm (1.703 Avg.wt Kg/m)	,,	३६४	४५१	४७८
	125 mm (2.289 Avg.wt Kg/m)	,,	४९०	६०७	६४३
	140 mm (2.901 Avg.wt Kg/m)	,,	६२१	७६९	८१५
	160 mm (3.773 Avg.wt Kg/m)	,,	८०७	१०००	१०६०
	180 mm (4.762 Avg.wt Kg/m)	,,	१०१९	१२६२	१३३८
	200 mm (5.890 Avg.wt Kg/m)	,,	१२६०	१५६१	१६५५
	225 mm (7.445 Avg.wt Kg/m)	,,	१५९३	१९७३	२०९१
	250 mm (9.187 Avg.wt Kg/m)	,,	१९६६	२४३५	२५८१
	280 mm (11.455 Avg.wt Kg/m)	,,	२४५१	३०३६	३२१८
	315 mm (14.508 Avg.wt Kg/m)	,,	३१०५	३८४५	४०७५
	355 mm (18.382 Avg.wt Kg/m)	,,	३९३४	४८७१	५१६४
	400 mm (23.343 Avg.wt Kg/m)	,,	४९९५	६१८६	६५५७
	450mm (29.351Avg.wt Kg/m)	,,	६२८१	७९२५	८४००
	500mm (36.406 Avg.wt Kg/m)	,,		९८२८	१०४१८
27.3	**6 Kg/cm^2 Series IV**				
	32 mm (0.226 Avg.wt Kg/m)	Rm	४८	६०	६३
	40 mm (0.350 Avg.wt Kg/m)	,,	७५	९३	९८
	50 mm (0.542 Avg.wt Kg/m)	,,	११६	१४४	१५२
	63 mm (0.850 Avg.wt Kg/m)	,,	१८२	२२५	२३९
	75 mm (1.191 Avg.wt Kg/m)	,,	२५५	३१६	३३५
	90 mm (1.717 Avg.wt Kg/m)	,,	३६७	४५५	४८२
	110 mm (2.545 Avg.wt Kg/m)	,,	५४५	६७४	७१५
	125 mm (3.293 Avg.wt Kg/m)	,,	७०५	८७३	९२५
	140 mm (4.150 Avg.wt Kg/m)	,,	८८८	११००	११६६
	160 mm (5.355 Avg.wt Kg/m)	,,	११४६	१४१९	१५०४
	180 mm (6.800 Avg.wt Kg/m)	,,	१४५५	१८०२	१९१०
	200 mm (8.391 Avg.wt Kg/m)	,,	१७९६	२२२४	२३५७
	225 mm (10.544 Avg.wt Kg/m)	,,	२२५६	२७९४	२९६२
	250 mm (13.041 Avg.wt Kg/m)	,,	२७९१	३४५६	३६६३
	280 mm (16.327 Avg.wt Kg/m)	,,	३४९४	४३२७	४५८६
	315 mm (20.694 Avg.wt Kg/m)	,,	४४२९	५४८४	५८१३

Jantany

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	355 mm (26.243 Avg.wt Kg/m)	,,	५६१६	६९५४	७३७२
	400 mm (33.309 Avg.wt Kg/m)	,,	७१२८	८८२७	९३५६
	450 mm (42.065 Avg.wt Kg/m)	,,	९००२	११३५८	१२०३९
	500 mm (51.900 Avg.wt Kg/m)	,,		१४०१३	१४८५४
27.4	**10 Kg/cm^2 Series VI**				
	16 mm (0.092 Avg.wt Kg/m)	Rm	२०	२४	२६
	20 mm (0.134 Avg.wt Kg/m)	,,	२९	३६	३८
	25 mm (0.202 Avg.wt Kg/m)	,,	४३	५४	५७
	32 mm (0.334 Avg.wt Kg/m)	,,	७१	८९	९४
	40 mm (0.514 Avg.wt Kg/m)	,,	११०	१३६	१४४
	50 mm (0.796 Avg.wt Kg/m)	,,	१७०	२११	२२४
	63 mm (1.269 Avg.wt Kg/m)	,,	२७२	३३६	३५६
	75 mm (1.782 Avg.wt Kg/m)	,,	३८१	४७२	५०१
	90 mm (2.568 Avg.wt Kg/m)	,,	५५०	६८१	७२१
	110 mm (3.801 Avg.wt Kg/m)	,,	८१३	१००७	१०६८
	125 mm (4.962 Avg.wt Kg/m)	,,	१०६२	१३१५	१३९४
	140 mm (6.209 Avg.wt Kg/m)	,,	१३२९	१६४५	१७४४
	160 mm (8.079 Avg.wt Kg/m)	,,	१७२९	२१४१	२२६९
	180 mm (10.256 Avg.wt Kg/m)	,,	२१९५	२७१८	२८८१
	200 mm (12.620 Avg.wt Kg/m)	,,	२७०१	३३१८	३५१७
	225 mm (16.014 Avg.wt Kg/m)	,,	३४२७	४२४४	४४९८
	250 mm (19.757 Avg.wt Kg/m)	,,	४२२८	५२३६	५५५०
	280 mm (24.708 Avg.wt Kg/m)	,,	५२८८	६५४८	६९४०
	315 mm (31.16 Avg.wt Kg/m)	,,	६६६८	८२५७	८७५३
	355 mm (39.635 Avg.wt Kg/m)	,,	८४८२	१०५०३	१११३३
	400 mm (50.344 Avg.wt Kg/m)	,,	१०७७४	१३३४१	१४१४२
	450 mm (63.598 Avg.wt Kg/m)	,,	१३६१०	१६८५३	१७८६४
27.5	HDPE Double Wall Corrugated Pipe (DWC-SN8) (Available length-6mt.)	Rm			
	100 mm	,,		५००	५००
	150mm	,,		१०००	१०००
	200mm	,,		१५००	१५००
	250mm	,,		१९००	१९००
	300mm	,,		३१६०	३१६०
	400mm	,,		४०७०	४०७०
	500mm	,,		४८६०	४८६०
	600mm	,,		८३७०	८३७०
	800mm	,,		१३८७५	१३८७५
	1000mm	,,		२०९००	२०९००
28	**UPVC (Pipe NS 206/046**				
28.1	**A) pipe 2.5 kg /cm^2 pressure**				
	a) 90 mm	र.मी	१४१	१३७१७	१४१

Lantans. Jungy

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	b) 110 mm	"	२०९	२०४।४२	२११
	c) 125 mm	"	२६६	२६०।००	२६८
	d) 140 mm	"	३२८	३२१।२४	३३१
	e) 160 mm	"	४२९	४१९।४७	४३२
	f) 180 mm	"	५४९	५३७।१७	५५३
	g) 200 mm	"	६७१	६५६।६४	६७६
28.2	**B) UPVC Pipe 4 kg / cm^2**				
	a) 63mm	र.मी	११२	१०८।८५	११२
	b) 75 mm	"	१५४	१५०।४४	१५५
	c) 90 mm	"	२१९	२१५।०४	२२१
	d) 110 mm	"	३०१	२९४।६९	३०४
	e) 125 mm	"	४१५	४०६।१९	४१८
	f) 140 mm	"	५२७	५१५।९३	५३१
	g) 160 mm	"	६८३	६६७।२६	६८७
	h) 180 mm	"	८७७	८५७।५२	८८३
	i) 200 mm	"	१०६४	१०४०।७१	१०७२
28.3	**C) UPVC Pipe 6 Kg/ cm^2 pressure**				
	a) 40 mm	र.मी	६६	६३।७२	६६
	b) 50 mm	"	९९	९७।३५	१००
	c) 63 mm	"	१५९	१५५।७५	१६०
	d) 75 mm	"	२२२	२१६।८१	२२३
	e) 90 mm	"	३२०	३१२।३९	३२२
	f) 110 mm	"	४६२	४५२।२१	४६६
	g) 125 mm	"	६१६	६०१।७७	६२०
	h) 140 mm	"	७६६	७४९।५६	७७२
	i) 160 mm	"	९८२	९६०।१८	९८९
	j) 180 mm	र.मी	१२५२	१२२४।७८	१२६२
	k) 200 mm	,,	१५३४	१५००।००	१५४५
28.4	**C) UPVC Pipe 10 Kg/ cm^2 pressure**				
	a) 20 mm	र.मी	२५	२४।७८	२६
	b) 25 mm	,,	४०	३८।९४	४०
	c) 32mm	,,	६५	६३।७२	६६
	a) 40 mm	,,	९८	९६।४६	९९
	b) 50 mm	,,	१५५	१५१।३३	१५६
	c) 63 mm	,,	२४६	२४०।७१	२४८
	d) 75 mm	,,	३५१	३२५।६६	३३५
	e) 90 mm	,,	५०१	४८९।३८	५०४
	f) 110 mm	,,	७४२	७२५।६६	७४७
	g) 125 mm	,,	९५०	९२९।२०	९५७
	h) 140 mm	,,	११९९	११७२।५७	१२०८
	i) 160 mm	,,	१५४२	१५०८।८५	१५५४

Santanu.

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	j) 180 mm	,,	१९६६	१९२३।०१	१९८१
	k) 200 mm	,,	२४३१	२३७७८८	२४४९
28.5	**UPVC fittings :**				
	Coupler				
	50 mm	गोटा	३१	३१	३२
	75 mm	"	७५	७५	७७
	110 mm	"	१२८	१२८	१३१
	Bend 87.5 degree				
	50 mm	गोटा	४६	४६	४७
	75 mm	"	१०८	१०८	११२
	110 mm	"	२००	२००	२०६
	Bend 45 degree				
	50 mm	गोटा	४५	४५	४६
	75 mm	"	८८	८८	९१
	110 mm	"	१५८	१५८	१६३
	Single Tee				
	50 mm	गोटा	६८	६८	७०
	75 mm	"	१४७	१४७	१५१
	110 mm	"	२७९	२७९	२८७
	Pipe clip				
	50 mm	गोटा	१४	१४	१५
	75 mm	"	२८	२८	२९
	110 mm	"	३७	३७	३८
	Bend 87.5 degree with door				
	75 mm	गोटा	१३९	१३९	१४३
	110 mm	"	२४२	२४२	२४९
	Single Tee with door				
	75 mm	गोटा	१९८	१९८	२०४
	110 mm	"	३६९	३६९	३८०
	Double Tee				
	75 mm	गोटा	३२२	३२२	३३२
	110 mm	"	५१०	५१०	५२५
	Double Tee with door				
	75 mm	गोटा	४२७	४२७	४४०
	110 mm	"	६६२	६६२	६८२
	Vent cowl				
	75 mm	गोटा	५३	५३	५४
	110 mm	"	८७	८७	९०
	Socket plug				
	75 mm	गोटा	६६	६६	६८

Santany.

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैफि
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	110 mm	"	१०८	१०८	१११	
	Single "Y"					
	75 mm	गोटा	१६८	१६८	१७३	
	110 mm	"	३६३	३६३	३७४	
	Single "Y" with door					
	75 mm	गोटा	२३०	२३०	२३७	
	110 mm	"	४३८	४३८	४५१	
	Double "Y"					
	75 mm	गोटा	२५३	२५३	२६१	
	110 mm	"	४९९	४९९	५१४	
	Double "Y" with door					
	75 mm	गोटा	३२५	३२५	३३४	
	110 mm	"	५२३	५२३	५३९	
	Cleaning pipe					
	75 mm	,,	१४७	१४७	१५२	
	110 mm	,,	२८४	२८४	२९३	
	Reducer					
	110x 75 mm	,,	१३१	१३१	१३५	
	75X50 mm	,,	६९	६९	७१	
	P -Trap					
	125mmx110mm	,,	५३९	५३९	५५५	
	110mmx110mm	,,	५०५	५०५	५२१	
	75mmx75mm	,,	१९३	१९३	१९९	
	Multi-Floor -Trap					
	110mmx75mm	,,	२८०	२८०	२८८	
	Nahani-Trap					
	110mmx75mm	,,	२५५	२५५	२६३	
	W.C. Connector (bent type)	,,	२६१	२६१	२६९	
	Square tile with jali	,,	८४	८४	८६	
	Round jali	,,	३८	३८	४०	
	End cap 50mm	,,	२५	२५	२६	
29.0	**G.I Pipe threaded , 6 m. length** With Cap					
	a) Light class					
	i. ½ " (15 mm)	र.मी	१२९	१४८।००	१५२	
	ii. ¾" (20 mm)	"	१७६	२०१।६७	२०८	
	iii. 1" (25 mm)	"	२४४	२८०।००	२८८	
	iv. 1 ¼" (32 mm)	"	३१३	३५८।००	३६९	
	v. 1 ½ " (40 mm)	"	३८६	४४१।६७	४५५	
	vi. 2" (50 mm)	"	४८८	५५८।३३	५७५	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			
			आ.व.			कै
			२०७४/७५	२०७५/७६	२०७६/७७	
	vii. 2 ½ " (65 mm)	"	६७१	७७०।००	७९३	
	viii. 3" (80 mm)	"	७८८	९०३।३३	९३०	
	ix. 4" (100 mm)	"	११२७	१२९१।६७	१३३०	
	x. 5" (125 mm)	"	१८०२	२०६६।६७	२१२९	
	xi. 6" (150 mm)	"	२१४०	२४५५।००	२५२९	
	xii. 8" (200 mm)	"	३०७१	३५२३।००	३६२९	
	b) Medium class					
	i. ½ " (15 mm)	र.मी	१५०	१७१।००	१७६	
	ii. ¾" (20 mm)	"	१९१	२२०।००	२२७	
	iii. 1" (25 mm)	"	२८६	३२८।००	३३८	
	iv. 1 ¼" (32 mm)	"	३७३	४२६।६७	४३९	
	v. 1 ½ " (40 mm)	र.मि	४२८	४९०।००	५०५	
	vi. 2" (50 mm)	"	५८३	६७०।००	६९०	
	vii. 2 ½ " (65 mm)	"	७४५	८५५।००	८८१	
	viii. 3" (80 mm)	"	९२३	१०६०।००	१०९२	
	ix. 4" (100 mm)	"	१३७२	१५७३।००	१६२०	
	x. 5" (125 mm)	"	१९००	२१८०।००	२२४५	
	xi. 6" (150 mm)	"	२२९७	२६३३।३३	२७१२	
	xii. 8" (200 mm)	"	३४९०	४००३।३३	४१२३	
	c) Heavy duty					
	i. ½ " (15 mm)	र.मि	१७८	२०३।३३	२०९	
	ii. ¾" (20 mm)	"	२२३	२५६।६७	२६४	
	iii. 1" (25 mm)	"	३३५	३८३।३३	३९५	
	iv. 1 ¼" (32 mm)	"	४२८	४९०।००	५०५	
	v. 1 ½ " (40 mm)	"	४९३	५६५।००	५८२	
	vi. 2" (50 mm)	"	७१८	८२३।३३	८४८	
	vii. 2 ½ " (65 mm)	"	८९९	१०३१।६७	१०६३	
	viii. 3" (80 mm)	"	१०५९	१२१५।००	१२५१	
	ix. 4" (100 mm)	"	१६४३	१८८३।३३	१९४०	
	x. 5" (125 mm)	"	२१२८	२४४०।००	२५१३	
	xi. 6" (150 mm)	"	२४१३	२७६६।६७	२८५०	
	xii. 8" (200 mm)	"	३६९८	४२४३।३३	४३७१	
[illegible]0.0	**G.I. Pipe fittings ISI or NS Standard**					
	a) G.M. Gate valve					
	i. ½ "	गोटा	९६२	९६२	९९१	
	ii. ¾"	"	११९८	११९८	१२३४	
	iii. 1"	"	१९३०	१९३०	१९८८	

Santany

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	iv. 1 ¼"	"	२७५३	२७५३	२८३६
	v. 1 ½ "	"	३४६७	३४६७	३५७१
	vi. 2"	"	५५१९	५५१९	५६८५
	vii. 2 ½ "	"	११४११	११४११	११७५३
	viii. 3"	"	१४१८८	१४१८८	१४६१४
	ix. 4"	"	२३२३८	२३२३८	२३९३५
	b) G.M Check valve				
	i. ½ "	गोटा	८९३	८९३	९२०
	ii. ¾"	"	१२००	१२००	१२३६
	iii. 1"	"	१७७५	१७७५	१८२८
	iv. 1 ¼"	"	२६२३	२६२३	२७०२
	v. 1 ½ "	"	३०३५	३०३५	३१२६
	vi. 2"	"	५०३३	५०३३	५१८४
	vii. 2 ½ "	"	१०२२५	१०२२५	१०५३२
	viii. 3"	"	१३६५७	१३६५७	१४०६७
	ix. 4"	"	१९३०१	१९३०१	१९८८०
	c) G.I. Ebow				
	i. ½ "	गोटा	५२	५२	५४
	ii. ¾"	"	९४	९४	९७
	iii. 1"	"	१४५	१४५	१४९
	iv. 1 ¼"	"	२२०	२२०	२२७
	v. 1 ½ "	"	३०८	३०८	३१७
	vi. 2"	"	४६४	४६४	४७८
	vii. 2 ½ "	"	८०५	८०५	८२९
	viii. 3"	"	१२५३	१२५३	१२९१
	ix. 4"	"	२१५९	२१५९	२२२४
	x. 5"	"	५३४२	५३४२	५५०२
	xi. 6"	"	६४३०	६४३०	६६२३
	d) G.I. Tee				
	i. ½ "	गोटा	८०	८०	८२
	ii. ¾"	"	१२७	१२७	१३१
	iii. 1"	"	१८५	१८५	१९१
	iv. 1 ¼"	"	२९६	२९६	३०५
	v. 1 ½ "	"	४१०	४१०	४२२
	vi. 2"	"	६७१	६७१	६९१
	vii. 2 ½ "	"	१०५४	१०५४	१०८६
	viii. 3"	"	१४२४	१४२४	१४६७
	ix. 4"	"	२५८७	२५८७	२६६५
	x. 5"	"	७१६०	७१६०	७३७५

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	xi. 6"	"	८२९८	८२९८	८५४७
	e) G.I Union				
	i. ½ "	गोटा	१६९	१६९	१७४
	ii. ¾"	"	२३८	२३८	२४५
	iii. 1"	"	३४९	३४९	३५९
	iv. 1 ¼"	"	४८०	४८०	४९४
	v. 1 ½ "	"	५९४	५९४	६१२
	vi. 2"	"	८८४	८८४	९११
	vii. 2 ½ "	"	१८०८	१८०८	१८६२
	viii. 3"	"	२४३६	२४३६	२५०९
	ix. 4"	"	३२१०	३२१०	३३०६
	x. 5"	"	७१६०	७१६०	७३७५
	xi. 6"	"	८६६३	८६६३	८९२३
	f) G.I. Socket				
	i. ½ "	गोटा	४७	४७	४८
	ii. ¾"	"	७३	७३	७५
	iii. 1"	"	१००	१००	१०३
	iv. 1 ¼"	"	१५४	१५४	१५९
	v. 1 ½ "	"	२०८	२०८	२१४
	vi. 2"	"	३०६	३०६	३१५
	vii. 2 ½ "	"	५५४	५५४	५७१
	viii. 3"	"	८१७	८१७	८४२
	ix. 4"	"	१४१५	१४१५	१४५७
	x. 5"	"	३५३४	३५३४	३६४०
	xi. 6"	"	४७५२	४७५२	४८९५
	g) C.I. Plug				
	i. ½ "	गोटा	३०	३०	३१
	ii. ¾"	"	४०	४०	४१
	iii. 1"	"	४९	४९	५०
	iv. 1 ¼"	"	९८	९८	१०१
	v. 1 ½ "	"	१२४	१२४	१२८
	vi. 2"	"	१४९	१४९	१५३
	vii. 2 ½ "	"	२१४	२१४	२२०
	viii. 3"	"	४३७	४३७	४५०
	ix. 4"	"	८३८	८३८	८६३
	h) Hex Nipple				
	i. ½ "	गोटा	५६	५६	५८
	ii. ¾"	"	८६	८६	८९
	iii. 1"	"	१३९	१३९	१४३

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	iv. 1 ¼"	„	२१७	२१७	२२४
	v. 1 ½ "	„	२७५	२७५	२८३
	vi. 2"	„	४०९	४०९	४२१
	vii. 2 ½ "	„	७५०	७५०	७७३
	viii. 3"	„	९६८	९६८	९९७
	ix. 4"	„	१४८४	१४८४	१५२९
	i) Reducing Tee				
	i. ¾"	गोटा	१३९	१३९	१४३
	ii. 1"	„	२०४	२०४	२१०
	iii. 1 ¼"	„	३२५	३२५	३३५
	iv. 1 ½ "	„	४५१	४५१	४६५
	v. 2"	„	७३७	७३७	७५९
	vi. 2 ½ "	„	११६०	११६०	११९५
	vii. 3"	„	१५६८	१५६८	१६१५
	viii. 4"	„	२८६६	२८६६	२९५२
	x. 5"	"	७८८४	७८८४	८१२१
	xi. 6"	"	९१२६	९१२६	९४००
	i) Reducing Elbow				
	i. ¾"	गोटा	१०३	१०३	१०६
	ii. 1"	„	१६०	१६०	१६५
	iii. 1 ¼"	„	२४४	२४४	२५१
	iv. 1 ½ "	„	३४२	३४२	३५२
	v. 2"	„	५११	५११	५२६
	vi. 2 ½ "	„	८८३	८८३	९०९
	vii. 3"	„	१३६१	१३६१	१४०२
	viii. 4"	„	२४१०	२४१०	२४८२
	x. 5"	"	५८७८	५८७८	६०५४
	xi. 6"	"	७०७३	७०७३	७२८५
	j) Reducing socket				
	i. ¾"	गोटा	८०	८०	८२
	ii. 1"	„	१०८	१०८	१११
	iii. 1 ¼"	„	१६८	१६८	१७३
	iv. 1 ½ "	„	२२६	२२६	२३३
	v. 2"	„	३३७	३३७	३४७
	vi. 2 ½ "	„	६०२	६०२	६२०
	vii. 3"	„	८६०	८६०	८८६
	viii. 4"	„	१५५२	१५५२	१५९९
	x. 5"	"	४४३६	४४३६	४५६९
	xi. 6"	"	५२१६	५२१६	५३७२

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	K) Short bend				
	i. ½ "	गोटा	१३९	१३९	१४३
	ii. ¾"	,,	२१४	२१४	२२०
	iii. 1"	,,	३२८	३२८	३३८
	iv. 1 ¼"	,,	६३०	६३०	६४९
	v. 1 ½ "	,,	९५२	९५२	९८१
	vi. 2"	,,	१३९३	१३९३	१४३५
	vii. 2 ½ "	,,	३५७६	३५७६	३६८३
	viii. 3"	,,	५५४४	५५४४	५७१०
	ix. 4"	,,	७८५५	७८५५	८०९१
	l) Cross Tee				
	i. ½ "	गोटा	१३१	१३१	१३५
	ii. ¾"	,,	१८६	१८६	१९२
	iii. 1"	,,	२९३	२९३	३०२
	iv. 1 ¼"	,,	५०९	५०९	५२४
	v. 1 ½ "	,,	६११	६११	६२९
	vi. 2"	,,	९९०	९९०	१०२०
	vii. 2 ½ "	,,	१६७०	१६७०	१७२०
	viii. 3"	,,	२४२०	२४२०	२४९३
	ix. 4"	,,	३२६८	३२६८	३३६६
	M) Tanki nipple				
	i. ½ "	गोटा	१५४	१५४	१५९
	ii. ¾"	,,	२१४	२१४	२२०
	iii. 1"	,,	३१९	३१९	३२९
	iv. 1 ¼"	,,	४८०	४८०	४९४
	v. 1 ½ "	,,	६११	६११	६२९
	vi. 2"	,,	९९०	९९०	१०२०
	vii. 2 ½ "	,,	१९०६	१९०६	१९६३
	viii. 3"	,,	२५३८	२५३८	२६१४
	ix. 4"	,,	३३६७	३३६७	३४६८
	G.I. Nipple Medium Class ISI or NS				
	2" Long				
	i. ½ "	गोटा	२५	२५	२६
	ii. ¾"	,,	३७	३७	३८
	iii. 1"	,,	५०	५०	५२
	iv. 1 ¼"	,,	६८	६८	७०
	v. 1 ½ "	,,	८३	८३	८५
	vi. 2"	,,	१२७	१२७	१३१
	3" Long				
	i. ½ "	गोटा	३७	३७	३८

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कैपि
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	ii. ¾"	,,	५६	५६	५८	
	iii. 1"	,,	७६	७६	७८	
	iv. 1 ¼"	,,	१०२	१०२	१०५	
	v. 1 ½"	,,	१२६	१२६	१३०	
	vi. 2"	,,	१८८	१८८	१९४	
	vii. 2 ½"	,,	२५९	२५९	२६७	
	viii. 3"	,,	३७८	३७८	३८९	
	4" Long					
	i. ½"	गोटा	५०	५०	५२	
	ii. ¾"	,,	७४	७४	७६	
	iii. 1"	,,	१०१	१०१	१०४	
	iv. 1 ¼"	,,	१३६	१३६	१४०	
	v. 1 ½"	,,	१६६	१६६	१७१	
	vi. 2"	,,	२५३	२५३	२६१	
	vii. 2 ½"	,,	३४७	३४७	३५७	
	viii. 3"	,,	५०५	५०५	५२०	
	ix. 4"	,,	६४९	६४९	६६८	
	6" Long					
	i. ½"	गोटा	७६	७६	७८	
	ii. ¾"	,,	११३	११३	११६	
	iii. 1"	,,	१५१	१५१	१५६	
	iv. 1 ¼"	,,	२०५	२०५	२११	
	v. 1 ½"	,,	२५३	२५३	२६१	
	vi. 2"	,,	३७९	३७९	३९०	
	vii. 2 ½"	,,	५१८	५१८	५३४	
	viii. 3"	,,	७४२	७४२	७६४	
	ix. 4"	,,	९१७	९१७	९४५	
	9" Long					
	i. ½"	गोटा	११३	११३	११६	
	ii. ¾"	,,	१६७	१६७	१७२	
	iii. 1"	,,	२०२	२०२	२०८	
	iv. 1 ¼"	,,	३०७	३०७	३१६	
	v. 1 ½"	,,	४१३	४१३	४२५	
	vi. 2"	,,	५६९	५६९	५८६	
	vii. 2 ½"	,,	७६८	७६८	७९१	
	viii. 3"	,,	११३६	११३६	११७०	
	ix. 4"	,,	४८७१	४८७१	५०१७	
	12" Long					
	i. ½"	गोटा	१५१	१५१	१५६	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	ii. ¾"	,,	२२१	२२१	२२८
	iii. 1"	,,	२५१	२५१	२५९
	iv. 1 ¼"	,,	४१०	४१०	४२२
	v. 1 ½ "	,,	५०५	५०५	५२०
	vi. 2"	,,	७५७	७५७	७८०
	vii. 2 ½ "	,,	१०२२	१०२२	१०५३
	viii. 3"	,,	१५१४	१५१४	१५५९
	ix. 4"	,,	१८०८	१८०८	१८६२
	18" Long				
	i. ½ "	गोटा	२२७	२२७	२३४
	ii. ¾"	,,	२८०	२८०	२८८
	iii. 1"	,,	३७८	३७८	३८९
	iv. 1 ¼"	,,	६१४	६१४	६३२
	v. 1 ½ "	,,	७५५	७५५	७७८
	vi. 2"	,,	११३६	११३६	११७०
	vii. 2 ½ "	,,	१५३६	१५३६	१५८२
	viii. 3"	,,	२२४९	२२४९	२३१६
	ix. 4"	,,	२७४३	२७४३	२८२५
	G.I./G.I. Flange				
	i. 1 ¼"	गोटा	९६४	९६४	९९३
	ii. 1 ½ "	,,	११८६	११८६	१२२२
	iii. 2"	,,	१४५३	१४५३	१४९७
	iv. 2 ½ "	,,	१६९९	१६९९	१७५०
	v. 3"	,,	१८९२	१८९२	१९४९
	vi. 4"	,,	२३४८	२३४८	२४१८
	vii. 5"		३३५८	३३५८	३४५९
	viii. 6"		३४८८	३४८८	३५९३
	ix. 8"		६९४८	६९४८	७१५६
	G.I./HDP Flange				
	i. 1 ¼"	गोटा	१०३८	१०३८	१०६९
	ii. 1 ½ "	,,	१३२२	१३२२	१३६२
	iii. 2"	,,	१५६२	१५६२	१६०९
	iv. 2 ½ "	,,	१८२४	१८२४	१८७९
	v. 3"	,,	१९५०	१९५०	२००९
	vi. 4"	,,	२४०६	२४०६	२४७८
	vii. 5"		३३५८	३३५८	३४५९
	viii. 6"		३५०५	३५०५	३६१०
	ix. 8"		७६२७	७६२७	७८५६
	HDP/HDP Flange set with adaptor				

Sardany

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)			कै
			आ.व.			
			२०७४/७५	२०७५/७६	२०७६/७७	
	i. 1 ¼"	गोटा	१०३८	१०३८	१०६९	
	ii. 1 ½ "	,,	१३२२	१३२२	१३६२	
	iii. 2"	,,	१५६२	१५६२	१६०९	
	iv. 2 ½ "	,,	१८२४	१८२४	१८७९	
	v. 3"	,,	१९५०	१९५०	२००९	
	vi. 4"	,,	२४०६	२४०६	२४७८	
	vii. 5"	,,	३८१४	३८१४	३९२८	
	viii. 6"	,,	३५०५	३५०५	३६१०	
	ix. 8"	,,	७६२७	७६२७	७८५६	
	Brass tap ½"					
	i. ½ " (Wt. 400 gm)	गोटा	९०६	९०६	९३३	
	ii. ½ " ordinary	गोटा	२०५	२०५	२११	
	Globe Valve (GM)					
	i. ½ "	गोटा	९२४	९२४	९५२	
	ii. ¾"	,,	१५०५	१५०५	१५५०	
	iii. 1"	,,	१८५९	१८५९	१९१५	
	iv. 1 ¼"	,,	२९५३	२९५३	३०४२	
	v. 1 ½ "	,,	३७१६	३७१६	३८२७	
	vi. 2"	,,	४६४०	४६४०	४७७९	
	vii. 2 ½ "	,,	९११४	९११४	९३८७	
	viii. 3"	,,	१५०६०	१५०६०	१५५१२	
	ix. 4"	,,	२४३५०	२४३५०	२५०८१	
	Float Valve					
	i. ½ "	गोटा	११३४	११३४	११६८	
	ii. ¾"	,,	१२८३	१२८३	१३२१	
	iii. 1"	,,	१५५६	१५५६	१६०३	
	iv. 1 ¼"	,,	२६९०	२६९०	२७७१	
	v. 1 ½ "	,,	४०४२	४०४२	४१६३	
	vi. 2"	,,	५३८१	५३८१	५५४२	
	C.I. Air valve (Heavy)					
	i. ½ "	गोटा	३७५६	३७५६	३८६९	
	ii. ¾"	,,	५१८२	५१८२	५३३७	
	iii. 1"	,,	५७४६	५७४६	५९१८	
	Brass Union with Adopter					
	i. ½ "	गोटा	२४५	२४५	२५२	
	ii. ¾"	,,	३७७	३७७	३८८	
	iii. 1"	,,	५७०	५७०	५८७	
	iv. 1 ¼"	,,	७४२	७४२	७६४	
	v. 1 ½ "	,,	१३२२	१३२२	१३६२	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	vi. 2"	,,	१९६१	१९६१	२०२०
	Saddle Ferrule				
	i. 1 ½ "	गोटा	३५४	३५४	३६५
	ii. 2"	,,	४६८	४६८	४८२
	iii. 2 ½ "	,,	१३०६	१३०६	१३४५
	iv. 3"	,,	१७२७	१७२७	१७७९
	v. 4"	,,	२४६२	२४६२	२५३६

Santanu

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	Flow Regulating Valve (G.M.)				
	i. ½"	गोटा	१३२२	१३२२	१३६२
	C.I Sluice Valve				
	i. 1 ½ "	गोटा	६८४६	६८४६	७०५१
	ii. 2"	,,	९१३२	९१३२	९४०६
	iii. 2 ½ "	,,	११४०६	११४०६	११७४८
	iv. 3"	,,	१३६९१	१३६९१	१४१०२
	v. 4"	,,	१८२५०	१८२५०	१८७९८
	v. 5"	,,	२७७३७	२७७३७	२८५६९
	v. 6"	,,	३३२८८	३३२८८	३४२८७
	v. 8"	,,	४६६०३	४६६०३	४८००१
	Brass Ferrule Cock				
	i. ½ "	गोटा	१५०५	१५०५	१५५०
	ii. ¾"	,,	१९६१	१९६१	२०२०
	iii. 1"	,,	२८७९	२८७९	२९६५
	Ball valve				
	a) 15mm	गोटा	५१४	५१४	५२९
	b) 20 mm	,,	६५०	६५०	६७०
	c) 25 mm	,,	८७२	८७२	८९८
	d) 32 mm	,,	१०५१	१०५१	१०८३
	e) 40 mm	,,	२०३५	२०३५	२०९६
	f) 50 mm	,,	३३४१	३३४१	३४४१
31.0	**Supplying of Rcc ring for construction of well**				
31.1	**Ring**				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	५८०	५९७	६१५
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	७१८	७४०	७६२
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	८३५	८६०	८८६
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	,,	११०६	११३९	११७३
31.2	**Supplying & fixing of metal frame and Rcc cover**				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	१७५१	१८०४	१८५८
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	,,	२३१८	२३८८	२४६०
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	,,	२५४४	२६२०	२६९९
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	,,	३०३९	३१३०	३२२४

Jantany

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
32.0	ईनार खन्नको लागी **R.C.C.** रिङ्ग आपुर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)				
	i) 28" dia. R.C.C. Ring	र.मी	४००९	४१२९	४२५३
	ii) 36" dia. R.C.C. Ring	,,	५०८८	५२४०	५३९७
	iii) 42" dia. R.C.C. Ring	,,	५९२२	६०९९	६२८२
	iv) 48" dia. R.C.C. Ring	,,	७३०५	७५२४	७७५०
32.2	**२५ फीट देखि माथीको गहीराइ भएमा**				
	ईनार खन्नको लागी R.C.C. रिङ्ग आपुर्ती गरि माटो खन्ने ,आवश्यक फील्टर सामाग्री राख्ने तथा जडान समेतको सवै कार्यहरु (**२५ फीट देखि माथीको गहीराइ भएमा** मात्र ढक्कन बाहेक)				
	i) 28" dia. R.C.C. Ring	र.मी	५३८०	५५४१	५७०७
	ii) 36" dia. R.C.C. Ring	,,	९०९७	९३६९	९६५०
	iii) 42" dia. R.C.C. Ring	,,	११०११	११३४१	११६८१
	iv) 48" dia. R.C.C. Ring	,,	१३२२८	१३६२४	१४०३३
33.0	**Sanitary Tools**				
a	Adjustable spanner				
	10"	Pc	२४८	२४८	२५५
	12"	Pc	४६८	४६८	४८२
	15"	Pc	१३४८	१३४८	१३८८
	18"	Pc	१५९५	१५९५	१६४३
b	Blow Torch				
	1/2 pint	Pc	१३९२	१३९२	१४३३
	1 pint	Pc	१७१६	१७१६	१७६७
c	Building Trowel	Pc	७७	७७	७९
d	Chain Pipe wrench				
	50mm	Pc	१५९५	१५९५	१६४३
	75mm	Pc	१८९८	१८९८	१९५४
	100mm	Pc	२२२८	२२२८	२२९४
	150mm	Pc	३१३५	३१३५	३२२९
	200mm	Pc	५३३५	५३३५	५४९५
e	Chain Pulley in Ton				
	3 ton	Pc	१७०५०	१७०५०	१७५६२
	5 ton	Pc	२८१६०	२८१६०	२९००५
f	Stone Chisel 1"x12"	Pc	३५८	३५८	३६८
g	Die teeth oil with cane (250 ml size)	Pc	२७५	२७५	२८३
h	Smooth steel file half round				
	8"	Pc	५२३	५२३	५३८
	10"	Pc	१००१	१००१	१०३१
i	Flat file 10"	Pc	५२३	५२३	५३८

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
10.0	Hacksaw Blade				
	Single	Pc	४	४	५
	double	Pc	९	९	९
j	Hacksaw Frame 6mm	Pc	१८७	१८७	१९३
k	Handle die set				
	25 mm	Pc	३१०८	३१०८	३२०१
	50 mm	Pc	३५२०	३५२०	३६२६
	60 mm	Pc	९३५०	९३५०	९६३१
l	Heating Plate				
	80 mm	Pc	९३५	९३५	९६३
	100 mm	Pc	१०७३	१०७३	११०५
	125 mm	Pc	१३७५	१३७५	१४१६
	150 mm	Pc	१६३९	१६३९	१६८८
	200 mm	Pc	२६५१	२६५१	२७३१
	250 mm	Pc	३२१२	३२१२	३३०८
	300 mm	Pc	३७५१	३७५१	३८६४
m	Iron Brush 12"	Pc	७२	७२	७४
n	Iron Pan (madium)	Pc	२५३	२५३	२६१
o	Pick Axe 1.7 Kg.	Pc	४१८	४१८	४३१
p	Pipe Cutter				
	15-50 mm	Pc	१९८०	१९८०	२०३९
	65-80 mm	Pc	३०८०	३०८०	३१७२
	100 mm	Pc	४९५०	४९५०	५०९९
	125 mm	Pc	५५००	५५००	५६६५
	150 mm	Pc	९७९०	९७९०	१००८४
q	Pipe Jack Machine (Heavy)	Pc	३१३५०	३१३५०	३२२९१
r	Pipe Vice				
	2"	Pc	२४२०	२४२०	२४९३
	3"	Pc	३५२०	३५२०	३६२६
	4"	Pc	५३०८	५३०८	५४६७
	5"	Pc	९८४५	९८४५	१०१४०
s	Pipe Wrench				
	10"	Pc	३०८	३०८	३१७
	12"	Pc	५७२	५७२	५८९
	14"	Pc	६८२	६८२	७०२
	18"	Pc	१०८४	१०८४	१११६
	24"	Pc	१४९६	१४९६	१५४१
	36"	Pc	५२८०	५२८०	५४३८
	48"	Pc	९३५०	९३५०	९६३१
t	Plumb Bob Line	Pc	८८	८८	९१
u	Rachet Die Set				
	1/2"-1"	Pc	४१८०	४१८०	४३०५
	11/4" -2"	Pc	७८१०	७८१०	८०४४

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.)		
			आ.व.		
			२०७४/७५	२०७५/७६	२०७६/७७
	21/2"-3"	Pc	१७०५०	१७०५०	१७५६२
v	Round File 10"	Pc	३५८	३५८	३६८
w	Screw Driver 12"	Pc	१९८	१९८	२०४
x	Shovel 1.5 Kg	Pc	३५८	३५८	३६८
y	Slide wrench				
	10"	Pc	३५२	३५२	३६३
	12"	Pc	४७३	४७३	४८७
	15"	Pc	१३८१	१३८१	१४२२
z	Spade	Pc	४२९	४२९	४४२
A	Spare Die Teeth				
	15 mm	Pc	५७२	५७२	५८९
	20 mm	Pc	५७२	५७२	५८९
	25 mm	Pc	५७२	५७२	५८९
	32 mm	Pc	९०८	९०८	९३५
	40 mm	Pc	१५५१	१५५१	१५९८
	50 mm	Pc	१५६८	१५६८	१६१५
	65 mm	Pc	१८१५	१८१५	१८६९
	80 mm	Pc	२०३५	२०३५	२०९६
B	Telflon Cover				
	5'x5'	Pc	३०३	३०३	३१२
	7'x7'	Pc	४१३	४१३	४२५
C	Telflon Cloth	m	३३२८	३३२८	३४२७
D	Telflon Tape 10 mm roll	Roll	१७	१७	१७
E	Thermochrome Crayon				
	Indian	Pc	७४३	७४३	७६५
	Germany	Pc	१४८५	१४८५	१५३०
F	Tool Box (14"x8"x22")	Pc	२०४१	२०४१	२१०२

Electrical Works

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
1		**Dyana White Plate series SWITCH SOCKET** ANCHOR / CPL /NG/Flux OR ISI EQUIVALENT					
	1	One Gang one way switch	सेट	५८	९८	९८	
	2	One Gang two way switch	सेट	६९	१२२	१२२	
	3	One way bell switch	सेट	७२	१२८	१२८	
	4	Two gang one way switch	,,	९६	१५४	१५४	
	5	Two gang one way switch with one bell push	,,	१०५	१०५	१०५	
	6	Two gang Full two way switch	,,	१०७	१८८	१८८	
	7	Three Gang one way switch	,,	१२७	२०२	२०२	
	8	Four gang one way switch	,,	१६१	२५१	२५१	
	9	Six gang one way switch (3x5)	,,	२५३	५६५	५६५	
	10	Eight gang one way switch	,,	३०४	४७५	४७५	
	11	Dimmer single 300 watt	,,	३०९			
	12	Dimmer single 750 watt	,,	४५९	४५९	४५९	
	13	5 Step humming free dimmer	,,	४०७	४०७	४०७	
	14	16Amp 3 Pin Plug Top	,,	१२१	१२१	१२१	
	15	1 switch with dimmer	,,	३६८	३६८	३६८	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	,,	१५१	१५१	१५१	
	17	6/16 Amp , Power sockets with switch , indicator & safety shutter	,,	१६९	१६९	१६९	
	18	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	,,	३७१	३७१	३७१	
	19	32A D.P. switch with fuse & indicator Surface Mounting	,,	२०६	२०६	२०६	
	20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	६११	६११	६११	
	21	Blanking plate single	,,	४०	४०	४०	
	22	Telephone socket single	,,	११८	१४५	१४५	
	23	Telephone socket Double		१६९	२३५	२३५	
	24	Angle / bottom holder	,,	३५	३५	३५	
	25	Ceiling Rose	,,	३५	३५	३५	
	26	Buzzer	,,	९७	९७	९७	
	27	Musical bell	,,	२२२	२२२	२२२	
	28	T.V.antena single Socket	"	८२	१४०	१४०	
	29	6A 2/3 Pin unshuttered multi switch socket	"	१२८	१२८	१२८	
	30	RJ 45 Computer Socket for modem	"	२३४	२३४	२३४	
	31	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	"	३५	३७८	३७८	
	32	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	"	६३	६८	६८	
	33	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	"	९८	१०५	१०५	
	34	**Switch / socket outlet, Plate series** having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" . ORANGE, or Equivalent					
	1	10A 1gang 1way Switch	Set	८३	९०	९०	
	2	10A 2gang 1way Switch	Set	१६३	१७६	१७६	
	3	10A 3gang 1way Switch	"	२१६	२३३	२३३	
	4	10A 4gang 1way Switch	"	३५०	३७८	३७८	
	5	10A 5gang 1way Switch	"	३७१	४००	४००	

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफियत
	सव सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
1 .	6	10A 6gang 1way Switch	"	६१७	६६६	६६६	
	7	10A 1gang 2way Switch	"	१४४	१५५	१५५	
	8	10A 2gang 2way Switch	"	२७८	३००	३००	
	9	10A 3gang 2way Switch	"	४०७	४४०	४४०	
	10	10A 4gang 2way Switch	"	६१३	६६२	६६२	
	11	T V Socket outlet	"	२९९	३२३	३२३	
	12	Telephone Socket	"	२६८	२९०	२९०	
	13	13A Universal socket outlet	"	४६४	५०१	५०१	
	14	13A Socket	"	२७३	२९५	२९५	
	15	15A switched Socket outlet	"	४४३	४७८	४७८	
	16	5A Socket	"	३४०	३६७	३६७	
	17	RJ 45 8way Computer Socket	"	८२४	८९०	८९०	
	18	TV and Telephone Socket	"	५९२	६३९	६३९	
	19	7+2 PIN SOCKET OUTLET	"	९२७	६२३	६२३	
	20	3+2 PIN SOCKET OUTLET	"	५७७	६२३	६२३	
	21	X5 2+2 - 2 PIN SOCKET OUTLET	"	७८३	८४५	८४५	
	22	SCHUKO SOCKET WITH ONE SWITCH	"	५०५	५४५	५४५	
	23	Bell Press	"	२३७	२५६	२५६	
	24	Blank Plate	"	९३	१००	१००	
	25	400W Light Dimmer W/ Switch	"	९०६	९७८	९७८	
	26	400W Fan Controller / Multi Step Dimmer	"	९१७	९९०	९९०	
	27	5 Step Fan Controller	"	८९६	९६७	९६७	
	28	2 Pin Socket W/ Switch	"	४५३	४९०	४९०	
	29	13A Twin Socket	"	६८०	७३४	७३४	
1		**White Plate series modular type(polycarbonate) SWITCH SOCKET power pack,**Bentex,Premier,Rathi,Ohms or EQUIVALENT					
	1	One Gang one way switch	सेट	१००	१०८	१०८	
	2	One Gang two way switch	सेट	११२	१२१	१२१	
	3	One way bell switch	सेट	११२	१२१	१२१	
	4	Two gang one way switch	,,	१३३	१४३	१४३	
	5	Two gang one way switch with one bell push	,,	१४६	१५८	१५८	
	6	Two gang Full two way switch	,,	१५८	१७१	१७१	
	7	Three Gang one way switch	,,	१६७	१८०	१८०	
	8	Four gang one way switch	,,	२०२	२१८	२१८	
	9	Six gang one way switch	,,	३०७	३३१	३३१	
	10	Eight gang one way switch	,,	३७४	४०४	४०४	
	11	Dimmer single 300 watt	,,	४८६	५२५	५२५	
	15	1 switch with dimmer	,,	४९९	५३९	५३९	
	16	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	,,	२६०	२८१	२८१	
	17	6/13 Amp , Power sockets with switch , indicator	,,	२६३	२८४	२८४	
	18	20 A D.P. switch with fuse & indicator Surface Mounting	,,	३५४	३८२	३८२	
	19	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	३९१	४२२	४२२	
	20	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	४७४	५११	५११	
	21	Blanking plate single	,,	६२	६७	६७	
	22	Telephone socket single	,,	१५२	१६४	१६४	
	23	Telephone socket Double		२४९	२६९	२६९	
	24	T.V.antena single Socket	"	१४२	१५३	१५३	

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	25	RJ 45 Computer Socket for modem	"	२०६	२२२	२२२	
	26	CAT-6 Computer Socket for modem	"	३२१	३४६	३४६	
2		**Modular Type Switch Socket set** NORTH-WEST' NORYSIS' ABB 'SCHNIEDER Legrand or ISI Equivalent					
	1	1P – 6A/10A 1 way switch	No.	१३९	१५०	१५०	
	2	1P – 16A/20A 1 way switch	"	२२३	२४०	२४०	
	3	1P – 25A 1 way switch	"	३२६	३५२	३५२	
	4	1P – 6A/10A 2 way switch	"	१६७	१८०	१८०	
	5	1P – 16A/20A 2 way switch	"	२५३	२७३	२७३	
	6	1P – 6A push button	"	१८४	१९८	१९८	
	7	1 gang blanking module	"	४३	४६	४६	
	8	2 gang blanking module	"	८६	९१	९१	
	9	**FAN REGULATOR / DIMMER**					
	10	Step type fan regulator	No.	६३८	६८९	६८९	
	11	60 – 500 W dimmer	"	७९७	८६२	८६२	
	12	1000 W dimmer	"	१५२४	१६४६	१६४६	
		SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS					
	13	6A – multi socket 5 pin	No.	२४०	२५९	२५९	
	14	6/16A twin socket 3 pin (flushed)	"	३३२	३५८	३५८	
	15	6/16A twin socket 3 pin (projected)	"	३३२	३५८	३५८	
	16	25A 3 pin socket	"	४०१	४३३	४३३	
	17	13A 3 pin socket	"	२७०	२९२	२९२	
	18	RJ 11 telephone jack	"	१५९	१७२	१७२	
	19	RJ 45 cat.6e computer socket	"	५५७	६०१	६०१	
	20	TV socket	"	१६१	१७४	१७४	
		HOSPITALITY RANGE					
	21	250V/110V shaver socket	No.	४३५५	४७०३	४७०३	
	22	Indicator (DO NOT DISTUURB)	"	१८०	१९४	१९४	
	23	LED yellow night lamp	"	५६०	६०४	६०४	
	24	LED Blue night lamp	"	५६०	६०४	६०४	
		FRONT PLATE (COMPATIBLE TO MARKET BOXES)					
		(White)					
	25	1 module front plate	No.	७२	७८	७८	
	26	2 module front plate	"	७७	८३	८३	
	27	3 module front plate	"	८४	९१	९१	
	28	4 module front plate	"	८९	९६	९६	
	29	6 module front plate	"	१६२	१७५	१७५	
	30	8 module front plate(4+4)	"	२१७	२३४	२३४	
	31	8 module front plate (Horizontal)	"	१७४	१८८	१८८	
	32	12 module front plate	"	२६०	२८१	२८१	
	33	18 module front plate	"	३५०	३७८	३७८	
	2.2	**Modular Type Switch Socket** KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE or ISI Equivalent					
		Seperate Module for Modular Switch & Socket					
	1	1P – 6A/10A 1 way switch	No.	८७	९४	९४	
	3	1P – 16A/20A 1 way switch	"	१४४	१५५	१५५	
	7	1P – 6A/10A 2 way switch	"	१३४	१४५	१४५	
	8	1P – 16A/20A 2 way switch	"	१७५	१८९	१८९	

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.		
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७
	9	1P – 6A push button	"	१३४	१४५	१४५
	11	1 gang blanking module	"	४१	४४	४४
	12	2 gang blanking module	"	७८	८४	८४
		FAN REGULATOR / DIMMER				
	13	Step type fan regulator	No.	७००	७५६	७५६
	14	60 – 500 W dimmer	"	५९७	६४५	६४५
		SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	16	6A – multi socket 5 pin	No.	१८५	२००	२००
	17	6/16A twin socket 3 pin (flushed)	"	२८८	३११	३११
	18	6/16A twin socket 3 pin (projected)	"	२८८	३११	३११
	20	13A 3 pin socket	"	१८५	२००	२००
	21	RJ 11 telephone jack	"	१४४	१५५	१५५
	22	RJ 45 cat.6e computer socket	"	२३७	२५६	२५६
	23	TV socket	"	१४४	१५५	१५५
	40	1 module front plate	No.	११३	१२२	१२२
	41	2 module front plate	"	११३	१२२	१२२
	42	3 module front plate	"	१४८	१६०	१६०
	43	4 module front plate	"	१६५	१७८	१७८
	44	6 module front plate	"	२२७	२४५	२४५
	45	8 module front plate(4+4)	"	३०५	३२९	३२९
	46	8 module front plate (Horizontal)	"	३१३	३३८	३३८
	47	12 module front plate	"	३६३	३९२	३९२
		18 module front plate	"	४५३	४८९	४८९
3		**Flush mounting galvanized Metal box for modular type switch & socket**				
	1	1module metal box having L x B x Depth =(78x78x45)mm	सेट	५२	५६	५६
	2	2 module " " = (78x78x45)mm	„	५२	५६	५६
	3	3 gang " " " =(78x100x45)mm	„	५६	६०	६०
	4	4 gang " " =(78x140x50)mm	„	६८	७३	७३
	5	5 gang " " =(78x205x50)mm	„	१३४	१४४	१४४
	6	6 gang " " =(78x205x50)mm	„	१३६	१४७	१४७
	7	8 module metal box (4+4) =(78x230x60)mm	"	१८१	१९५	१९५
	8	8 module metal box (Horizontal) =(135x120x60)mm	"	१८१	१९५	१९५
	9	12 module metal box =(135x120x60)mm	"	२३१	२४९	२४९
	10	TV socket metal box	„	५२	५६	५६
	11	Telephone socket metal box	„	५२	५६	५६
		METAL Junction BOX				
	1	4"×4"	गोटा	१००	१०८	१०८
	2	4"×6"	„	१५०	१६२	१६२
	3	6"×8"	„	२३७	२५६	२५६
	4	8"×10"	„	३४९	३७७	३७७
	5	8"×12"	„	३४९	३७७	३७७
4		**PVC Junction Box**	„	३४	३७	३७
	1	4"×4"	गोटा			
	2	4"×6"	„	३१	३३	३३
	3	6"×8"	„	४६	५०	५०
	4	8"×10"	„	६७	७२	७२
	5	8" x12"	„	१२९	१३९	१३९
		Junction box cover	„	१४४	१५५	१५५

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफियत
	सव सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
5		**PVC Listy Double Lock { 6'length =1 no.(गोटा)}**					
	1	½" breadth	गोटा	३१	३३	३३	
	2	¾"	,,	४६	५०	५०	
	3	1"	,,	६७	७२	७२	
	4	$1^{1/2}$"	,,	१२९	१३९	१३९	
	5	2"	,,	१४४	१५५	१५५	
6		**PVC Conduit Pipe**					
	1	1) ½ " diameter	र.मी	३१	३३	३३	
	2	2) ¾"	,,	४६	५०	५०	
	3	3) 1"	,,	६७	७२	७२	
7		**Listy Pipe Accessories**					
	1	½"–2" size Saddle	र.मी	८	९	९	
	2	Grips (Denmark)	गोटा	६	७	७	
	3	Steel screws	गोटा	२	२	२	
	4	PVC Tape	गोटा	१५	१६	१६	
8		**Distribution board (DB)**					
		With busbar Neutral link Earth bar and Din Rail Conforming IS13032 , IS8632,Powder coated 14SWG CRCA sheet steel housing complete.siemens;abb 'hager					
	1	4 way **SPN DB** Double Cover	सेट	१०८२	११६९	११६९	
	2	6 way SPN DB " "	"	११३५	१२२६	१२२६	
	3	8 way SPN DB " "	"	१४१६	१५२९	१५२९	
	4	12 way SPN DB " "	"	१६७९	१८१३	१८१३	
	5	16 way SPN DB " "	"	१७९५	१९३८	१९३८	
	6	3-4 way TPN DB Double Cover	"	२६६८	२८८४	२८८४	
	7	6 way TPN " " "	"	२९९८	३२३८	३२३८	
	8	8 way TPN " " " Vertical	"	५७९९	६२६३	६२६३	
	9	12 way TPN " " " Vertical	"	७७२७	८३४५	८३४५	
	10	50 Pair Telephone D.B.with crown tag	"	५४४६	५८८२	५८८२	
9		**PVC Box for MCB**					
	1	1-pole PVC box GPS	सेट	८१	८८	८८	
	2	2- pole PVC " "	"	८१	८८	८८	
	3	3 and 4-pole PVC " "	"	१३०	१४०	१४०	
10	10.1	Miniature Circuits Breaker (MCB) , LEGRAND/Siemens , Abb, schnieder or equivalent					
	1	6–32 amp MCB SP (single pole)	गोटा	२०६	२२२	२२२	
	2	6–32 amp MCB DP (Double pole)	"	१०३०	१११२	१११२	
	3	6–32 amp MCB TP (Triple pole)	"	१७१०	१८४७	१८४७	
	4	32 amp MCB TPN	"	२४७२	२६७०	२६७०	
	5	40–63 amp MCB DP	"	१६४८	१७८०	१७८०	
	6	40–63 amp MCB TP	"	२६३७	२८४८	२८४८	
	7	40–63 amp MCB TPN	"	३१५७	३४१०	३४१०	
10	10.2	**Miniature Circuits Breaker (MCB)**KOLORS/INDO ASIAN/ GOLD MEDAL/ANCHOR WOODS/ANCHOR ROMA/VIMAL WAVE, North-west equivalent					
	1	0.5–5 amp MCB SP (single pole)	गोटा	२५८	२७९	२७९	
	2	6–32 amp MCB SP (single pole)	"	१६५	१७८	१७८	
	3	6–32 amp MCB DP (Double pole)	"	६१८	६६७	६६७	

Juntany

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	4	6–32 amp MCB TP (Triple pole)	"	१२३६	१३३५	१३३५	
	5	32 amp MCB TPN	"	१४९४	१६१३	१६१३	
	6	40–63 amp MCB DP	"	९७९	१०५७	१०५७	
	7	40–63 amp MCB TP	"	१३९१	१५०२	१५०२	
	8	40–63 amp MCB TPN	"	१८५४	२००२	२००२	
12		**Residual Current Circuit Breaker (RCCB) abb, siemens, hager, legrend, north-west lawson or equivalent**					
	1	25A to 40A ,(30mA,100,300mA) DP RCCB	गोटा	२७५१	२९७१	२९७१	
	2	63A 30mA DP RCCB	"	३२७८	३५४०	३५४०	
	3	63A 100mA DP RCCB	"	३०१४	३२५५	३२५५	
	4	63A 300mA DP RCCB	"	३०६४	३३०९	३३०९	
	5	25A to 40A ,(30mA,100,300mA) FP RCCB	"	३३७७	३६३९	३६३९	
	6	63A 30mA Four Pole RCCB	"	३७०६	४००२	४००२	
	7	63A 100mAFour Pole RCCB	"	३७०६	४००२	४००२	
	8	63A 300mA Four Pole RCCB	"	३७०६	४००२	४००२	
	n	**Moulded Case Circuit Breaker abb, abb, siemens, hager, legrend, north-west lawson or equivalent**		(			
		16AMP- 63AMP TP MCCB 16KA		५,६६५	६११८	६११८	
		80AMP TP MCCB 16KA		५,६६५	६११८	६११८	
		100AMP TP MCCB 16KA		६,३८६	६८९७	६८९७	
		125AMP TP MCCB 16KA		८,२४०	८८९९	८८९९	
		160AMP TP MCCB 16KA		९,७८५	१०५६७	१०५६७	
		16AMP- 63AMP TP MCCB 25KA		६,३८६	६८९७	६८९७	
		80AMP TP MCCB 25KA		७,०४५	७६०९	७६०९	
		100AMP TP MCCB 25KA		७,०४५	७६०९	७६०९	
		125AMP TP MCCB 25KA		११,३३०	१२२३६	१२२३६	
		160AMP TP MCCB 25KA		१३,३९०	१४४६१	१४४६१	
		200AMP TP MCCB 25KA(Adjustable)		२१,११५	२२८०४	२२८०४	
		200AMP TP MCCB 36KA(Adjustable)		२३,१७५	२५०२९	२५०२९	
		250AMP TP MCCB 36KA(Adjustable)		२७,२९५	२९४७८	२९४७८	
		400AMP TP MCCB 50KA(Adjustable)		३५,५३५	३८३७८	३८३७८	
		630AMP TP MCCB 50KA(Adjustable)		४८,४१०	५२२८३	५२२८३	
		800AMP TP MCCB 50KA(Adjustable)		६३,९६३	६९०८०	६९०८०	
14		**Manual Changeover Panel Type**					
		Make ABB,Siemens,Hager DELTON or Equivalent					
		63 Amp FP	"	११६१८	१२५४७	१२५४७	
		80 Amp FP	"	१२८५४	१३८५२	१३८५२	
		100 Amp FP	"	१८२१०	१९६६६	१९६६६	
		125 Amp FP	"	१९१९९	२०७३५	२०७३५	
		160 Amp FP	"	२५२१४	२७२३२	२७२३२	
		200 Amp FP	"	२६०३८	२८१२१	२८१२१	
		250 Amp FP	"	२७६८६	२९९००	२९९००	
		315 Amp FP	"	३५०२०	३७८२२	३७८२२	
15		**Dome light Make Homedec, Decon, Fumagalli OR equivalent**					
	i	6" Milky type decorative dome light	सेट	१८०	१९५	१९५	
	ii	6 " Brass base decorative dome light	"	७३६	७९५	७९५	
	iii	8"Milky type decorative dome light	"	२२७	२४५	२४५	
	iv	8 " Brass base decorative dome light	"	८७६	९४६	९४६	

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	v	8" Silver cast Milky base Decorative Dome Light	,,	११०७	११९५	११९५	
	vi	6) 8" Silver cast Black Base base Decorative Dome Light	,,	५६७	६१२	६१२	
	vii	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	,,	१२१३	१३१०	१३१०	
	viii	**Wall bracket/spout light/mirror light bulk head** ordinary .Make Homedec,Decon,Fumagalli	,,	२३२	२५०	२५०	
	ix	Wall bracket/spot light/mirror light /bulk head medium decorative.	,,	३६१	३९०	३९०	
	x	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	,,	८२४	८९०	८९०	
	xi	1 x 11/13 watt CFL **DOWN LIGHT** with reflector & diffuser (conceal light) Complete Set Wipro WCG22060	,,	९६८	१०४५	१०४५	
	xii	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set Wipro WCP23118	,,	१५१४	१६३५	१६३५	
	xiii	Dining lamp.	,,	१७००	१८३६	१८३६	
	xiv	**Chandlers** 6-8 lamp Medium	,,	१५०९०	१६२९७	१६२९७	
	xv	Chandlers 3-5 lamp Medium	,,	१०७६४	११६२५	११६२५	
	xvi	Mirror Light Euro Light Wipro WRF21111	,,	४६४	५०१	५०१	
	xvii	Picture light Euro Light POO2	,,	६७०	७२३	७२३	
	xviii	Wall spot Light E27 60W Euro or eqv.	,,	३६१	३९०	३९०	
	xix	Exit Light safety sign(8.24)W Make Samcon	सेट	८२४	८९०	८९०	
		Post top Lanterns					
	xx	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	,,	२५७५	२७८१	२७८१	
	xxi	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	,,	३०९०	३३३७	३३३७	
	xxii	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	,,	३४७६	३७५४	३७५४	
	xxiii	8" Globe type Post top Lamp complete set	,,	१४१६	१५२९	१५२९	
15 .	xxiv	10" Globe type Post top Lamp complete set	,,	२७०४	२९२०	२९२०	
		Roadway light luminaires **Wippro,Philips , Legero or Equivalent**					
	XXV	1 x 36 W FTL street light fixture with acrylic diffuser complete set	,,	२६३७	२८४८	२८४८	
	XXVI	2 x 36 W FTL street light fixture with acrylic diffuser complet set	,,	३८६८	४१७७	४१७७	
	XXVII	300/500 watt halogen weather proof **FLOOD LIGHT** with glass cover Complete set	,,	१५४५	१६६९	१६६९	
	XXVIII	1000 watt halogen weather proof **flood light** with glass cover Complete set	,,	३०९०	३३३७	३३३७	
	XXIV	150 watt **HPSV** weather proof flood light with glass cover lamp Complete Set	,,	९२७०	१००१२	१००१२	
	XXVi	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	,,	११३८२	१२२९३	१२२९३	

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७
	xxvii	Single Piece deep drawn aluminum POT optics **road light luminaries** with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	५२५३	५६७३।२	५६७३।२
	xxviii	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	२२७१	२४५२।७	२४५२।७
	xxix	1X125W HPSV **street light** fixture with acrylic diffuser	"	५११९	५५२८।५	५५२८।५
	xxx	2X60/100W GLS **aviation light** fixture all complete set	"	५६८६	६१४०।९	६१४०।९
16		**CEILING FANS & EXHAUST Fans,** BAJAJ/KHAITAN/ORIENT/CROMPTON/POWERPACK C/G . Almonard or equivalent				
	a	36" size ceiling Fan	गोटा	२१६३	२३३६	२३३६
	b	42" size " "	"	२२६६	२४४७।३	२४४७।३
	c	48" size " "	"	२३१८	२५०३।४	२५०३।४
	d	56" size " "	"	२५७५	२७८१	२७८१
	e	6" Exhaust Fan	"	१४९४	१६१३।५	१६१३।५
	f	9" Exhaust Fan	"	१८०३	१९४७।२	१९४७।२
	g	16" size wall fan	"	२८३३	३०५९।६	३०५९।६
	h	12" size exhaust fan	"	२५७५	२७८१	२७८१
17		**BELL INDICATOR**				
	a	4 way bell indicator with plate	सेट	१२५५	१३५५।४	१३५५।४
	b	6 way " " " "	,,	२०४९	२२१२।९	२२१२।९
	c	8 way " " " "	,,	२८५१	३०७९।१	३०७९।१
	d	12 way " " " "	,,	४३९५	४७४६।६	४७४६।६
18		**Materials For Earthing & Lightening Protection (sp.gr. copper =8930kg/m^3)**				
	a	Copper plate	के.जी	९१७	९९०।३६	९९०।३६
	b	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	१०८२	११६८।६	११६८।६
	c	Copper Strip (20mm breadth x 3mm thick)	के.जी	१०८२	११६८।६	११६८।६
	d	Copper Strip (12 x 3)mm	के.जी	१०८२	११६८।६	११६८।६
	e	Lightining rod copper conductor Air termination set	गोटा	२७३०	२९४८।४	२९४८।४
	f	8 SWG bare copper wire	र. मी	१४४	१५५।५२	१५५।५२
	g	29 mm Diameter GI Pipe of 1m length	र. मी	२५२	२७२।१६	२७२।१६
	h	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	६१८	६६७।४४	६६७।४४
	i	5/16 nuts & bolt with spring washer cadmium maker	गोटा	१५	१६।२	१६।२
	j	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	१९६	२११।६८	२११।६८
	k	Funnel with wire mesh	गोटा	३६१	३८९।८८	३८९।८८
	l	Charcoal	ब्याग	३०९	३३३।७२	३३३।७२
	m	Salt	के.जी	१२	१२।९६	१२।९६
19		**STEEL TUBELAR POLE / WOODEN POLE**				
		Steel Tubular Poles with welded plate on top and bottom (**medium Gauge** non Galvanized with folding System and accessories)				
18	a	7 Mtr. (Bottom : 115 mm Dia 3300 mm height, 90mm Dia 2400mm height & 76 mm Dia , 1650mm height with overlapping of 200mm & 150 mm Respectively	No	१२०५७	१३०२२	१३०२२

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	b	9 Mtr. (Bottom : 134 mm Dia. 3300 mm height, 115mm Dia2250mm height , 90 mm Dia 2250mm height & 76mm Dia. 1650 mm height with overlapping of 200mm, 150mm, 100mm Respectively	No	१२९७८	१४०१६	१४०१६	
	c	Steel Tubular Poles 7 Mtr. (115 mm Dia. 3100 mm height, 90mm Dia 2300mm height &:76 mm Dia and 1600mm height) with welded plate on top and bottom (**medium Gauge** non Galvanized with welded joints)	No	१२४८४	१३४८३	१३४८३	
	d	7 mtr.length Wooden Pole	No	४९९६	५३९५।७	५३९५।७	
	e	9 mtr.length Wooden Pole	No	६७९८	७३४१।८	७३४१।८	
20		<u>Modular ceiling Luminaries</u>					
		Fluorescent Tube light (FTL) set including Tube,condenser,starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . PHILIPS,WIPRO, BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA, ORIENT, PREMIER, OHMS, LEGERO or equivalent					
	a	1×20 watt FTL (Patti fittings)	सेट	४६४	५०१।९२	५०१।९२	
	b	1×40 watt FTL ,Energy saving electronioc striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	"	७७५	८३७	८३७	
	c	1×20 watt FTL (Mirrolta) WRF 20120	"	८७६	९४६।०८	९४६।०८	
	d	1×40 watt FTL with attractive & functional decorative battens WRF20140	"	१०२०	११०१।६	११०१।६	
	e	1×40 watt FTL box fittings WIF 14140	"	११५९	१२५१।७	१२५१।७	
	f	2×40 watt FTL box fittings WIF 14240	"	१७५१	१८९१।१	१८९१।१	
	g	1×40 watt FTL Industrial channel WIF 36140	"	१७८२	१९२४।६	१९२४।६	
	h	2×40 watt FTL Industrial channel WIF 36240	"	२२८७	२४७०	२४७०	
	i	1×40 watt FTL, opalite with opal Arcylic dissuser . WCF51140	"	१८५४	२००२।३	२००२।३	
	j	2×40 watt FTL, oplite with opal Arcylic dissuser WCF51240	"	३०९०	३३३७।२	३३३७।२	
	k	4×20 watt FTL, oplite WCF 93418	"	५४१०	५८४२।८	५८४२।८	
	l	4×20 watt FTL **<u>mirror optic</u>**, surface/recessed mounting WCF93418	"	५४१०	५८४२।८	५८४२।८	
	m	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting WCF 82136	"	३५५४	३८३८।३	३८३८।३	
	n	2×40 watt FTL **<u>mirror optic</u>**. surface/recessed mounting with electronic choke WVP40236	"	४३२६	४६७२।१	४६७२।१	
	o	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luver Complete set WVF20414	सेट	९३८३	१०१३४	१०१३४	
	p	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling WVF 20314	सेट	८२४५	८९०४।६	८९०४।६	
		Compact Fluorescent Lamp (CFL) based Luminaries set all complete . PHILIPS, WIPRO BAJAJ, HAVELLS, OSRAM, CROMPTION, MIDEA ,LEGERO or ISI equivalent .					
	q	2 x 18 W <u>CFL</u> recessed/surface mounting <u>mirror Optic</u> Complete Set WCP32218	"	२६७८	२८९२।२	२८९२।२	

Santanu

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
20	r	1 x11 W CFL mirror Optic surface/recessed mounting complete set WVP 41111	सेट	१८३३	१९७९।६	१९७९।६	
	s	2 x11 W CFL mirror Optic Surface mounting complete set WVP41211	सेट	२२६६	२४४७।३	२४४७।३	
	t	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luver Complete set WVP24236	सेट	६०६७	६५५२।४	६५५२।४	
	u	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set WVP 24336	सेट	६८२४	७३६९।९	७३६९।९	
	v	Recess mounting Direct Indirect LED luninare LM15-321-XXX-60-XX		१०८१५	११६८०	११६८०	
	w	Recess mounting Direct Indirect LED luninare LM11-291-XXX-57-XX		१४०६०	१५१८५	१५१८५	
	x	Recess Surface mounted LED luminate CRCO10R038HP57		१३३३९	१४४०६	१४४०६	
	y	Hight efficiency circular LED Down Lighter LD71		३२४५	३५०४।६	३५०४।६	
	z	Designer LED Streetlight with pressure die cast housing suitable for secondary roads LR01		१४६००	१५७६८	१५७६८	
	a	IP20 and IP 65 non intregal flexible LED Strip Light LS 06/26		१०८२	११६८।६	११६८।६	
	b	Circular LED wall/Dome Light suitable for true ceiling LW01		३२४५	३५०४।६	३५०४।६	
	c	Square LED Wall/Dome light suitable for true ceiling LW02-101-XXX-60-XX		३२४५	३५०४।६	३५०४।६	
	d	Recess mounted indirect and direct luminares WVP 64236		६१२९	६६१९।३	६६१९।३	
	e	2x36 Watt CFL Surface Mirror Optic WVP44236		६१२९	६६१९।३	६६१९।३	
	20.1	**Down Light Fiam Make**					
	1.1	FDL004 SMD7W-WWH Taiwan chip (120*90)		१२९८	१४०१।८	१४०१।८	
	1.2	FDL004 SMD7W-CW Taiwan chip		१२९८	१४०१।८	१४०१।८	
	1.3	FDLOO4 SMD9W-WWH Taiwan chip (145*90)		१८५७	२००५।६	२००५।६	
	1.4	FDLOO4 SMD9W-CW Taiwan chip		१८५७	२००५।६	२००५।६	
	1.5	FDLOO4 SMD15W-WWH Taiwan chip (175*90)		२८२८	३०५४।२	३०५४।२	
	1.6	FDLOO4 SMD15W-CW Taiwan chip		२८२८	३०५४।२	३०५४।२	
	1.7	FDL004 SMD30W-WWH Taiwan chip (200MM)		५०९१	५४९८।३	५४९८।३	
	1.8	FDL004 SMD30W-CW Taiwan chip		५०९१	५४९८।३	५४९८।३	
	1.9	FDLO12 COB5W-WWH (90MM)		१३०१	१४०५।१	१४०५।१	
	2	FDLO12 COB5W-CW		१३०१	१४०५।१	१४०५।१	
	2.1	FDLO12 COB10W-WWH (120MM)		१९७९	२१३७।३	२१३७।३	
	2.2	FDLO12 COB10W-CW		१९७९	२१३७।३	२१३७।३	
	2.3	FDLO12 COB15W-WWH Taiwan chip (140MM)		५०९१	५४९८।३	५४९८।३	
	2.4	FDLO12 COB15W-CW Taiwan chip		५०९१	५४९८।३	५४९८।३	
	2.5	FDLO12 COB25W-WWH Taiwan chip (175MM)		६७८७	७३३०	७३३०	
	2.6	FDLO12 COB25W-CW Taiwan chip		६७८७	७३३०	७३३०	
	2.7	FDLO12 COB30W-WWH Taiwan chip (200MM)		८४८३	९१६१।६	९१६१।६	
	2.8	FDLO12 COB30W-CW Taiwan chip		८४८३	९१६१।६	९१६१।६	
	2.9	FDLOO7 SMD12W-WWH Taiwan chip (130*110)		४१८४	४५१८।७	४५१८।७	
	3	FDLOO7 SMD12W-CW Taiwan chip		४१८४	४५१८।७	४५१८।७	
	3.1	FDLOO7 SMD18W-WWH Taiwan chip (165*145)		६१०८	६५९६।६	६५९६।६	
	3.2	FDLOO7 SMD18W-CW Taiwan chip		६१०८	६५९६।६	६५९६।६	
	3.3	FDLOO7 SMD24W-WWH Taiwan chip (195*175)		७६३५	८२४५।८	८२४५।८	
	3.4	FDLOO7 SMD24W-CW Taiwan chip		७६३५	८२४५।८	८२४५।८	
	3.5	FDLOO1 HP5W FBK-WWH Taiwan chip (95*110)		३१६७	३४२०।४	३४२०।४	
	3.6	FDLOO1 HP5W FBK-CW Taiwan chip		३१६७	३४२०।४	३४२०।४	
	3.7	FDLOO1 HP5W FWH-WWH Taiwan chip (80*120)		३१६७	३४२०।४	३४२०।४	

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७
	3.8	FDLOO1 HP5W FWH-CW Taiwan chip		३१६७	३४२०।४	३४२०।४
	3.9	FDLLOO5 SMD7W-WWH Taiwan chip (123MM)		१३०१	१४०५।१	१४०५।१
	4	FDLLOO5 SMD7W-CW Taiwan chip		१३०१	१४०५।१	१४०५।१
	4.1	FDLOO5 SMD12W-WWH Taiwan chip (165MM)		१६९६	१८३१।७	१८३१।७
	4.2	FDLOO5 SMD12W-CW Taiwan chip		१६९६	१८३१।७	१८३१।७
	4.3	FDLOO5 SMD20W-WWH Taiwan chip (200MM)		३१११	३३५९।९	३३५९।९
	4.4	FDLOO5 SMD20W-CW Taiwan chip		३१११	३३५९।९	३३५९।९
	4.5	FM3161 HP 18W-WWH Cree Led		६७८७	७३३०	७३३०
	4.6	FM3161 HP 18W-CW Cree Led		६७८७	७३३०	७३३०
	4.7	HD-5010-13-WWH Osram chip (86*75)		२०९४	२२६१।५	२२६१।५
	4.8	HD-5010-13-CW Osram chip		२०९४	२२६१।५	२२६१।५
	4.9	HD-5010-14-WWH Osram chip (115*105)		३१६७	३४२०।४	३४२०।४
	5	HD-5010-14-CW Osram chip		३१६७	३४२०।४	३४२०।४
	5.1	HD-5010-14-WWH Osram chip (140*125)		३९५९	४२७५।७	४२७५।७
	5.2	HD-5010-14-CW Osram chip		३९५९	४२७५।७	४२७५।७
	5.3	HD-5010-18-WWH Osram chip (215*200)		७८६०	८४८८।८	८४८८।८
	5.4	HD-5010-18-CW Osram chip		७८६०	८४८८।८	८४८८।८
	5.5	LETI 100 ROUND BLACK OPAL GX53 LED LAMP 3W		२४५१	२६४७।१	२६४७।१
	5.6	LETI 100 SQUARE BLACK OPAL GX53 LED LAMP3W 3C1.000.000		२४५१	२६४७।१	२६४७।१
	5.7	LUCIA WHITE OPAL		१८०३	१९४७।२	१९४७।२
	5.8	LUCIA BLACK OPAL		१८०३	१९४७।२	१९४७।२
	5.9	LUCIA-GD WHITE OPAL		१८०३	१९४७।२	१९४७।२
	6	LUCIA-GD BLACK OPAL		१८०३	१९४७।२	१९४७।२
	6.1	REMI/LUCIA WHITE OPAL		२१६३	२३३६	२३३६
	6.2	REMI/LUCIA BLACK OPAL		२१६३	२३३६	२३३६
	6.3	REMI/LUCIA-EL WHITE OPAL		२१६३	२३३६	२३३६
	6.4	REMI/LUCIA-EL BLACK OPAL		२१६३	२३३६	२३३६
	6.5	REMI/LUCIA-GD WHITE OPAL		२१६३	२३३६	२३३६
	6.6	REMI/LUCIA-GD BLACK OPAL		२१६३	२३३६	२३३६
	6.7	MADDI BULKHEAD WHITE OPAL		१८०३	१९४७।२	१९४७।२
	6.8	MADDI BULKHEAD BLACK OPAL		१८०३	१९४७।२	१९४७।२
	6.9	MADDI-VE BULKHEAD WHITE OPAL		२५२४	२७२५।९	२७२५।९
	7	MADDI-VE BULKHEAD BLACK OPAL		१८०३	१९४७।२	१९४७।२
	7.1	MADDI-HL BULKHEAD WHITE OPAL		१८०३	१९४७।२	१९४७।२
	7.2	MADDI-HL BULKHEAD BLACK OPAL		१८०३	१९४७।२	१९४७।२
	7.3	REMI/MADDI WHITE OPAL		२१६३	२३३६	२३३६
	7.4	REMI/MADDI BLACK OPAL		२१६३	२३३६	२३३६
	7.5	REMI/MADDI-VE WHITE OPAL		२१६३	२३३६	२३३६
	7.6	REMI/MADDI-VE BLACK OPAL		२१६३	२३३६	२३३६
	7.7	REMI/MADDI-HL WHITE OPAL		२१६३	२३३६	२३३६
	7.8	REMI/MADDI-HL BLACK OPAL		२१६३	२३३६	२३३६
	7.9	GABRI/MADDI 1L BLACK OPAL		७२१०	७७८६।८	७७८६।८
	8	MINIGABRI/MADDI 1L BLACK OPAL		६४८९	७००८।१	७००८।१
	8.1	MINIGABRI REMI/MADDI-VE 1L WHITE OPAL		६४८९	७००८।१	७००८।१
	8.2	GELMI WHITE OPAL E27		२८८४	३११४।७	३११४।७
	8.3	GELMI BLACK OPAL E27		२८८४	३११४।७	३११४।७
	8.4	GELMI-EL WHITE OPAL E27		२८८४	३११४।७	३११४।७
	8.5	GELMI-EL BLACK OPAL E27		२८८४	३११४।७	३११४।७
	8.6	DANZI WHITE OPAL E27		२८८४	३११४।७	३११४।७
	8.7	DANZI BLACK OPAL E27		२८८४	३११४।७	३११४।७
	8.8	STUCCHI WHITE OPAL E27		३२४५	३५०४।६	३५०४।६

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	8.9	STUCCHI BLACK OPAL E27		३२४५	३५०४।६	३५०४।६	
	9	CECCHI WHITE OPAL E27		३२४५	३५०४।६	३५०४।६	
	9.1	CECCHI BLACK OPAL E27		३२४५	३५०४।६	३५०४।६	
	9.2	BISSO ANNA BLACK WITH OPAL DIFFUSER		३६०५	३८९३।४	३८९३।४	
	9.3	MIKROLOT ANNA BLACK W/OPAL DIFFUSER		३६०५	३८९३।४	३८९३।४	
	9.4	IESSE LANTERN BLACK W/OPAL DIFFUSER		३२४५	३५०४।६	३५०४।६	
	9.5	MIZAR/ANNA BLACK OPAL GX53 LED LAMP 3W		७२१०	७७८६।८	७७८६।८	
	20.2	**System Sensor Product (Honeywell)**					
	1	Photo Electric Smoke Detector		१८७५	२०२५	२०२५	
	2	Rate of Rise Heat Detector		१८७५	२०२५	२०२५	
	3	Fixed temperature Detector		२२८७	२४७०	२४७०	
	4	Base		३७१	४००	४००	
	5	Conv. MCP, Red, with LED, 470 Ohm, with BB, India		१४८३	१६०१	१६०१	
	6	Wall mount Horn+Strobe		४१२०	४४५०	४४५०	
	7	Ceiling mount Horn+Strobe		४१२०	४४५०	४४५०	
	20.3	**Exit Light Samcon make**					
	1	MODEL SLM 18		१२३६०	१३३४९	१३३४९	
	2	MODEL ELS 28		१२३६०	१३३४९	१३३४९	
	3	MODEL ETL 210H-4LA		१२३६०	१३३४९	१३३४९	
21		**LUMINARIES Accessories** (PHILIPS, HIMSTAR, BAJAJ, HAVELLS, OSRAM, GE, CROMPTION, MIDEA, ORIENT, RATHI, PREMIER, WIPRO,OHMS or ISI/CE Eqv.)					
	a	500 watt halogen rod	गोटा	२३२	२५०	२५०	
	b	1000 watt halogen rod	"	२७८	३००	३००	
	c	70Watt SON Lamp (Sodium Vapour)	"	८३४	९००	९००	
	d	150 watt sodium vapour bulb	"	१२९८	१४०१	१४०१	
	e	250 watt sodium vapour bulb	"	१७००	१८३६	१८३६	
	f	20-40 watt FTL rod	"	८०	८६	८६	
	g	20-40 watt FTL Copper chowk.	"	२५८	२७८	२७८	
	h	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	"	४१२	४४५	४४५	
	i	Acrlye cover for 4×20 FTL	"	९८९	१०६८	१०६८	
	j	FTL starter	"	१९	२१	२१	
21	k	8 W to11W, **C.F.L.**Direct fit	"	२३२	२५१	२५१	
	l	13 to 22W , C.F.L.Direct fit	"	२९९	३२३	३२३	
	m	15-100 watt bulb.(ISI)	गोटा	२६	२८	२८	
	n	PL-S 9W/86 (CFL)	"	१६५	१७८	१७८	
	o	PL-S 11W/86 (CFL)	"	१७५	१८९	१८९	
	p	PL-L 36W/86 (CFL)	"	४१७	४५०	४५०	
	q	125W HPL-N (Murcury Vapour)	"	३७१	४०१	४०१	
	r	250W HPL-N	"	८७६	९४६	९४६	
		Solar LED bulb					
	s	12V/2W LED bulb	"	३६१	३९०	३९०	
	t	12V/3W LED bulb	"	४१२	४४५	४४५	
	u	12V/4W LED bulb	"	४६४	५०१	५०१	
		COPPERCONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked					
	1	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	९४८	१०२४	१०२४	
	2	3/22 " " "	,,	११३३	१२२४	१२२४	
	3	3/20 " " "	,,	१८०३	१९४७	१९४७	

Sattaus

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	4	7/22 " " "	„	२५२४	२७२६	२७२६	
22	5	7/20 " " "	„	४१२०	४४५०	४४५०	
	6	7/18 " " "	„	६४८९	७००८	७००८	
	7	7/16 " " "	„	१३३९०	१४४६१	१४४६१	
	8	19/18 " " "	„	१८०२५	१९४६७	१९४६७	
	9	19/16 " " "	„	३६०५०	३८९३४	३८९३४	
	10	2\20 " " "	„	१३७०	१४८०	१४८०	
	11	2\22 " " "	„	९२७	१००१	१००१	
		Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.					
	1	1.0 mm PVC insulated Copper wire	क्वायल	१०३०	१२८०	१२८०	
	2	1.5 mm PVC insulated Copper wire	„	१६४८	१९२०	१९२०	
	3	2.5 mm PVC insulated Copper wire	„	२४२१	३१२०	३१२०	
	4	4.0 mm PVC insulated Copper wire	„	३९१४	४९००	४९००	
	5	6.0 mm PVC insulated Copper wire	„	६१८०	७४००	७४००	
	6	10.0mm PVC insulated Copper wire	„	१०३००	१२५००	१२५००	
23		**Concentric cable NS marked Eqv.**	„				
	1	4mm size concentric cable	र.मी	२३	२३	२३	
	2	6mm size " "	र.मी	२६	२६	२६	
	3	10mm size concentric cable	र.मी	३९	३९	३९	
	4	16mm size " "	र.मी	६७	६७	६७	
	5	25mm size " "	र.मी	८९	८९	८९	
	6	RG6 **Coaxial cable**	र.मी	२३	२३	२३	
	7	RG59 Coaxial cable	र.मी	२६	२६	२६	
	8	UTP cat -5 networking cable	र.मी	२६	२६	२६	
24		**Telephone Drop wire/pair cable NS marked Eqv.**					
	1	$^{2}/_{20}$ Telephone drop wire	क्वायल	९८९	९८९	९८९	
	2	$^{2}/_{22}$ " "	क्वायल	६७०	६७०	६७०	
	3	2- pair cable wire (2×2×0.45) mmHeavy	र.मी	१४	१४	१४	
	4	3- pair cable wire (3×2×0.45) mm Heavy	„	२०	२०	२०	
	5	5- pair cable wire (5×2×0.45) mm Heavy	„	३२	३२	३२	
	6	10- pair cable wire (10×2×0.45) mm Heavy	„	६२	६२	६२	
	7	15- pair cable wire (15×2×0.45) mm Heavy	„	९१	९१	९१	
	8	20- pair cable wire (20×2×0.45) mm Heavy	„	११९	११९	११९	
	9	1mm drop wire	„	१०	१०	१०	
	10	1-4 Line **EPABX**,with 1set programmable master telephone set of corresponding brand Pansonic, Creative, Matrix Or Eqv.	सेट	७६४८	७६४८	७६४८	
	11	2-6 Line EPABX "	„	१८४११	१८४११	१८४११	
	12	3-8 Line EPABX "	„	२०५३८	२०५३८	२०५३८	
	13	4-12 Line EPABX "	„	३६८२३	३६८२३	३६८२३	
	14	6-16 Line EPABX "	„	४९५६९	४९५६९	४९५६९	
	15	8-24 Line EPABX "	„	८४९७५	८४९७५	८४९७५	
	16	8-48 Line EPABX "	„	९०९२३	९०९२३	९०९२३	
	17	8-72 Line EPABX "	„	९७२८८	९७२८८	९७२८८	
		Other Accessories					
	1	6" size Dome light glass	गोटा	६५	६५	६५	
25	2	8" size " " "	„	७६	७६	७६	
	3	wall bracket glass	„	६५	६५	६५	
	4	Fan regulator	„	२७१	२७१	२७१	

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफिय
	सव सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
27		**Panel board** double door type with locking arrangement with 2 coat of red oxide metal prime & 3 stage quality paint before final coat of enamel paint (Three phase, Neutral link, earth link) TPNE copper busbar including necessary accessories for internal wiring at the board .) (Rates of MCCB / MCB & measuring instrument are not included here .) Ankur metal or Equivalent					
	a	60/75/100 AMP, 9"×36"×48" size	सेट	२१४१४	२१४१४	२१४१४	
	b	60/75/100 AMP "12×36"×48" size	,,	२५४९३	२५४९३	२५४९३	
	c	60/75/100 AMP 9"×48"×60" size	,,	३५६९०	३५६९०	३५६९०	
	d	60/75100 AMP 12"×49"×60" size	,,	४२४८८	४२४८८	४२४८८	
	e	150/200 AMP 9"×38"×52" size	,,	२३७९३	२३७९३	२३७९३	
	f	150/200 AMP 12"×38"×52" size	,,	२३७९३	२३७९३	२३७९३	
	g	150/200 AMP 9"×42"×56 "size	,,	२६४९६	२६४९६	२६४९६	
	h	150/200 AMP 12"×42"×56" size	,,	२८१७९	२८१७९	२८१७९	
	i	250/300AMP 12"×48"×60"size	,,	३४५०५	३४५०५	३४५०५	
	j	250/300AMP 12"×52"×62" size	,,	३८६२६	३८६२६	३८६२६	
	k	400 AMP 12"×52"×66" size	,,	४१११८	४१११८	४१११८	
29		**Panel Board measurement instrument**					
	a	0-500 volt meter	पिस	१०२३	१०२३	१०२३	
	b	60/100 Amp meter .	,,	९७९	९७९	९७९	
	c	Panel Indicator	,,	२३७	२३७	२३७	
	d	2 Amp glass fuse with holder 12 mm size	,,	१३४	१३४	१३४	
	e	AMP meter selector switch	,,	६४९	६४९	६४९	
	f	volt meter selector switch	,,	७११	७११	७११	
	g	60/100 Amp C.T. coil per set 3 Pcs	,,	१४३२	१४३२	१४३२	
	h	150-200AMP C.T coil. 3 PC / Set	गोटा	१७८२	१७८२	१७८२	
	i	250-300 AMP ,, ,,	,,	२४२१	२४२१	२४२१	
	j	400/500/600AMP ,, ,,	,,	३५५४	३५५४	३५५४	
	k	Kilo watt hour **energy meter** single phase	पिस	२२७१	२२७१	२२७१	
	l	Kilo watt hour energy meter 3 phase direct	,,	१०२२८	१०२२८	१०२२८	

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कै
30		**Trailing Protected Industrial Plug IP44**					
	a	16A 3P+E 400V Industrial plug	सेट	५४१	५४१	५४१	
	b	32 A 3p +N+E " Plug	सेट	८०३	८०३	८०३	
	c	32 A 3P+N+E water tight Plug IP67	सेट	१५४५	१५४५	१५४५	
31		**Access Controller** with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	२०६००	२०६००	२०६००	
32		Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Chinese)	सेट	१३९०५	१३९०५	१३९०५	
33		**CABLE SHOE**					
	a	16 sq.mm cable shoe	गोटा	६४	६४	६४	
	b	25 sq.mm " "	"	८३	८३	८३	
	c	35 sq.mm " "	"	६४	६४	६४	
	d	50 sq.mm " "	"	७५	७५	७५	
	e	70 sq.mm " "	"	९२	९२	९२	
	f	95 sq.mm " "	"	१४३	१४३	१४३	
	g	150 sq.mm " "	"	२१५	२१५	२१५	
	h	195 sq.mm " "	"	३०५	३०५	३०५	
	i	250 sq.mm " "	"	४८५	४८५	४८५	
34		**Copper Conductor Armoured Power Cables NS marked or eqv.**					
		a) 2 Core					
	1	1.5 mm2	र.मी	१०३	१०३	१०३	
	2	2.5 mm2	"	१३९	१३९	१३९	
	3	4.0 mm2	"	१९१	१९१	१९१	
	4	6.0 mm2	"	२४७	२४७	२४७	
	5	10.0 mm2	"	३७१	३७१	३७१	
	6	16.0 mm2	"	४९४	४९४	४९४	
	7	25.0 mm2	"	७२१	७२१	७२१	
	8	35.0 mm2	"	९५८	९५८	९५८	
	9	50.0 mm2	"	१३३९	१३३९	१३३९	
		b) 3 Core					
	1	1.5 mm2	"	१२९	१२९	१२९	
	2	2.5 mm2	"	१८०	१८०	१८०	
	3	4.0 mm2	"	२५८	२५८	२५८	
	4	6.0 mm2	"	३३०	३३०	३३०	
	5	10.0 mm2	"	४९४	४९४	४९४	
	6	16.0 mm2	"	६९०	६९०	६९०	
	7	25.0 mm2	"	१०५१	१०५१	१०५१	
	8	35.0 mm2	"	१३९१	१३९१	१३९१	
	9	50.0 mm2 Copper Conductor Armoured	"	१९०६	१९०६	१९०६	
	10	70.0 mm2	"	२६७८	२६७८	२६७८	
	11	95.0 mm2	"	३६०५	३६०५	३६०५	
	12	120.0 mm2	"	४५३२	४५३२	४५३२	
34	13	150.0 mm2	"	५५६२	५५६२	५५६२	
	14	**c) 3.5 Core**					
	1	25.0 mm2	र.मी	१२५७	१२५७	१२५७	
	2	35.0 mm2	"	१५९७	१५९७	१५९७	

Sunlany. [signature] [signature]

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.		
				आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७
	3	50.0 mm2	,,	२२४५	२२४५	२२४५
	4	70.0 mm2	,,	३०९०	३०९०	३०९०
	5	95.0 mm2	,,	४१२०	४१२०	४१२०
	6	120.0 mm2	,,	५४०८	५४०८	५४०८
	7	150.0 mm2	,,	६३८६	६३८६	६३८६
	8	185.0 mm2	,,	७९३१	७९३१	७९३१
	9	240.0 mm2	,,	१०४०३	१०४०३	१०४०३
	10	300.0 mm2	,,	१३१८४	१३१८४	१३१८४
	11	400.0 mm2	,,	१७३०४	१७३०४	१७३०४
		d) 4 Core				
	1	1.5 mm^2	र.मी	१५५	१५५	१५५
	2	2.5 mm2	,,	२२१	२२१	२२१
	3	4.0 mm2	,,	३१९	३१९	३१९
	4	6.0 mm2	,,	४१२	४१२	४१२
	5	10.0 mm2	,,	६१८	६१८	६१८
	6	16.0 mm2	,,	९०१	९०१	९०१
	7	25.0 mm2	,,	१३३९	१३३९	१३३९
	8	35.0 mm2	,,	१८०३	१८०३	१८०३
	9	50.0 mm2	,,	२५७५	२५७५	२५७५
	10	70.0 mm2	,,	३५०२	३५०२	३५०२
34	11	95.0 mm^2 Copper Conductor Armoured	,,	४७३८	४७३८	४७३८
	12	120.0 mm^2 "	,,	५९७४	५९७४	५९७४
	13	150.0 mm^2	,,	७४१६	७४१६	७४१६
	14	185.0 mm^2	,,	९०६४	९०६४	९०६४
	15	240.0 mm^2	,,	१२३६०	१२३६०	१२३६०
	16	300.0 mm^2	,,	१४८३२	१४८३२	१४८३२
	17	400.0 mm^2	,,	२००८५	२००८५	२००८५
35		**Copper Conductor Unarmoured Power Cables NS marked or Eqv.**				
		a) 1–core				
	1	10 sq. mm.	र.मी	४३	४३	४३
	2	16 sq. mm.	,,	६५	६५	६५
	3	25 sq. mm.	,,	७६	७६	७६
	4	35 sq. mm.	,,	९१	९१	९१
	5	50 sq. mm.	,,	१२१	१२१	१२१
	6	70 sq. mm.	,,	१५८	१५८	१५८
	7	95 sq. mm.	,,	२१४	२१४	२१४
	8	120 sq. mm.	,,	२६०	२६०	२६०
	9	150 sq. mm.	,,	३०८	३०८	३०८
		b) 2- core				
	1	1.5 sq.mm Copper Conductor Unarmoured	र.मी	७२	७२	७२
	2	2.5 sq.mm	,,	१०३	१०३	१०३
	3	4 sq.mm	,,	१४४	१४४	१४४
	4	6 sq.mm	,,	१९६	१९६	१९६
	5	10 sq.mm	,,	३०९	३०९	३०९
	6	16 sq.mm	,,	४२७	४२७	४२७
	7	25 sq.mm	,,	६५९	६५९	६५९
	8	35 sq.mm	,,	८९६	८९६	८९६
	9	50 sq.mm	,,	१२३६	१२३६	१२३६
	10	70 sq.mm	,,	१२३६	१२३६	१२३६
	11	95 sq.mm	,,	२३१८	२३१८	२३१८

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७
	12	120 sq.mm	„	३०३९	३०३९	३०३९
	13	150 sq.mm	„	३८११	३८११	३८११
		c) 3-core				
	1	1.5 sq.mm. 3- core copper conductor	र.मी	९३	९३	९३
	2	2.5 sq.mm	„	१३४	१३४	१३४
	3	4 sq.mm	„	१९६	१९६	१९६
	4	6 sq.mm	„	२७८	२७८	२७८
	5	10 sq.mm	„	४३८	४३८	४३८
	6	16 sq.mm	„	६३९	६३९	६३९
	7	25 sq.mm	„	९७९	९७९	९७९
	8	35 sq.mm	„	१३१८	१३१८	१३१८
	9	50 sq.mm	„	१८५४	१८५४	१८५४
	10	70 sq.mm	„	२५७५	२५७५	२५७५
	11	95 sq.mm	„	३५०२	३५०२	३५०२
	12	120 sq.mm	„	४४२९	४४२९	४४२९
	13	150 sq.mm	र.मी	५४५९	५४५९	५४५९
		d) 3.5 core				
	1	25 sq.mm	र.मी	१२०५	१२०५	१२०५
	2	35 sq.mm Copper Conductor Unarmoured	„	१५४५	१५४५	१५४५
	3	50 sq.mm	„	२१६३	२१६३	२१६३
	4	70 sq.mm	„	३०१३	३०१३	३०१३
	5	95 sq.mm	„	४०६९	४०६९	४०६९
	6	120 sq.mm	„	५३५६	५३५६	५३५६
	7	150 sq.mm	„	६३३५	६३३५	६३३५
35		**e) 4-core Copper Conductor Unarmoured**				
	1	1.5 sq.mm	र.मी	११३	११३	११३
	2	2.5 sq.mm	„	१७०	१७०	१७०
	3	4 sq.mm	„	२५२	२५२	२५२
	4	6 sq.mm	„	३५०	३५०	३५०
	5	10 sq.mm	„	५५६	५५६	५५६
	6	16 sq.mm	„	८४५	८४५	८४५
	7	25 sq.mm	„	१३१८	१३१८	१३१८
	8	35 sq.mm	„	१७७२	१७७२	१७७२
	9	50 sq.mm	„	२४७२	२४७२	२४७२
	10	70 sq.mm		३४५१	३४५१	३४५१
	11	95 sq.mm	„	४६८७	४६८७	४६८७
	12	120 sq.mm	„	५९२३	५९२३	५९२३
	13	150 sq.mm	„	७३६५	७३६५	७३६५
	14	185 sq.mm	„	९०६४	९०६४	९०६४
	15	240 Sq. mm	„	१२२५७	१२२५७	१२२५७
	16	300 Sq. mm	„	१४८३२	१४८३२	१४८३२
	17	400 Sq. mm	„	२००८५	२००८५	२००८५
		Aluminum conductor Armoured (Power) cable NS marked or eqv.				
		a) 2-core				
	1	1.5 sq.mm	र.मी	(	(	(
	2	2.5 sq.mm	र.मी	९३	९३	९३
	3	4 sq.mm	„	११८	११८	११८
	4	6 sq.mm	„	१३४	१३४	१३४
	5	10 sq.mm	„	१६०	१६०	१६०
	6	16 sq.mm	„	१८०	१८०	१८०

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७
36	7	25 sq.mm	,,	२१६	२१६	२१६
	8	35 sq.mm	,,	२४७	२४७	२४७
	9	50 sq.mm	,,	३१९	३१९	३१९
	10	70 sq.mm	,,	३९७	३९७	३९७
	11	95 sq.mm	,,	५०५	५०५	५०५
		b) 3–core				
	1	2.5 sq.mm. Aluminum conductor Armoured	र.मी	१०८	१०८	१०८
	2	4 sq.mm	,,	१३४	१३४	१३४
	3	6 sq.mm	,,	१४९	१४९	१४९
	4	10 sq.mm	,,	१८०	१८०	१८०
	5	16 sq.mm	,,	२०६	२०६	२०६
	6	25 sq.mm Aluminum conductor Armoured	,,	२७८	२७८	२७८
	7	35 sq.mm	,,	३३५	३३५	३३५
	8	50 sq.mm	,,	४२७	४२७	४२७
	9	70 sq.mm	,,	५४१	५४१	५४१
	10	95 sq.mm	,,	४९४	४९४	४९४
	11	120 sq.mm	,,	८३४	८३४	८३४
	12	150 sq.mm	,,	१००४	१००४	१००४
	13	185 sq.mm	,,	१२३६	१२३६	१२३६
	14	240 sq.mm	,,	१५१४	१५१४	१५१४
	15	300 sq.mm	,,	१८५४	१८५४	१८५४
	16	400 sq.mm	,,	२३१८	२३१८	२३१८
		c) 3.5 core				
	1	25 sq.mm.	र.मी	३१९	३१९	३१९
	2	35 sq.mm	,,	३७१	३७१	३७१
	3	50 sq.mm	,,	४८९	४८९	४८९
	4	70 sq.mm	,,	६२८	६२८	६२८
	5	95 sq.mm	,,	८०३	८०३	८०३
	6	120 sq.mm Aluminum conductor Armoured	,,	९७९	९७९	९७९
	7	150 sq.mm	र.मी	११७४	११७४	११७४
	8	185 sq.mm	,,	१४२१	१४२१	१४२१
	9	240 sq.mm	,,	१७७२	१७७२	१७७२
	10	300 sq.mm	,,	२२१५	२२१५	२२१५
36	11	400 sq.mm	,,	२७८१	२७८१	२७८१
		d) 4-core				
	1	2.5 sq.mm	र.मी	१२४	१२४	१२४
	2	4 sq.mm	,,	१५५	१५५	१५५
	3	6 sq.mm	,,	१८०	१८०	१८०
	4	10 sq.mm	,,	१९६	१९६	१९६
	5	16 sq.mm	,,	२५२	२५२	२५२
	6	25 sq.mm	,,	३४०	३४०	३४०
	7	35 sq.mm	,,	४०२	४०२	४०२
	8	50 sq.mm	,,	५४८	५४८	५४८
	9	70 sq.mm	,,	७००	७००	७००
	10	95 sq.mm	,,	९०१	९०१	९०१
	11	120 sq.mm	,,	१०८२	१०८२	१०८[illegible]
	12	150 sq.mm	,,	१३७०	१३७०	१३७[illegible]
	13	185 sq.mm	,,	१६२७	१६२७	१६२[illegible]
	14	240sq.mm	,,	२०३९	२०३९	२०३[illegible]
	15	300 sq.mm Aluminum conductor Armoured	,,	२५२४	२५२४	२५२[illegible]
	16	400sq.mm	,,	३१९३	३१९३	३१९[illegible]

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
37		**Aluminium conductor unarmoured (power) cable NS marked or eqv.**					
		a) 1-core					
	1	16 sq.mm	र.मी	५२	५२	५२	
	2	25 sq.mm	,,	७२	७२	७२	
	3	35 sq.mm	,,	८८	८८	८८	
	4	50 sq.mm	,,	११३	११३	११३	
	5	70 sq.mm	,,	१४४	१४४	१४४	
	6	95 sq.mm	,,	१९६	१९६	१९६	
	7	120 sq.mm	,,	२३७	२३७	२३७	
	8	150 sq.mm	,,	३९१	३९१	३९१	
	9	185 sq.mm	,,	३६१	३६१	३६१	
	10	240 sq.mm	,,	४४३	४४३	४४३	
	11	300 sq.mm	,,	५३६	५३६	५३६	
		b) 2-core Aluminium conductor unarmoured					
	1	2.5 sq.mm	र.मी	५२	५२	५२	
	2	4 sq.mm	,,	६२	६२	६२	
	3	6 sq.mm	र.मी	७७	७७	७७	
	4	10 sq.mm	,,	९८	९८	९८	
	5	16 sq.mm	,,	१०३	१०३	१०३	
	6	25 sq.mm	,,	१४४	१४४	१४४	
	7	35 sq.mm	,,	१८५	१८५	१८५	
	8	50 sq.mm	,,	२३७	२३७	२३७	
	9	70 sq.mm	,,	२९९	२९९	२९९	
	10	95 sq.mm 2 core	,,	४०२	४०२	४०२	
		c) 3-core					
	1	2.5 sq.mm	र.मी	६२	६२	६२	
	2	4 sq.mm		७२	७२	७२	
	3	6 sq.mm	,,	८८	८८	८८	
	4	10 sq.mm	,,	१२४	१२४	१२४	
	5	16 sq.mm	,,	१४४	१४४	१४४	
	6	25 sq.mm	,,	२०६	२०६	२०६	
	7	35 sq.mm	,,	२५८	२५८	२५८	
	8	50 sq.mm	,,	३४०	३४०	३४०	
	9	70 sq.mm	,,	४५३	४५३	४५३	
	10	95 sq.mm	,,	५९७	५९७	५९७	
37	11	120 sq.mm	,,	७४२	७४२	७४२	
	12	150 sq.mm	,,	८८६	८८६	८८६	
	13	185 sq.mm	,,	१११२	१११२	१११२	
	14	240 sq.mm	,,	१३८०	१३८०	१३८०	
	15	300 sq.mm Aluminium conductor unarmoured	,,	१७५१	१७५१	१७५१	
		d) 3.5–core					
	1	25 sq.mm	र.मी	२५८	२५८	२५८	
	2	35 sq.mm	,,	३०९	३०९	३०९	
	3	50 sq.mm	,,	४१२	४१२	४१२	
	4	70 sq.mm	,,	५६७	५६७	५६७	
	5	95 sq.mm	,,	७४२	७४२	७४२	
	6	120 sq.mm	,,	९२७	९२७	९२७	
	7	150 sq.mm	,,	१११२	१११२	१११२	
	8	185 sq.mm	,,	१३९१	१३९१	१३९१	
	9	240 sq.mm	,,	१७५१	१७५१	१७५१	

Gautam

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
	10	300 sq.mm	,,	२१६३	२१६३	२१६३	
		e) **4–core** core aluminium unarmoured					
	1	2.5 sq.mm	र.मी	७२	७२	७२	
	2	4 sq.mm	,,	८२	८२	८२	
	3	6 sq.mm	,,	९८	९८	९८	
	4	10 sq.mm	,,	१३४	१३४	१३४	
	5	16 sq.mm	र.मी	१९६	१९६	१९६	
	6	25 sq.mm	,,	२८८	२८८	२८८	
	7	35 sq.mm	,,	३५०	३५०	३५०	
	8	50 sq.mm	,,	४८४	४८४	४८४	
	9	70 sq.mm 4	,,	६३९	६३९	६३९	
	10	95 sq.mm	,,	८४५	८४५	८४५	
	11	120 sq.mm	,,	१०३०	१०३०	१०३०	
	12	150 sq.mm	,,	१२८८	१२८८	१२८८	
	13	185 sq.mm	,,	१५९७	१५९७	१५९७	
	14	240 sq.mm	,,	२००९	२००९	२००९	
	15	300 sq.mm	,,	२४७२	२४७२	२४७२	
38		**Security Gate System**					
	a	Metal Detector (ब्लाक स्कोपियन कम्पनी)	गोटा	१६९९५	१६९९५	१६९९५	
39		**Air Conditioning system,Daikin,Mitsubishi heavy or Japanese eqv**					
	i	0.75 TR capacity Wall Mounted split type Air Conditioning system	सेट	(	(	(	
	ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	(	(	(	
41		**Air Conditioning system, McQuay, Panasonic,Fujiaire, Malaysian or Eqv Company**					
	i	0.75 TR capacity Wall Mounted split type AirConditioning system	सेट	(	(	(	
	ii	1.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	(	(	(	
	iii	1.5 TR capacity Wall Mounted split type Air Conditioning system	सेट	(	(	(	
	iv	2.0 TR capacity Wall Mounted split type Air Conditioning system	सेट	(	(	(	
		Air Conditioning system, whirlpool or Eqv Company					
	v	0.75 TR capacity Wall Mounted split type Air	सेट	(	(	(	
	vi	1.0 TR capacity Wall Mounted split type Air	सेट	(	(	(	
	vii	1.5 TR capacity Wall Mounted split type Air	सेट	(	(	(	
	viii	2.0 TR capacity Wall Mounted split type Air	सेट	(	(	(	
42		**General Lightig ANCHOR, C/G, Eqv.**					
	i	1 x 40 W FTL Patti fitting	सेट	२५२	२५२	२५२	
	ii	1 x 20 W FTL Patti fitting	सेट	२३२	२३२	२३२	
	iii	1 x 40 W FTL Box Fitting	सेट	४२७	४२७	४२७	
	iv	1 x 20 W FTL Box fitting	सेट	४१७	४१७	४१७	
	v	9/11W Mini mirror light with electronic Blast suitable for PL lamp	सेट	३५५	३५५	३५५	
		GEWISS /BEC PVC Conduit product of Italy					
		RK Range					
	1	16 mm medium rigid conduit DX 25 316	Mtr.	८८	८८	८८	
	2	20 mm medium rigid conduit DX 25 320	"	१२४	१२४	१२४	

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
43	3	25 mm medium rigid conduit DX 25 325	"	१७५	१७५	१७५	
	4	32 mm medium rigid conduit DX 25 332	"	२५२	२५२	२५२	
	5	40 mm medium rigid conduit DX 25 340	"	३४५	३४५	३४५	
	6	50 mm medium rigid conduit DX 25 350	"	५३०	५३०	५३०	
	7	63 mm medium rigid conduit DX 25 363	"	९९९	९९९	९९९	
	8	16 mm heavy rigid conduit DX 25 716	"	१६५	१६५	१६५	
	9	20 mm heavy rigid conduit DX 25 720	"	२१६	२१६	२१६	
	10	25 mm heavy rigid conduit DX 25 725	"	२८८	२८८	२८८	
	11	32 mm heavy rigid conduit DX 25 732	"	४३३	४३३	४३३	
	12	40 mm heavy rigid conduit DX 25 740	"	५८७	५८७	५८७	
	13	50 mm heavy rigid conduit DX 25 750	"	७९३	७९३	७९३	
	14	63 mm heavy rigid conduit DX 25 763	"	१४८८	१४८८	१४८८	
	15	16 mm polymer cable gland GW 52 043 with fixing nut and screws	"	१९६	१९६	१९६	
	16	20 mm polymer cable gland GW 52 044 with fixing nut and screws	"	२४७	२४७	२४७	
	17	25 mm polymer cable gland GW 52 045 with fixing nut and screws	"	३७६	३७६	३७६	
	18	32 mm polymer cable gland GW 52 046 with fixing nut and screws	"	६२३	६२३	६२३	
	19	40 mm polymer cable gland GW 52 047 with fixing nut and screws	"	७४७	७४७	७४७	
	20	50 mm polymer cable gland GW 52 048 with fixing nut and screws	"	९६३	९६३	९६३	
	21	63 mm polymer cable gland GW 52 049 with fixing nut and screws	"	१२००	१२००	१२००	
	22	16 mm shockproof polymer saddle collar clip GW 50 605	"	३१	३१	३१	
	23	20 mm shockproof polymer saddle collar clip GW 50 606	"	३६	३६	३६	
	24	25 mm shockproof polymer saddle collar clip GW 50 607	"	४१	४१	४१	
	25	32 mm shockproof polymer saddle collar clip GW 50 608	"	६२	६२	६२	
	26	40 mm shockproof polymer saddle collar clip GW 50 630	"	९८	९८	९८	
	27	50 mm shockproof polymer saddle collar clip GW 50 631	"	११८	११८	११८	
	28	16 mm conduit coupler DX 40 016	"	३६	३६	३६	
	29	20 mm conduit coupler DX 40 020	"	४६	४६	४६	
44	30	25 mm conduit coupler DX 40 025	"	५७	५७	५७	
	31	32 mm conduit coupler DX 40 032	"	१०३	१०३	१०३	
	32	40 mm conduit coupler DX 40 040	"	१३९	१३९	१३९	
	33	50 mm conduit coupler DX 40 050	"	२४२	२४२	२४२	
	34	63 mm conduit coupler DX 40 063	"	४५८	४५८	४५८	
	35	16 mm tight bend DX 40 116	"	५७	५७	५७	
	36	20 mm tight bend DX 40 120	"	८२	८२	८२	
	37	25 mm tight bend DX 40 125	"	१२९	१२९	१२९	
	38	32 mm tight bend DX 40 132	"	२३७	२३७	२३७	
	39	40 mm tight bend DX 40 140	"	३३५	३३५	३३५	
	40	50 mm tight bend DX 40 150	"	६०३	६०३	६०३	
	41	63 mm tight bend DX 40 163	"	२३५९	२३५९	२३५९	
	42	4 way junction box DX 45 004	"	६७०	६७०	६७०	
	43	7 way junction box DX 45 007	"	८०३	८०३	८०३	
	44	10 way junction box DX 45 010	"	१०२०	१०२०	१०२०	
	45	Closing cap for junction box DX 47 000	"	११८	११८	११८	

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफियत
	सब सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	46	16 mm inspectionable T bend DX 40216	"	११८	११८	११८	
	47	20 mm inspectionable T bend DX 40220	"	१४९	१४९	१४९	
	48	25 mm inspectionable T bend DX 40225	"	१९६	१९६	१९६	
	49	32 mm inspectionable T bend DX 40232	"	२३७	२३७	२३७	
	50	16 mm inspectionable bend DX 40 316	"	९८	९८	९८	
	51	20 mm inspectionable bend DX 40 320	"	११८	११८	११८	
	52	25 mm inspectionable bend DX 40 325	"	१५५	१५५	१५५	
	53	32 mm inspectionable bend DX 40 332	"	१८५	१८५	१८५	
45		**GEWISS/BEC Cable Tray with Cover and Accessories** BRN Range					
	1	65X35 mm2 hot deep galvanised steel cable tray MV 40 100	R. Ft.	८१९	८१९	८१९	
	2	95X35 mm2 hot deep galvanised steel cable tray MV 40 101	"	९७३	९७३	९७३	
	3	125X35 mm2 hot deep galvanised steel cable tray MV 40 102	"	११७४	११७४	११७४	
	4	155X35 mm2 hot deep galvanised steel cable tray MV 40 103	"	१३१८	१३१८	१३१८	
	5	185X35 mm2 hot deep galvanised steel cable tray MV 40 104	"	१५४०	१५४०	१५४०	
	6	215X35 mm2 hot deep galvanised steel cable tray MV 40 105	"	१७७०	१७७०	१७७०	
	7	245X35 mm2 hot deep galvanised steel cable tray MV 40 106	"	२१३७	२१३७	२१३७	
	8	305X35 mm2 hot deep galvanised steel cable tray MV 40 108	"	२५१३	२५१३	२५१३	
	9	365X35 mm2 hot deep galvanised steel cable tray MV 40 110	"	३०९०	३०९०	३०९०	
	10	395X35 mm2 hot deep galvanised steel cable tray MV 40 111	"	३२८१	३२८१	३२८१	
	11	65X50 mm2 hot deep galvanised steel cable tray MV 40 120	"	९८४	९८४	९८४	
	12	95X50 mm2 hot deep galvanised steel cable tray MV 40 121	"	११७९	११७९	११७९	
	13	125X50 mm2 hot deep galvanised steel cable tray MV 40 122	"	१२९८	१२९८	१२९८	
	14	155X50 mm2 hot deep galvanised steel cable tray MV 40 123	"	१४६८	१४६८	१४६८	
	15	185X50 mm2 hot deep galvanised steel cable tray MV 40 124	"	१६६३	१६६३	१६६३	
	16	215X50 mm2 hot deep galvanised steel cable tray MV 40 125	"	१८५९	१८५९	१८५९	
	17	245X50 mm2 hot deep galvanised steel cable tray MV 40 126	"	२२७६	२२७६	२२७६	
	18	305X50 mm2 hot deep galvanised steel cable tray MV 40 128	"	२६५७	२६५७	२६५७	
46	19	365X50 mm2 hot deep galvanised steel cable tray MV 40 130	"	३४५६	३४५६	३४५६	
	20	395X50 mm2 hot deep galvanised steel cable tray MV 40 131	"	३७४९	३७४९	३७४९	
	21	515X50 mm2 hot deep galvanised steel cable tray MV 40 135	"	४५८४	४५८४	४५८४	
	22	95X65 mm2 hot deep galvanised steel cable tray MV 40 141	"	१३१३	१३१३	१३१३	
	23	215X65 mm2 hot deep galvanised steel cable tray MV 40 145	"	२१२२	२१२२	२१२२	
	24	305X65 mm2 hot deep galvanised steel cable tray MV 40 148	"	२७८१	२७८१	२७८१	
	25	395X65 mm2 hot deep galvanised steel cable tray MV 40 151	"	३८५२	३८५२	३८५२	

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफियत
	सब सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	26	515X65 mm2 hot deep galvanised steel cable tray MV 40 155	"	४८३६	४८३६	४८३६	
	27	605X65 mm2 hot deep galvanised steel cable tray MV 40 157	"	५४४९	५४४९	५४४९	
	28	125X80 mm2 hot deep galvanised steel cable tray MV 40 162	"	१४९४	१४९४	१४९४	
	29	215X80 mm2 hot deep galvanised steel cable tray MV 40 165	"	२२७१	२२७१	२२७१	
	30	305X80 mm2 hot deep galvanised steel cable tray MV 40 168	"	२८८४	२८८४	२८८४	
	31	395X80 mm2 hot deep galvanised steel cable tray MV 40 171	"	४१५१	४१५१	४१५१	
	32	515X80 mm2 hot deep galvanised steel cable tray MV 40 175	"	५०१६	५०१६	५०१६	
47		**Intrusion Detection System Make Honeywell or equavalent**					
	i	**Main Controller**	सेट	३८८५१	३८८५१	३८८५१	
		CONTROL,FIRE/BURG COMMERCIAL VISTA-128FBP					
	ii	**Smoke & Heat Detector**	सेट	१०५४५	१०५४५	१०५४५	
		Wireless Smoke and Head Detector					
	iii	**Door Contact**	सेट	२६७८	२६७८	२६७८	
		Wireless Door Contact with transmitter					
	iv	**Motion Detector**	सेट	४१७८	४१७८	४१७८	
		Wireless Passive Infrared, Pet Immune Motion Detector					
	v	**Panic Switch**	सेट	४९२१	४९२१	४९२१	
		Wireless Panic Transmitter					
	vi	**Key**	सेट	४७८०	४७८०	४७८०	
		Wireless Key to Arm and Disarm the System					
	vii	**Window Contact**	सेट	२८१२	२८१२	२८१२	
		Wired door Contact with transmitter slim					
		Earth Quake Detector(JDS Inc, USA)	पिस	३६०१	३६०१	३६०१	
		Quake Alarm					
48		**Automatic Motor Operator for water motor**					
	i	Upto 1/2 HP single phase motor	सेट	४१२०	४१२०	४१२०	
	ii	Upto 1 HP single phase motor	सेट	५६६५	५६६५	५६६५	
	iii	Upto 5 HP three phase motor	सेट	९२७०	९२७०	९२७०	
49		**CCTV System**					
	a	**Out door high speed Dome Integrated CAMERA** Multi Protocal ,480 TVL,128 preset points , automatic surveillance,360 degrees horizontal rotation , AC 240V power supply , integrated heating system , highest angle speed 360 degree/ sec ,weather resistance, water resistance, robust type.					
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०	५६६५०	५६६५०	
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५८९१६	५८९१६	५८९१६	
	b	**Indoor high speed Dome Integrated CAMERA**					
	i	CANON Integrated camera chip, normal colour, 23 times optical Zoom, 10 times digital zoom	सेट	५४३८४	५४३८४	५४३८४	
	ii	CANON Integrated camera chip, day & night, 23 times optical Zoom, 10 times digital zoom	सेट	५६६५०	५६६५०	५६६५०	

सि.नं	सव सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
50	c	**VISTA Box camera** with adoptor, IR view distance 25mm Mirror shutter;with mirror image switchable,white balance; auto,Horizontal resolution ; 480 TV line , system signal; NTSC/PALBlacklight compression :ON/OFF(Switchable) , AGC; ON/OFF	सेट	१५४५०	१५४५०	१५४५०	
	d	7" Sphirical Shilded with bracket included chip excluded Camera		८३६४	८३६४	८३६४	
	e	**i) 8 Channel DVR** MJPEG Compression Type 8 Channel ionput 2 Channel output USB2.0Interface , Hard Disc > 200G, Multi-Record ,Motion Detector Function , Remote Control	सेट	३३९९०	३३९९०	३३९९०	
		ii) 16 Channel Alarm input , 16 Channel Record 8 channel Alarm output , Internate Explore, MPG-4 Record	सेट	५०९८५	५०९८५	५०९८५	
	f	17" LCD Monitor SAMSUNG or Korean Eqv.	सेट	१०८१५	१०८१५	१०८१५	
51		**Electrical Equipments**					
	i	Earthing Materials (ISI or other International Standard)					
	a	6 mm thick 600mmm× 600 mm G.I. Plate	No.	२८२९	३११२	३११२	
	c	Funneling Mechanisn with cover (mild steel)	set	६१८	६८०	६८०	
	d	3.2 mm thick 600mmm× 600 mm Copper Plate	No.	९५१७	१०४६८	१०४६८	
	e	Copper wire (10 SWG)	Mtr.	१५५	१७१	१७१	
	ii	Service wire (Al)					
	a.	2.5 mm^2	Mtr.	१८	२०	२०	
	b.	4.0 mm^2	"	२२	२५	२५	
	c.	6.0 mm^2	"	२८	३१	३१	
	iii	**Lightening Arrestor** for 3 Phase .					
	a.	0.5 KV	Set	१२३६	१३६०	१३६०	
	b.	11 KV	Set	४३२६	४७५६९	४७५६९	
	c.	Cross Arms V Channel.	No	३०९०	३३९९	३३९९	
	iv	**Stay set** with accessories.					
	a.	GI wire	No	११८२	१३००	१३००	
	b.	GI Plate	"	११८५	१३०३	१३०३	
	c.	Gay Insulator.	"	५६	६२	६२	
	d	Elbow		१०३	११३	११३	
	e	Rod , Nut	No	४४५	४९०	४९०	
	f	Grip	"	४९	५४	५४	
	v	**Overhead Insulators** (0.4KV)					
	a.	Sackle Insulator	No	३१	३४	३४	
	b.	D-Iron	"	९३	१०२	१०२	
	c.	Nut Bolt (3" with 8 mm Ø)	"	१५	१७	१७	
	d.	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	"	२३	२५	२५	
	vi	**Overhead Insulators** with fixing accessories (11KV)					
	a.	Pin Insulator	No	१८५	२०३	२०३	
	b.	Disc Insulator	"	९८९	१०८८	१०८८	
	c.	Cross Arms V Channel.	"	२७१९	२९९१	२९९१	
	vii	Sqarrel **ACSR conductor** 20mm^2	Rm.	१७	१९	१९	
	viii	weasel ACSR conductor 30 mm^2	"	२५	२८	२८	
	ix	Rabbit ACSR conductor 50 mm^2	"	४१	४५	४५	
	x	Dog ACSR conductor 100 mm^2	"	८२	९०	९०	
	xi	Supply of aluminium ABC cable					
		25mm square 4 core ABC cable	Rm.	१५५	१७०	१७०	

सि.नं	सब सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु. आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	कैफियत
		50 mm square 4 core ABC cable	"	२५८	२८४	२८४	
		95 mm square 4 core ABC cable	"	५०५	५५५	५५५	
	xii	**Alternator** 3 Phase Brush less with compounded Excitation. (KEL)					
52	C	**AMF with ATS palel for DG Ankur metal or Equivalent**					
	i	5KVA AMF with ATS palel	set	२२६६०	२४९२६	२४९२६	
	ii	7.5KVA AMF with ATS palel	"	२८८४०	३१७२४	३१७२४	
	iii	10KVA AMF with ATS palel	"	३६०५०	३९६५५	३९६५५	
	iv	15KVA AMF with ATS palel	"	४६३५०	५०९८५	५०९८५	
	v	20KVA AMF with ATS palel	"	६६९५०	७३६४५	७३६४५	
	vi	25KVA AMF with ATS palel	"	७७२५०	८४९७५	८४९७५	
	vii	30KVA AMF with ATS palel	"	९२७००	१०१९७०	१०१९७०	
53	C	**Solar system\Backup Power**					
	a	**Pure sine wave inverter**					
	i	675 VA inverter	set	११४८३	१२६३१	१२६३१	
	ii	875 VA inverter	"	१२६०१	१३८६१	१३८६१	
	iii	1500 VA inverter	"	१८९८७	२०८८६	२०८८६	
	iv	3 KVA inverter	"	५५९४७	६१५४२	६१५४२	
	b	**Exide Battery**					
		tubular inverter Battery					
	i	80 AH inverter Battery	set	९९३५	१०९३०	१०९३०	
	ii	100 AH inverter Battery	"	११९५८	१३१५५	१३१५५	
	iii	150 AH inverter Battery	"	१६६९८	१८३६८	१८३६८	
	iv	200 AH inverter Battery	"	२०७४५	२२८२०	२२८२०	
	v	75 AH tubular inverter Battery	"	१२७३१	१४००४	१४००४	
	vi	100 AH tubular inverter Battery	"	१६९६६	१८६६३	१८६६३	
	vii	150 AH tubular inverter Battery	"	२४९६७	२७४६४	२७४६४	
	viii	200 AH tubular inverter Battery	"	३१४७७	३४६२५	३४६२५	
	c	**Solar Panel**	watt	१४४	१६०	१६०	
54		**Angel Eyes solar street light absorb energy**					
		AST 1205 (12 W pv 05w led, 12.8v 5.2 Ah motion sensor)	set	२९४६५	३२४१२	३२४१२	
		AST 1805 (18 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	३९७४३	४३७१७	४३७१७	
		AST 2505 (25 W pv 05w led, 12.8v 7.8 Ah motion sensor)	"	४५११२	४९६२३	४९६२३	
		AST 3612 (36 W pv 012w led, 12.8v 13 Ah motion sensor)	"	६२८१४	६९०९५	६९०९५	
		AE 2S18B8 (AE 2 off - grid power system, pv 18w 12.8v 7.8 Ah motion Sensor)	"	३५७४६	३९३२०	३९३२०	
		AE 2S25B10 (AE 2 off - grid power system, pv 25w 12.8v 10.4 Ah motion Sensor)	"	४४८८२	४९३७०	४९३७०	
		AE 2S36B13 (AE 2 off - grid power system, pv 36w 12.8v 13 Ah motion Sensor)	"	५५९६१	६१५५७	६१५५७	
55		**MCB/ISOLATOR ORIENT or equivalent**					
		B CURVE MCB SP 6A-32A	pole	२३९	२६३	२६३	
		B CURVE MCB SP 40A	pole	२८१	३०९	३०९	
		B CURVE MCB SP 50A-63A	pole	२८१	३०९	३०९	
		C CURVE MCB SP 0.5-4A	pole	२८१	३०९	३०९	
		C CURVE MCB SP 6-32A	pole	२३९	२६३	२६३	
		C CURVE MCB SP 40A	pole	४४६	४९०	४९०	
		C CURVE MCB SP 50-63A	pole	४४६	४९०	४९०	
		C CURVE MCB SPN 0.5-4A	pole	४७९	५२७	५२७	

Santanu.

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफियत
	सब सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
		C CURVE MCB SPN 6-32A	pole	५१३	५६४	५६४	
		C CURVE MCB SPN 40A	pole	५६१	६१७	६१७	
		C CURVE MCB SPN 50-63A	pole	५६१	६१७	६१७	
		C CURVE MCB DP 0.5-4A	pole	६१७	६७९	६७९	
		C CURVE MCB DP 6-32A	pole	५६४	६२०	६२०	
		C CURVE MCB DP 40A	pole	६१७	६७८	६७८	
		C CURVE MCB DP 50-63A	pole	६१७	६७८	६७८	
		C CURVE MCB TP 0.5-4A	pole	९२५	१०१७	१०१७	
		C CURVE MCB TP 6-32A	pole	८४७	९३२	९३२	
		C CURVE MCB TP 40A	pole	९२५	१०१७	१०१७	
		C CURVE MCB TP 50-63A	pole	९२५	१०१७	१०१७	
		C CURVE MCB TPN 0.5-4A	pole	१२०६	१३२६	१३२६	
		C CURVE MCB TPN 6-32A	pole	११०३	१२१३	१२१३	
		C CURVE MCB TPN 40A	pole	१२०६	१३२६	१३२६	
		C CURVE MCB TPN 50-63A	pole	१२०६	१३२६	१३२६	
		C CURVE MCB FP 0.5-4A	pole	१२९०	१४१९	१४१९	
		C CURVE MCB FP 6-32A	pole	११८०	१२९८	१२९८	
		C CURVE MCB FP 40A	pole	१२९०	१४१९	१४१९	
		C CURVE MCB FP 50-63A	pole	१२९०	१४१९	१४१९	
		ISOLATOR DP 40A	pole	५५१	६०६	६०६	
		ISOLATOR DP 63A	pole	५५१	६०६	६०६	
		ISOLATOR DP 80-100A	pole	५७६	६३३	६३३	
		ISOLATOR DP 125A	pole	६११	६७२	६७२	
		ISOLATOR FP 40A	pole	९०२	९९२	९९२	
		ISOLATOR FP 63A	pole	९०२	९९२	९९२	
		ISOLATOR FP 80-100A	pole	९९८	१०९८	१०९८	
		ISOLATOR FP 125A	pole	९९८	१०९८	१०९८	
		RCCB DP 25A 30mA	pole	३५४७	३९००	३९००	
		RCCB DP 40A 30mA	pole	३५४७	३९००	३९००	
		RCCB DP 63A 30mA	pole	३५४७	३९००	३९००	
		RCCB DP 25A 100mA	pole	३३४५	३६८०	३६८०	
		RCCB DP 40A 100mA	pole	३३४५	३६८०	३६८०	
		RCCB DP 63A 100mA	pole	३३४५	३६८०	३६८०	
		RCCB DP 25A 300mA	pole	३३४५	३६८०	३६८०	
		RCCB DP 40A 300mA	pole	३३४५	३६८०	३६८०	
		RCCB DP 63A 300mA	pole	३३४५	३६८०	३६८०	
		RCCB FP 25A 30mA	pole	४१५५	४५७०	४५७०	
		RCCB FP 40A 30mA	pole	४१५५	४५७०	४५७०	
		RCCB FP 63A 30mA	pole	४१५५	४५७०	४५७०	
		RCCB FP 25A 100mA	pole	४००४	४४०४	४४०४	
		RCCB FP 40A 100mA	pole	४००४	४४०४	४४०४	
		RCCB FP 63A 100mA	pole	४००४	४४०४	४४०४	
		RCCB FP 25A 300mA	pole	४००४	४४०४	४४०४	
		RCCB FP 40A 300mA	pole	४००४	४४०४	४४०४	
		RCCB FP 63A 300mA	pole	४००४	४४०४	४४०४	
		Solar component					
	1	Solar PV Module	Per watt	१२३	१३५	१३५	
	2	Solar Tubular Battery (200Ah@c20,12v)	Nos	२९७६७	३२७४४	३२७४४	
	3	Solar Tubular Battery (150 Ah@c20,12v)	Nos	२२७६३	२५०३९	२५०३९	
	4	Solar Tubular Battery (100 Ah@c20,12v)	Nos	१५७५९	१७३३५	१७३३५	
	5	Solar Gel Battery (100 Ah@c20,12v)	Nos	३१८६८	३५०५५	३५०५५	

सि.नं		निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT)बाहेक (रु.			कैफियत
	सब सि.नं			आ.व २०७४/७५	आ.व २०७५/७६	आ.व २०७६/७७	
	6	Solar Gel Battery (75 Ah@c20,12v)	Nos	२४३३९	२६७७३	२६७७३	
	7	Solar Gel Battery (40 Ah@c20,12v)	Nos	१४००८	१५८०९	१५८०९	
	8	Charge controller (60Ah/24V)	Nos	३१५१८	३४६७०	३४६७०	
	9	Charge controller 45Ah/12-24-48 V	Nos	२३२०१	२५५२१	२५५२१	
	10	Charge controller 10a/12-24 V	Nos	२६२७	२८९०	२८९०	
	11	Charge controller 20a/12-24 V	Nos	३९४०	४३३४	४३३४	
	12	Solar dusk to down controller 20A/12Vwith driver curcit	Nos	४३७८	४८१५	४८१५	
	13	Solar street light 20W/10W- 12V DC with autodimming system	Nos	१४८८४	१६३७२	१६३७२	
	14	Solar street light 40W/20W- 12V DC with autodimming system	Nos	३०६४३	३३०७७	३३०७७	
	15	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	Nos	१६११७	१७८१६	१७८१६	
	16	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom m 6" for top 3 m	Nos	२०१३७	२२१५०	२२१५०	
	17	40 watt solar street light	Nos	१४००८	१५४०८	१५४०८	
	18	20 watt solar street light	Nos	८४०५	९२४५	९२४५	
	19	12 watt solar street light	Nos	५४२८	५९७०	५९७०	
	20	Pure sine wave inverter 250 VA /12 V	Nos	७००४	७७०५	७७०५	
	21	Pure sine wave inverter 400 VA /12 V	Nos	१३१३३	१४४४६	१४४४६	
	22	pure sine wave inverter 1400 VA	nos	२२७६३	२५०३९	२५०३९	
	23	Ms light Arms	Set	२१८९	२४०८	२४०८	
	24	SPV mountaining frame	set	५६९१	६२६०	६२६०	
	25	Battery box	Set	४३७८	४८१६	४८१६	
	26	Battery stand	Set	४३७८	४८१६	४८१६	

Jantanu -